

# Concrete Construction Subject Index

Information published in CONCRETE CONSTRUCTION magazine  
classified by subject matter

This index lists subjects that have been covered in articles, problem clinic answers, letters to the editor or news items that appeared in CONCRETE CONSTRUCTION from January 1968 through December 1984. The listing gives the subject and its location in the following way:

Air entrainment  
factors affecting, 84.717  
subject year page

Pages are numbered consecutively throughout each year. If you want to identify the month in which an article appeared, use the page numbering table (page 1038).

Generally, the page number given is the first page of an article in which the subject appears. In some cases, special issues of the magazine consisted of a series of questions and answers. For these issues, only the page number on which the subject appears is listed.

## Availability of articles

All items referenced in the index are available in the form of photocopies. These may be ordered from Concrete Construction Publications on a prepaid basis at a cost of \$1.00 per item ordered. When the subject appears in an article, a photocopy of the entire article will be supplied for the \$1.00 fee.

When ordering photocopies of indexed items, list them exactly as they appear in the index. For example, if you wish to purchase all four items shown under "cement burn," list them as follows and enclose a check for \$4.00:

Cement burn  
prevention methods, 79.704, 82.361  
skin protection from, 74.134, 75.588

## Bound volumes and reprint collections

Back issues of CONCRETE CONSTRUCTION magazine are available in hard-cover bound volumes (except 1970, 1972 and 1978) at \$19 per volume. Many basic articles have also been grouped into booklets known as reprint collections. To get a listing of the available reprint collections and their prices, circle 235 on the reader service card.

## How to order

All orders for photocopies or bound volumes must be prepaid (check or money order) and directed to:

Book and Reprint Division  
Concrete Construction Publications, Inc.  
426 South Westgate  
Addison, Illinois 60101

Abrasion resistance, floor slabs, 76.404

Abrasive blasting. See Sandblasting

Absolute volume, definition, 76.33

Abutments, designed square for skewed bridges, 78.465

Accelerated strength tests, 73.346, 79.607  
CN Tower experience, 75.128  
methods and uses, 81.665

Acceleration, concrete strength, methods, 70.363

Accelerators. See also Admixtures; Calcium chloride

calcium chloride effectiveness, 76.57  
cold weather concreting, 70.363  
effect on drying shrinkage, 83.563  
fast set with portland cement, 74.528  
nonchloride, case histories, 82.789  
organic and inorganic types, 76.57  
trend away from chlorides, 82.796  
types listed, 72.410

Accreditation  
concrete technicians, Massachusetts, 76.579  
proposed for contractors, 74.39

Acetic acid, effect on hardened concrete, 75.328

ACI Building Code  
chloride limits proposed, 82.779  
field bending of rebar, 83.245  
procedures for updating, 75.308  
revisions in 1971, 72.7  
complexity analyzed, 75.15

ACI guide, residential concrete, 83.757

ACI reference specification, 301, 83.451

ACI training program for technicians and craftsmen, 82.855

Acid etching  
methods, 81.31  
purpose and techniques, 77.124

Acid rain, sculpture protected from, 83.50

Acid resisting brick  
special tolerances needed, 80.851  
used with membrane to protect concrete, 76.144

Acid resisting concrete, calcium aluminate cement, 82.437

Acids, effect on hardened concrete, 75.328, 81.25

Acoustic signals, used to find voids in fresh concrete, 83.839

Acrylic concretes  
making and repairing with, 84.881  
properties, 84.881

Acrylic latex. See Latex modified concrete

Acrylic resin  
protects sculpture from acid rain, 83.50  
repairs industrial floors, 81.55

Acrylic sealer, reduces heat loss, 83.560

Acrylics as coatings, stains for concrete, 81.406

Admixtures  
accelerators, cold weather, 70.363  
air-detraining, 73.343  
air-entraining, 70.241  
calcium chloride ban opposed, 82.805  
corrosion inhibiting, 79.601  
effect on air content, 84.717  
floor construction needs, 73.521  
gelling agents for grout, 84.47  
ground slag, 82.448  
integral color, pros and cons, 76.204  
microsilica, 82.443

MORE

## Subject Index

### Admixtures . . . continued

nonchloride accelerators, case histories, **82.789**  
 pavement and flatwork needs, reviewed, **76.355**  
 pumped concrete, **72.57**  
 retarders, effect on properties, **70.310**  
 set regulating, improve strength, **74.122**  
 shrinkage compensating concrete, **83.331**  
 silica fume, **82.443**  
 superplasticizers, **78.142, 79.25, 82.409**  
 types available and history of development, **76.159**  
 water reducers, types compared, **79.383**  
*Adventure in Concrete*, sculpture honors Andersons, **84.313**  
 Aggregate transfer, construction methods, **72.624**  
 Aggregate transparency, description and causes, **71.85**  
 Aggregates  
   broken glass, **71.372**  
   carbonaceous for electrical conductivity, **80.411**  
   coarse, best maximum size, **73.202**  
   cooling methods, **73.280**  
   coquina, Ponce de Leon Hotel, **73.400**  
   decorative, sources listed, **84.42**  
   effect on fire resistance, **74.403**  
   effect on pumpability, **72.385**  
   grading for pumped concrete, **73.51**

high density, sources, **81.229**  
 inspection and testing, **76.555**  
 magnetite sources, **78.380**  
 manufactured, questions/answers, **72.335**  
 metallic floor hardener, **77.73**  
 perlite insulating concrete, **78.411**  
 plastic waste, **71.372**  
 polystyrene beads, **78.411**  
 radiation shielding, **80.622**  
 recycled, admixture effects, **84.438**  
 recycled concrete used for, **73.47, 80.725**  
 recycled from left-over concrete, **83.540**  
 sawdust, **71.372**  
 shells and beach sand, **73.282**  
 vermiculite, **78.411**  
 waste materials used as, **71.372**  
 wheat—puffed, carbonized, **71.475**  
 white concrete, **70.319**  
 Agricultural uses  
   earth-sheltered buildings, **83.229**  
   earth-sheltered hog houses, **83.241**  
   freeze-proof waterer, **81.535**  
   grain storage facilities, **83.237**  
   grooving tool for slip-resistant floors, **80.842**  
   hog pen dividers, **81.479**  
   horizontal silos built by tilt-up, **81.471**  
   information sources for farm builder, **81.485**  
   Ontario pursues market, **81.499**  
   post-frame buildings strengthened by concrete, **81.477**  
   precast items with glass fiber reinforcement, **83.250**

promotion work, **81.465**  
 slotted livestock feeding floors cast in place, **83.235**  
 Air compressors, silenced models, **79.50**  
 Air content  
   affected by fly ash, **82.422**  
   variations, causes of, **73.122**  
 Air content tests  
   by contractor on paving job, **82.243**  
   methods, **76.105**  
   purpose and methods, **81.557**  
 Air detrainment, admixtures for, **73.343, 76.356**  
 Air-entrained concrete  
   finishing, **72.458**  
   finishing problems, **76.374**  
   floors and other uses, **76.105**  
   high strength, **84.843**  
   mixing and placing, **76.105**  
 Air entrainment  
   cause of excessive amount, **76.355**  
   early history, **81.1038**  
   factors affecting, **84.717**  
   floor slab requirements, **73.521**  
   history of development, **76.159**  
   how it works in concrete, **76.105**  
   importance for durability, **75.490**  
   methods and benefits, **70.241**  
   methods for high strength concrete, **77.77**  
   prevention of scaling, **78.457**

MORE

## PAGE NUMBERING BY MONTHS FOR CONCRETE CONSTRUCTION MAGAZINE, 1960 THROUGH 1984

Year	January	February	March	April	May	June	July	August	September	October	November	December
1960	1 - 24	25 - 56	57 - 88	89 - 120	121 - 152	153 - 184	185 - 216	217 - 248	249 - 280	281 - 312	313 - 344	345 - 368
1961	1 - 24	25 - 56	57 - 88	89 - 124	125 - 156	157 - 188	189 - 220	221 - 244	245 - 276	277 - 308	309 - 340	341 - 364
1962	1 - 32	33 - 64	65 - 96	97 - 128	129 - 160	161 - 192	193 - 224	225 - 256	257 - 288	289 - 320	321 - 352	353 - 384
1963	1 - 32	33 - 64	65 - 112	113 - 144	145 - 176	177 - 208	209 - 240	241 - 272	273 - 304	305 - 336	337 - 368	369 - 400
1964	1 - 24	25 - 56	57 - 88	89 - 120	121 - 152	153 - 184	185 - 224	225 - 264	265 - 304	305 - 344	345 - 384	385 - 416
1965	1 - 32	33 - 72	73 - 112	113 - 152	153 - 200	201 - 248	249 - 288	289 - 328	329 - 368	369 - 408	409 - 448	449 - 488
1966	1 - 40	41 - 88	89 - 128	129 - 168	169 - 208	209 - 256	257 - 296	297 - 344	345 - 384	385 - 432	433 - 472	473 - 512
1967	1 - 32	33 - 72	73 - 112	113 - 160	161 - 208	209 - 248	249 - 288	289 - 328	329 - 368	369 - 416	417 - 456	457 - 496
1968	1 - 32	33 - 64	65 - 104	105 - 144	145 - 192	193 - 240	241 - 280	281 - 320	321 - 360	361 - 400	401 - 448	449 - 480
1969	1 - 40	41 - 80	81 - 120	121 - 168	169 - 216	217 - 256	257 - 296	297 - 336	337 - 376	377 - 408	409 - 456	457 - 488
1970	1 - 36	37 - 68	69 - 108	109 - 148	149 - 196	197 - 236	237 - 276	277 - 308	309 - 348	349 - 388	389 - 420	421 - 452
1971	1 - 32	33 - 72	73 - 120	121 - 168	169 - 216	217 - 274	275 - 322	323 - 370	371 - 418	419 - 466	467 - 506	507 - 538
1972	1 - 48	49 - 96	97 - 152	153 - 216	217 - 264	265 - 320	321 - 368	369 - 424	425 - 472	473 - 520	521 - 592	593 - 640
1973	1 - 40	41 - 88	89 - 144	145 - 208	209 - 284	285 - 312	313 - 360	361 - 416	417 - 464	465 - 512	513 - 584	585 - 624
1974	1 - 48	49 - 96	97 - 152	153 - 208	209 - 272	273 - 328	329 - 384	385 - 440	441 - 488	489 - 536	537 - 584	585 - 632
1975*	1 - 36	37 - 80	81 - 124	125 - 176	177 - 228	229 - 273	274 - 324	325 - 376	377 - 428	429 - 480	481 - 540	541 - 608
1976*	1 - 52	53 - 96	97 - 148	149 - 200	201 - 252	253 - 296	297 - 348	349 - 440	441 - 484	485 - 536	537 - 604	605 - 744
1977*	1 - 68	69 - 120	121 - 196	197 - 248	249 - 306	309 - 376	377 - 420	421 - 472	473 - 532	533 - 592	593 - 660	661 - 784
1978*	1 - 84	85 - 136	137 - 188	189 - 256	257 - 316	317 - 384	385 - 452	453 - 512	513 - 572	573 - 640	641 - 692	693 - 824
1979*	1 - 106	107 - 158	159 - 218	219 - 302	303 - 354	355 - 434	435 - 502	503 - 568	569 - 654	655 - 714	715 - 786	787 - 902
1980*	1 - 120	121 - 180	181 - 326	327 - 386	387 - 454	455 - 522	523 - 582	583 - 642	643 - 718	719 - 786	787 - 870	871 - 1002
1981*	1 - 84	85 - 224	225 - 300	301 - 368	369 - 460	461 - 552	553 - 636	637 - 712	713 - 788	789 - 872	873 - 940	941 - 1074
1982*	1 - 168	169 - 236	237 - 328	329 - 404	405 - 480	481 - 556	557 - 624	625 - 692	693 - 768	769 - 836	837 - 896	897 - 1020
1983*	1 - 84	85 - 224	225 - 308	309 - 376	377 - 444	445 - 520	521 - 588	589 - 656	657 - 732	733 - 808	809 - 868	869 - 1000
1984*	1 - 100	101 - 280	281 - 380	381 - 472	473 - 548	549 - 624	625 - 700	701 - 784	785 - 860	861 - 944	945 - 1036	1037 - 1184

\* Covers included in pagination starting with January 1975 issue.

## Subject Index

- Air entrainment . . . continued  
 rapid air loss, fly ash concrete, **79.840**  
 value in concrete, **84.717**  
 value in preventing scaling, **80.139**
- Airport pavement  
 econcrete subbase, **82.860**  
 post-tensioned experimental, **73.11**  
 post-tensioned overlay, O'Hare runway, **82.261**
- Airport runways, texturing for skid resistance, **68.109**
- Algae, removal of stain caused by, **84.58**
- Alkali-silica reaction, **83.278**
- Alkyd paints, properties and uses, **81.406**
- Aluminates, used as accelerators, **76.57**
- Aluminum  
 corrosion in concrete, **76.381**  
 reactivity with concrete, **70.12, 71.64, 81.25**
- Aluminum buckets, affect concrete strength?, **81.359**
- Aluminum formwork. *See also* Formwork, aluminum  
 framing members and panels, **82.185**
- Aluminum powder  
 expansion agent in concrete, **71.212**  
 expansion agent in grout, **77.140**
- Aluminum pump lines, **71.385**  
 effect on concrete, **70.289**  
 problems reported, **70.12, 70.186**  
 warnings regarding use, **70.94**
- Aluminum trusses, flying form support, **78.525**
- Aluminum wall forms, low lift, **71.329**
- American Concrete Institute. *See* ACI
- Ammonium hydroxide, effect on hardened concrete, **75.328**
- Ammonium salts, as deicers, harm concrete, **76.495**
- Ammonium sulfate solutions  
 attack concrete, **76.524**  
 prevention of attack, **77.149**
- Amsterdam Metro, tunnel construction, **74.453**
- Anchorage to concrete. *See* Anchors
- Anchors  
 bolts drilled in, hold crash barrier, **73.236**  
 cladding to concrete, **73.486**  
 drilled in vs. powder actuated tool method, **76.113**  
 drop-in, installation, **71.20**  
 drop-in vs. cast-in, **71.20**  
 drop-in with wedge pin, no torque needed, **76.223**  
 epoxy-grouted, removal, **72.78**
- Anhydrous ammonia, protecting concrete from, **82.114**
- Aquarium construction, Seattle, **77.656**
- Aquarium pool, plastic film repairs leaks, **84.901**
- Aramid fiber composite with glass, **82.649**
- Arch construction  
 post-tensioned at Moscone Center, **83.103**  
 shotcrete over expanded metal, load tests, **82.581**
- Architects and artists  
 Bourgeois, Louis, **70.34, 83.119**  
 Collins, Henry and Joyce, **76.265**  
 Couelle, Jacques, **71.473**  
 Earley, John J., **84.117**  
 Goldberg, Bertrand, **80.135, 83.89**  
 Le Corbusier, **68.197**  
 Mercer, Henry Chapman, **82.561**  
 Nervi, Pier Luigi, **79.175**  
 Pei, I.M., **84.105**  
 Picasso, **69.385**  
 Taft, Lorado, **84.299, 84.797**  
 Wright, Frank Lloyd, **75.189, 83.109, 83.137**  
 Yamasaki, Minoru, **69.337**
- Architectural concrete. *See also* particular structures by name  
 Arcosanti (Soleri's city), **81.323**  
 Atlanta's outstanding structures, **82.8**  
 Baha'i Temple (Illinois), **83.119**  
 Baha'i Temple (Panama), **73.369**
- board marked finish, construction details, **75.320**
- bushhammering, **72.549**
- color variations, causes/cures, **79.6**
- condominiums made from silos, **83.5**
- contractor's responsibility, **72.483**
- cost data, **72.523**
- custom form liners, **82.567**
- design firms' opinions, **72.483**
- factors affecting quality, **73.367**
- Fallingwater (house), **83.109**
- finish types available, **72.528**
- form liners for, **74.337**
- forming materials, **72.540**
- GFRP forms ganged for, **73.367**
- Goldberg, Bertrand, work of, **80.135**
- grout cleandown, **79.319**
- Hawaii capitol, **69.260**
- Hirshhorn Museum, pink aggregate, **72.554**
- historic Mercer buildings, **82.561**
- joint details, questions/answers, **78.590**
- leakproof forms required, **79.6**
- Le Corbusier's work, **68.197**
- Master Builders headquarters, **81.156**
- mechanical tooling, **82.39**
- mechanically tooled, formwork needs, **84.397**
- mix design for, **72.535, 79.6**
- National Gallery of Art, East Building, **84.105**
- placing and vibration, **72.536**
- planning in detail needed, **72.524**
- Police Memorial Building, Jacksonville, FL, **82.587**
- questions answered, **72.558**
- reference list, **82.596**
- reinforcement setting for, **72.539**
- repair, **72.300**
- repair methods, **72.161**
- ribbed exterior shear walls, **82.571**
- sample panel display, **73.423**
- sample panels help sales, **81.912**
- sandblasted finish methods, **68.449**
- sculptured panels with Indian design, **83.411**
- shotcreting, **72.586**
- specifications, **79.6**
- specifying properly, **80.199**
- surface finish, European examples, **82.575**
- surface repair, **72.552, 79.319**
- surfaces affected by placing practices, **78.591**
- surfaces cast against plastic liners, **82.51**
- Sydney Opera House, construction, **74.113**
- textured surfaces, Kentucky Horse Park, **80.470**
- tilt-up simulates stone, **84.477**
- troubleshooting questions, special issue, **78.575**
- University of California, library, **70.313**
- Westin Hotel, Boston, **84.949**
- world's tallest buildings, **83.91**
- Yamasaki's designs, **69.337**
- Architectural design  
 coordination with structural design, **73.223**  
 details for weathering, **72.51**  
 economic and philosophical reasons for concrete, **80.135**  
 how concrete fits in, **72.483**  
 Le Corbusier's concrete, **68.197**  
 Soleri's Arcosanti city, **81.323**  
 tilt-up buildings, **71.423**
- Arcosanti, Soleri's city grows, **81.323**
- Asbestos cement, surface for concrete beams, **75.250**
- Asbestos fiber, reinforcement potential, **81.261**
- Associations. *See also* specific organizations  
 Cement and Concrete Association, England, **79.483**  
 Concrete Reinforcing Steel Institute, **81.830**  
 Concrete Society formed, **71.93**  
 importance in lobbying, **74.234**  
 international list, **71.17, 71.337, 73.99, 79.827, 80.931, 81.1003, 82.966, 83.938, 84.1134**  
 national (U.S.) list, **74.360, 75.50, 75.559, 76.639, 77.727, 78.759**  
 Portland Cement Association reorganization, **71.238**  
 Post-Tensioning Institute, formed, **76.460**  
 poured wall contractors organize, **76.692**  
 pumpers organize, **74.41**
- rebar producers organize, **75.244**
- scaffolding and shoring group expands, **80.427**
- subcontractors organize, **73.28**
- Wire Reinforcement Institute, **81.830**
- Atlanta, Georgia, architectural concrete work, **82.8**
- Autogenous healing, **69.409, 77.132**
- Avery, William M., becomes ACI honorary member, **83.476**
- Avianca Building (Colombia), fire damage 1973, **74.409**

## B

- Backfill  
 controlled density material, uses and benefits, **75.448**  
 soil cement, **84.31**
- Backfill drainage, retaining walls, **68.151**
- Backfilling  
 earth-sheltered buildings, **82.485**  
 earth-sheltered construction, **80.659**  
 preferred procedures, residential work, **75.494**  
 procedures for basements, **78.207**
- Badminton court, layout and dimensions, **71.232**
- Baha'i Temple (Illinois)  
 design and construction, **83.119**  
 exposed aggregate, cleaning, **70.3**
- Baha'i Temple (Panama), construction views, **73.369**
- Ball State University Library, ganged GFRP forms, **73.367**
- Bar supports, estimating practices, **81.793**
- Barge (concrete)  
 launched in Hawaii, **77.417**  
 supports houseboat, **79.706**
- Barium cement, description and uses, **73.3**
- Barrier walls  
 precast, for privacy, security, **83.767**  
 precast, shield microwave antenna, **84.741**
- Basements  
 benefits in home marketing, **78.194**  
 block vs. poured, **80.612**  
 block, repaired with reinforced concrete, **83.141**  
 construction recommendations, **78.199**  
 design recommendations, **78.197**  
 flooding, dampness cured, **70.28, 77.164**  
 floor dampness causes, **76.387**  
 leakage prevention, **78.211**  
 placing concrete for, **75.509**  
 settlement and heaving, **81.659**  
 wall construction, **78.207**  
 wall crack repairs, **81.491**  
 wall cracks prevented, **84.246**  
 wall leaks repaired, **81.419**  
 waterproofing methods, **75.499**  
 waterstops in joints, **73.185, 80.474**  
 wood, deficiencies, **73.178, 77.380**  
 wood and steel compete with concrete, **78.215**  
 wood in Wisconsin, **82.654**
- Basic Building Code, changes related to concrete, **84.23**
- Batch plant, hand labor in Indonesia, **81.597**
- Battleship Texas, shotcrete restores deck, **74.477**
- Beam-column joint, fiber reinforcement improves seismic resistance, **80.529**
- Beam forms  
 estimating when ganged, **74.154**  
 GFRP, **71.2**  
 Hirshhorn Museum, circular, **72.554**
- Beam stirrups, bent from wire mesh, **84.591**
- Beams  
 holes through web, locating and forming, **75.47**  
 vibration techniques, **73.95**
- Bearing wall, height increased to support masonry, **82.302**
- Bellefontaine, Ohio, historic pavement, **75.133, 77.20**

MORE

## Subject Index

- Bentonite
  - earth-sheltered construction, **80.669**
  - leakage repair, **69.409, 81.31**
  - slurry wall construction, **73.90**
- Betograde, placement method for sculpture, **69.385**
- Bidding, preliminary priced proposal, **84.803**
- Bikeways
  - built with slipform pavers, **80.431**
  - construction in concrete, **77.644**
  - recommended construction, **78.103**
- Biltmore Hotel
  - precast matches old masonry, **79.307**
  - tiles copy textile blocks, **81.495**
- Bituminous patching, pavements, **79.177**
- Black concrete
  - how to color, **78.580**
  - Manhattan pavement, **83.461**
- Black Hawk, historic Taft sculpture, **84.299**
- Blast-furnace slag. *See* Slag
- Blasting vibration, effect on fresh concrete, **83.406**
- Bleeding
  - admixtures to reduce, **76.337**
  - behavior described, **79.223**
  - causes and cures, **71.133, 79.247**
  - excessive in walls, causes and cures, **76.135**
  - grout for post-tensioning tendons, **84.47**
  - sometimes desirable, **71.133**
- Blemishes, formed concrete surfaces, causes tabulated, **79.719**
- Blended cements
  - description and uses, **73.3**
  - portland-pozzolan, properties, **74.283**
- Blistering
  - causes and remedies, **70.317, 73.610, 76.369, 79.247**
  - prevention, **74.26**
- Blowholes. *See* Bugholes
- Blowups, pavement, prevention and repair, **76.377**
- Board-marked concrete
  - elastomeric form liner for, **82.182**
  - forming methods, **74.55**
  - Mellon Art Center, construction details, **73.320**
  - National Gallery of Art, construction details, **84.105**
- Boat launching ramps, precast or cast in place, **70.201**
- Boatbuilding,
  - ferrocement, **69.381, 71.129, 77.336, 77.337, 83.351**
  - ferrocement and other methods, **69.344**
- Bond breaker
  - choosing and using, **77.547**
  - tilt-up panels, **71.441, 82.29**
  - weather effects on use, **77.547**
- Bonding, other materials to concrete, **81.391**
- Bonding agents. *See also* specific types
  - epoxy materials, methods, **79.169**
  - types and application, **77.125**
- Book catalogs, concrete field, **77.735, 78.770**
- Book publishers, concrete construction field, **72.605**
- Books, reference shelf for inspectors, **76.575**
- Borrowing funds, interest costs explained, **77.541**
- Bosun's chair, construction workers' use, **80.797**
- Bourgeois, Louis, Baha'i Temple architect, **70.3, 83.119**
- Bracing, composite construction, **84.815**
- Brick
  - acid resisting, installed with membrane, **76.144**
  - concrete, waste aggregates for, **71.372**
- Bridge decks
  - bracket for overhang construction, **83.276**
  - curing, linseed oil emulsion, **71.383**
  - galvanized forms for, **72.61**
  - joint repair, **73.486**
- New River Gorge Bridge, construction, **78.220**
- permanent forms, **72.194**
- polymer concrete overlays, **84.711**
- polymer impregnation, **79.272**
- rebuild with precast panels, **84.147**
- resurfacing by Iowa method, **78.323**
- sealed by wax beads in mix, **75.402**
- steel-fiber-reinforced overlay, **73.321**
- steel plates add strength, **84.999**
- thin bonded overlay, **84.705**
- two-course construction, Iowa method, **78.323**
- vacuum dewatering, **81.507**
- Bridge girders
  - post-reinforcement repair, **84.705**
  - post-tensioned segmental, I-beams, **72.240**
  - repair by epoxy injection, **84.170**
- Bridge model, tests to validate design, Three Sisters, **71.480**
- Bridge rehabilitation, cable-stayed design, **83.29**
- Bridges
  - design of squared abutments, **78.465**
  - mobile manlift for repair, **81.431**
  - repair and rehabilitation programs, **83.598**
  - segmental box girder
    - erection methods, **81.135, 83.350**
    - Houston ship channel, **83.115**
    - state of the art, **81.135**
  - segmental I-girder, **72.240**
  - shoring support for repair, **84.744**
  - strengthened with steel, grout bag bearings, **79.675**
- Broom finish
  - ornamental for flatwork, **79.237**
  - skid-resistant runways, **68.109**
- Brooms, finishing uses, **69.121**
- Buckets
  - aluminum, **81.359**
  - compared with pump placing, **74.333**
  - types available, **72.426**
- Buff cement, description and uses, **73.3**
- Buggies. *See* Carts
- Bugholes
  - architectural concrete, prevention, **79.323**
  - causes, **70.43**
  - causes and remedies, **72.266, 73.597**
  - description and causes, **71.81**
  - hiding with paint/coating, **77.481**
  - how to eliminate, **70.224**
  - photos compared to evaluate, **70.43**
- Building codes. *See also* specific codes
  - ACI 318-71, revisions, **72.7**
  - composite construction, **84.815**
  - control quality in Europe, **77.383**
  - earthquake design changes, **84.516**
  - earthquake requirements, **84.489**
  - how model code system works, **84.23**
  - requirements for earth-sheltered construction, **82.515**
  - revision process explained, **84.23**
- Building systems, proprietary, name-address list, **71.160**
- Bulkhead forms
  - expanded metal, **83.552**
  - installing in wall forms, **73.467**
- Bull floating, flatwork, recommendations, **79.225**
- Bump cutters, diamond bladed, smooth pavements, **76.167**
- Bureau of Reclamation, *Concrete Manual*, history, **75.449**
- Burlap
  - drag for skid-resistant finish, **69.377**
  - wet for curing concrete, **76.488**
- Busch Gardens theme park, concrete simulates landscape features, **78.344**
- Bushhammering, architectural concrete, **72.549**
- Business organization
  - buy-sell agreements, estate taxes, **80.682**
  - computer use, case histories, **83.605**
  - computers for estimating, **84.163**
  - construction scheduling methods, **75.53**
  - contractor as precaster, **80.791**
  - contractor failure analysis, **78.101**
  - contractor's needs, **74.557**
- corporate brochure aids marketing, **83.623**
- cost of borrowed funds, **77.541**
- creative selling, **80.352, 80.550**
- directors and advisers for family business, **77.259**
- family succession problems, **77.29, 78.33**
- introducing children to the family business, **75.141**
- marketing department, how to establish, **84.39**
- marketing plans, **81.889**
- negotiated work, **84.340**
- overhead costs controlled, **75.293**
- planning for safety, **82.333**
- preliminary priced proposal, fosters competition, **84.803**
- repair work a specialty, **83.36**
- rules for pumpers, **72.385**
- waste prevention at site, **74.289**
- Buyers' guide
  - product and source listings, **74.588, 75.564, 76.624, 77.679, 78.696, 79.792, 80.874, 81.945, 82.901, 83.873, 84.1041**
  - products, trade names, transportation field, **79.102**

## C

- Cable-stayed design, bridge rehabilitation, **83.29**
- Cabooses, cast in concrete, **80.11**
- Caisson construction
  - Amsterdam Metro tunnel, **74.453**
  - water intake for power plant, **83.389**
- Calcium aluminate cement
  - arctic construction with, **78.504**
  - blamed for precast beam failures, **74.474**
  - conversion explained, **82.437**
  - description and uses, **73.3, 81.331**
  - proposed for winter work, **77.42**
  - repair material, **79.177**
  - when and how to use, **82.437**
- Calcium chloride. *See also* Chloride ion
  - ban on use as admixture opposed, **82.805**
  - concern over use as accelerator, **82.796**
  - controversy over limits, **82.773**
  - definitions, related to chloride ion, **82.775**
  - does use as accelerator cause corrosion?, **82.802**
  - effect on drying shrinkage, **83.563**
  - effect on fresh concrete, **76.57**
  - effect on hardened concrete, **76.57**
  - effect on steel corrosion, **76.57, 76.58**
  - effects as admixture, **76.531**
  - pros and cons on limits, **82.811**
  - safe deicer for concrete, **76.495**
  - use as deicer, **74.253**
  - use in flatwork, **76.355**
  - use limited in Britain, **77.116, 82.794**
- Calcium chloride brine, attacks shaft lining, **76.464**
- Calcium formate, used as accelerator, **76.57**
- Calcium magnesium acetate, noncorroding deicer, **84.230**
- Calcium nitrite, corrosion inhibition, **79.601**
- Calcium sulfate
  - effect on hardened concrete, **75.328**
  - fast setting repair, **79.177**
- Calcium sulfate cement, bridge patches, **80.98**
- Calculators, programmable, capacities compared, **73.593**
- Camber, needs for form or structure, **80.199**
- Canadian National Tower
  - accelerated testing for, **75.128**
  - construction story, **83.125**
  - slipforming in winter, **75.393**
- Canoes (concrete)
  - building and racing, **77.331**
  - race at Purdue, **73.426**
- Cantilever construction
  - Houston box girder bridge, **83.115**
  - segmental box girder bridges, **81.135**
- Carbide lime, construction uses, **79.636**
- Carbon dioxide, effect on hardened concrete, **75.328**

MORE



- Carbon fibers, reinforcement properties, **81.261**  
 Carbonaceous aggregate, electrically conductive concrete, **80.411**  
 Carbonates, used as accelerators, **76.57**  
 Carbonation  
   causes concrete dusting, **73.282**  
   damage photo, **68.323**  
   floor slabs  
     causes dusting, **79.735**  
     prevention, **76.391, 79.735**  
 Carbonic acid, effect on hardened concrete, **75.328**  
 Carts  
   compared with pump placing, **74.333**  
   types for moving concrete, **72.426**  
 Castle, medieval replica, Mecosta, Michigan, **72.408**  
 Cathodic protection  
   bridge deck concrete, **78.614**  
   reinforcing steel, **84.561**  
 Cavitation  
   compared with erosion, **81.13**  
   concretes resistant to, **74.253**  
 Cellular concrete  
   fire retarding walls, **73.38**  
   floor construction, **73.582**  
   foam generation for, **73.582**  
   insulating value, **83.543**  
   properties and production, **78.411**  
   properties and uses, **81.229, 81.253**  
 Cement. *See also* particular types  
   best kinds for hot weather, **73.219**  
   blended hydraulic, properties and uses, **81.331**  
   blended, using ground slag, **82.448**  
   burns skin. *See* Cement burn  
   calcium aluminate, benefits, uses, **82.437**  
   color influence on architectural concrete, **78.579**  
   colored and white in colored concrete, **82.19**  
   colored, imparts color to concrete, **76.204**  
   effect on concrete color, **80.446**  
   energy used in production, **78.388**  
   expansive, types defined, **76.63**  
   high iron oxide, saves energy in manufacturing, **78.112**  
   history of packaging, **82.100**  
   hot, effect on strength, **74.298**  
   hot, problems associated with, **76.358**  
   kiln dust reused, **79.332**  
   masonry, **81.331**  
   natural used in Erie Canal, **81.1026**  
   portland patents, early use, **81.1028**  
   prevention of lumps, **79.412**  
   protection during bagged storage, **78.284**  
   rice hull, acid resistant, **77.54**  
   Roman, **74.133**  
   Roman patented, 1796, **81.1025**  
   shrinkage compensating. *See* Expansive  
   soil stabilization with, **68.371**  
   special types reviewed, **73.3, 81.331**  
   substitute Type II for V, **84.1011**  
   Type III properties, **72.76, 72.298**  
   types for fast set repairs, **79.177**  
   uniformity from one source, **77.87**  
   water repellent, **81.331**  
 Cement-alkali reaction, causes/remedies, **68.323**  
 Cement and Concrete Association, research work, **79.463**  
 Cement burn  
   prevention methods, **79.704, 82.361**  
   skin protection from, **74.134, 75.588**  
 Cement conservation  
   mix design practices for, **74.283**  
   with admixtures, replacements, **78.620**  
 Cement consumption, growth predicted in energy-conserving uses, **83.531**  
 Cement content, measuring in fresh concrete, **73.345, 77.427**  
 Cement fineness, effect on concrete, **70.302**  
 Cement manufacturers, special cements, **73.259**  
 Cement production  
   California plant expansion, **80.847**  
   California shortage, **77.722**  
   capacity surveyed (U.S.), **74.354**  
   Europe, 1976, **77.399**  
   facilities, profitability, **72.173**  
   history of, **81.204**  
   increase in 1978, **79.297**  
   new dry-process plant, **80.158**  
   new facilities needed, **80.347**  
   new slag cement plant, **82.463**  
   shipments in 1976, **77.234**  
   shortage predicted, **72.173**  
   shortages explained, **78.540**  
   shortages spread, **78.662**  
   slag cement saves energy, **81.347**  
 Certification programs, craftsmen and technicians, **82.855**  
 Checkerboard casting, not recommended, **81.745**  
 Chemical attack. *See* Durability; Deterioration: specific agents  
 Chewing gum, removal from concrete, **83.279**  
 Chimney, slipform construction, International Nickel, **72.19**  
 Chipping tool, removes fins, **79.551**  
 Chloride ion. *See also* Calcium chloride  
   ACI recommends limits, **78.153**  
   cause of corrosion?, **82.785**  
   concentration percentages explained, **82.775**  
   limits proposed, **82.773**  
   limits proposed by ACI Committee 201, **82.777**  
   pros and cons of limits, **82.811**  
 Chlorides, used as accelerators, **76.57**  
 Chlorinated rubber coatings, properties and uses, **81.406**  
 Chutes  
   proper use stops segregation, **74.524**  
   types available, **72.370**  
 Cladding, anchorage to concrete walls, **73.486**  
 Clay stains  
   removal method, **72.316, 76.390**  
 Cleaning  
   efflorescence removal, **70.81**  
   exposed aggregate, Baha'i Temple, **70.3**  
   flame treatment method, **78.275**  
   historic buildings, **76.261, 83.712, 84.58**  
   oil stain removal, **70.180**  
   stains and efflorescence, **77.128**  
 Cliff walls  
   constructed for climbers, **74.217, 77.331**  
 CN Tower. *See* Canadian National  
 Coal, effect on hardened concrete, **75.328**  
 Coatings. *See also* Paint  
   dampproofing for walls, **81.309**  
   epoxy, **79.169**  
   how to choose for concrete, **77.477**  
   preparing concrete for, **77.481, 81.401**  
   protective and decorative, comprehensive report, **81.406**  
   protective for concrete, **77.145, 81.25**  
   types used on concrete, **71.122**  
   urethane for walls, **77.485**  
 Codes. *See* Building codes  
 Cold joints  
   causes and prevention, **76.381**  
   defined, **73.282**  
 Cold milling, definition, **83.47**  
 Cold weather, effect on worker efficiency, **73.9**  
 Cold weather concreting  
   advantages, **70.350**  
   curing blankets, closed cell plastic, **79.782**  
   curing needs, **74.491**  
   electrically heated forms, **70.429**  
   floor construction, **73.534**  
   floor construction problems, **80.307**  
   heated forms, GFRP, **70.395**  
   heating costs for enclosure, **70.359**  
   historic Black Hawk statue, **84.299**  
   inflated enclosure for, **70.367**  
   insulating blankets on mass concrete, **82.787**  
   nonchloride accelerator use, **82.789**  
   precautions summarized, **84.789**  
   problems solved at Snowbird, **74.61**  
   protection methods, **70.9**  
   pumping practices, **70.369**  
   strength acceleration, **70.363**  
   temperature control, **77.267**  
   temporary enclosure cost, **70.353**  
 Collins, Henry and Joyce, cast concrete murals, **76.265**  
 Color  
   added during silt-casting, **81.323**  
   architectural concrete, questions/answers, **78.580**  
   black and white flatwork, **76.389**  
   black flatwork uniformity, **75.535**  
   buff cement, **72.622**  
   chemical stains used for, **82.19**  
   dry shake hardeners, pros and cons, **76.204**  
   mineral oxide pigments for, **82.19**  
   ornamental flatwork, **79.237**  
   pattern stamped concrete, **71.47, 79.441**  
   uses for in concrete, **70.71**  
   variability  
   causes, **73.498**  
   causes/remedies, **68.287**  
   prevention, **79.6**  
   warm tone cement, **70.440**  
   warm tone concrete, Georgetown University, **72.598**  
 Colored cement, used to color concrete, pros and cons, **76.204, 82.19**  
 Colored concrete  
   curing, **69.217, 70.222, 76.204, 82.19**  
   exposed aggregate for white, **70.319**  
   five ways to make it, selection guide, **76.204, 82.19**  
   pigment recommendations, **81.229**  
   placing, finishing methods, **69.217**  
   subgrade preparation, **69.217**  
 Column forms. *See* Forms, column  
 Column mounted shoring  
   flying form tables, **84.949**  
   systems described, **83.455**  
 Columns  
   cracks caused by creep, **81.737**  
   formwork cost estimating, **74.50**  
   grouted in fabric form, mine cavity support, **80.401**  
   pumped from bottom, **82.182**  
   shortening due to creep, shrinkage, **83.31**  
   vibration techniques, **73.159**  
 Compaction. *See also* Vibration  
   vibrating screeds, **82.729**  
 Compactors (soil), static or vibratory, **68.145**  
 Composite construction  
   action explained, **84.815**  
   precast plus steel with site-cast concrete, **75.452**  
   steel-concrete, stability problems, **84.815**  
 Compressive strength  
   accelerated test for, **79.607, 81.665**  
   affected by early freezing, **84.821**  
   affected by temperature and air content, **76.400**  
   affected by water in mix, **80.339**  
   affected by water-cement ratio, **82.286**  
   control in ready mix concrete, **75.181**  
   effect of superplasticizers, **78.142**  
   increased by rehydration, **77.537**  
   increased by set-control admixture, **74.122**  
   low cylinder breaks, **81.563**  
   low test cylinders, causes, **73.27**  
   monitored to determine form stripping time, **76.497**  
   previously frozen concrete, **72.165**  
   reasons for time of test, **82.672**  
   statistical evaluation, **74.339**  
   tested with small cylinders, **79.751**

MORE

## Computers

- contractor uses, case histories, **83.605**
- contractor's software for micros, **83.593**
- estimating and job management, **84.163**
- future use in concrete design and construction, **74.542**
- micro, for contractors, **83.593**

Concrete, crushed, used as aggregate, **73.47**

Concrete burns. See Cement burn

## CONCRETE CONSTRUCTION magazine

- major article index, **73.13, 74.604, 75.546, 76.610, 77.667, 78.712, 79.810, 80.912, 82.940**

- observes 25th anniversary, **81.753**
- troubleshooting index, **81.980**

Concrete construction professional, works between designer and builder, **76.267**

## Concrete industry

- British perspective, **78.50**
- construction advantages and innovations, **74.225**
- growth in U.S., **80.48**
- in distress or not?, **80.740**
- progress with special concretes, special mixes, **81.229**
- reference publications, standards for, **83.930, 84.1126**
- statistical overview, **74.225**

Concrete Reinforcing Steel Institute, 50th anniversary, **74.497**

Concrete Society, The, formation of, **71.93**

Concrete technicians, Massachusetts accreditation, **76.579**

Concrete types and properties, summary listing, **80.31**

Concrete usage, future predicted, **74.539, 74.541**

Condensation, prevention on house walls, **75.499**

Connections, precast concrete, **71.515**

Consolidation. See Vibration

Construction education, colleges and universities, listed, **76.658**

Construction industry, economic status in 1974, **74.514**

## Construction joints

- attention in forming, **73.429**
- form overlap needed, **79.6**
- forming in slabs, **84.553**
- mass concrete, waterblasting, **74.553**

Construction methods, concrete, summarized, **80.23**

Construction scheduling, methods to maintain control, **75.53**

Construction services. See Services directory

Construction site, organized for safety and loss prevention, **74.289**

## Continuously reinforced concrete

- condition survey of overlays, **78.655**
- railroad track slab, **81.212**
- use as pavement overlay, **78.655**

## Contract interpretation

- change orders, **79.274**
- compensable time, **80.492**
- payment for extras, **78.337**
- shop drawing approval, **82.864**

## Contract relationships

- bonding explained, **77.46**
- change orders, **76.700**
- completion schedules unrealistic, **76.228**
- defining cost-plus, **80.357**
- guidelines for allowances, **80.818**
- guidelines for checking before acceptance, **75.140**
- management and control, **75.424**
- project record documents, **76.318**
- retention of payment, **75.198**
- retention vs. bond, **79.565**
- shop drawings, **77.63**
- standard subcontract forms, **80.152**

- substantial completion, **73.162**
- substitution practices, **76.26**
- temporary job utilities, **75.604**
- unit prices, **77.299**
- waiver of lien, **77.113, 77.192**
- warranties and guarantees, **75.416**

## Control joints

- basement walls, **78.205**
- basement walls with waterstop, **80.474**
- pavement, design, **83.401**
- plastic former for, **71.185**

Controlled density fill, supplied as ready mix, **75.448**

## Conveyors (belt)

- compared with pumps, **74.333**
- mounted on mixer trucks, **84.19**
- types described, **72.479**
- where and how to use, **72.479**

Copley Place (Westin) Hotel, construction, **84.949**

Copoly-carbitol, scaling prevention, **74.42, 75.268**

Coquina aggregate, Ponce de Leon Hotel, 1887, **73.400**

## Core drill

- cuts concrete, **79.552**
- large, 48-inch diameter, **78.70**

## Corrosion (reinforcement)

- cathodic prevention, **78.614**
- cathodic protection, **84.561**
- causes, **76.381, 81.91**
- causes/remedies, **83.826**
- coastal environment, reasons/remedies, **81.532**
- control in bridges, **77.648**
- damage to vertical concrete, **81.91**
- effect of calcium chloride, **76.57, 82.796**
- inhibiting admixture, **79.601**
- prevented by silane on concrete, **84.967**
- process explained, **79.601, 81.91, 82.802, 84.561**
- protection against, overlay vs. sealer, **84.503**
- resisted by epoxy coating, **80.587**
- tests to analyze damage, **81.91**

Corrosion damage, repair methods for vertical surfaces, **81.97**

Corrosion threshold chloride ion in concrete, **78.153, 82.802**

## Cost comparisons

- architectural concrete, **72.523**
- concrete vs. steel, **76.493, 77.425, 78.653**
- high-rise buildings, **80.331, 81.883, 81.896, 84.803**
- low-rise residence types, **72.380**
- site vs. factory precasting, **75.339**
- slab strength vs. thickness, **84.902**
- wall form systems, **75.241**

## Cost control

- in use of ready mix, **70.15**
- methods proposed for builders, **79.58**
- nonresidential building, **78.222**

Couelle, Jacques, free-form houses, Castellaras-le-Neuf, **71.473**

CQM test procedure, fresh concrete, **84.317**

## Crack control

- basement walls, **78.205**
- design methods, buildings, **72.51**
- floor slabs, **73.517**
- post-tensioned, **83.396**
- joints or reinforcement, residential flatwork, **71.508**
- parking decks, **77.387**
- residential flatwork, **71.468, 72.72**
- slabs on steel deck, **73.592**

## Crack repair

- basement walls, **81.491**
- epoxy grouting, **72.221**
- epoxy materials, **79.169**
- leaking walls, **81.419**
- materials/methods, **81.31**
- questions and answers, **77.132**

## Cracking

- basic process explained, **81.725**

caused by creep in columns, **81.737**

causes explained, **81.725**

causes in flatwork, **73.62**

## D-type

- aggregate influence, **80.593**
- pavements/flatwork, **75.287**
- floor slabs, causes and cures, **73.540**
- minimized in slabs on grade, **81.739**
- prevention and control, **81.733**
- sandwich panels, **73.166**
- slabs on grade, causes, **76.385**
- thermal, causes/prevention, **71.335**
- torsional in flat plates, **81.641**
- types and causes, **69.409, 75.435, 81.13**

## Crane

- concrete counterweights for, **74.80**
- luffing, with climbing mast, Trump Tower, **82.723**
- places wire fabric sheets, **74.147**
- sizing for tilt-up erection, **74.7**

## Crash barriers

- anchor bolts for installing, **73.236**
- lightweight concrete, **70.427**

## Crazing

- causes, **76.182**
- description and causes, **71.83**
- reasons and remedies, **79.247**
- slabs on grade
  - causes and remedies, **76.385**
  - sometimes desirable, **76.385**
- wall surfaces, obscured with acrylic lacquer, **76.464**

## Creep

- causes cracks in columns, **81.737**
- definition and behavior, **73.197**
- Crescote, effect on concrete, **70.98**
- Cricket pitch, concrete slab for, **82.988**
- Crushed concrete, recycled as aggregate, **80.725**

Cryogenic properties of concrete, LNG storage, **83.465**

Curb and gutter, slipforming equipment, **73.240**

## Curing

- affects strength/durability, **75.490**
- bridge deck overlays, **78.323**
- cold weather needs, **74.491**
- cold weather precautions, **84.789**
- colored concrete, **69.217, 70.222, 76.204**
- electrically heated forms, **70.429**
- tunnel system, **80.599**
- expansive cement concrete, **76.282**
- flatwork recommendations, **79.245**
- floor slabs, **73.525**
- extreme weather, **73.534**
- questions/answers, **80.308**
- for maximum scale resistance, slab on grade, **80.845**
- hot weather practices, **83.381**
- inspection of, **76.559**
- linseed oil emulsion, **70.324**
- linseed oil emulsion, bridge decks, **71.383**
- liquid membrane compounds, **72.219, 76.488**
- methods and materials reviewed, **76.488**
- methods to prevent scaling, **80.139**
- moisture requirements, **71.279**
- monitored by RH gage, **71.279**
- shrinkage compensating concrete, **76.63**
- tilt-up panels, **71.441**
- walls in hot weather, **74.253**
- white concrete, **84.769**

Curing bath, matches concrete temperature in structure, **76.497**

Curing blankets, closed cell plastic foam, **79.782**

## Curling, slab on grade

- causes and remedies, **75.391, 76.387, 77.139, 79.78**
- has it stopped?, **77.506**
- prevented by vacuum dewatering, **75.407**

## Cutting concrete. See also Sawing

- methods listed, **77.158**
- powder lance, **75.154**
- water jet method, **81.605**

**D**

- D-cracking
  - defined and explained, 75.287, 80.593
  - long term study, aggregate influence, 80.587
- Dampness problems, slab on grade, 76.387
- Dampproofing. *See also* Waterproofing materials and methods, 81.309
  - mix proportions for, 71.5
  - term defined, 81.309
- Dams
  - grout seal for earth-fill, 77.393
  - spillway crest shotcreted, 84.633
- Darbying, flatwork, recommendations, 79.225
- Decentering, procedures at Olympics velodrome, 76.123
- Deflection testing, pavements, 83.13
- Deicer salt scaling
  - copolyacrilol prevents, 75.268
  - prevention, 73.201, 76.397, 80.845
  - various salts compared, 74.253
- Deicers
  - calcium magnesium acetate, noncorroding, 84.230
  - recommended types, 76.495, 76.524
  - salts compared, 81.917
  - tests for suitability, 76.495
- Delamination detection, bridge decks, 76.183
- Demolition
  - backhoe-mounted jackhammer, 82.368
  - buildings, by implosion, 76.504
  - core drilling of bank vault, 75.364
  - foundations, by drilling and blasting, 76.504
  - hydraulic splitter, 70.284
  - methods for stacks, 76.504
  - nonexplosive chemical method, 82.366
  - post-tensioned bridge beams, 76.256
  - structure resists dynamite, 81.132
  - walking excavator with jackhammer, 82.368
- Design. *See* Architectural design; Mix design; Structural design
- Detailing
  - post-tensioned buildings, 83.327
  - reinforcing steel
    - ACI standard manual, 81.815
    - affects placing cost, 83.675
    - how to save material, 74.277
    - to relieve congestion, 83.699
    - training kit, 72.599
  - welded wire fabric, manual published, 84.43
- Deterioration. *See also* Durability; other specific aspects
  - causes
    - petrographic study, 72.431
    - photographic summary, 72.431
    - chemical action on concrete, detailed listing, 81.25
    - proper maintenance prevents, 81.9
    - types and causes
      - comprehensive review, 69.409
      - photo summary, 68.323, 81.13
- Dewatering excavations, methods, 73.473
- Diamond blades, grind pavements smooth, 76.167
- Diamond core bit, used to drill post holes, 72.13
- Dicker, Edward T., inventor of stack-sack method, 71.75
- Dinosaurs, ferrocement, in Calgary Zoo, 75.447
- Directories. *See* Associations; or desired specialty
- Discoloration. *See also* Stains
  - architectural concrete, prevention, 79.323
  - boa 1-marked concrete, causes, 71.104
  - concrete surfaces; photos, descriptions, 71.83
  - formed surfaces, causes/cures, 79.548
  - greenish blue, 77.128
- Docks, floating concrete, 73.358
- Docks (London), renovation with concrete, 81.395
- Dog kennels, floor finish for, 72.211

MORE

# EFCO LITE™ Column Form

The new EFCO LITE column form is fast becoming the answer for contractors nationwide due to its outstanding benefits. The EFCO LITE column form not only is fast and simple to assemble, set, strip, or change from one size to another; it provides a durable all steel form that can withstand repetitive use while producing an excellent concrete finish pour after pour.

**LIGHTWEIGHT** — only 8½ lbs. per square foot.

**FAST ASSEMBLY** — with only 3 fasteners required for each 8' high column corner.

**HIGH STRENGTH** — 1200 lbs. per square foot pouring capacity.

**ADJUSTABLE** — outstanding adjustability allows eight different column sizes with a single form setup.

**AVAILABLE** — on a lease or sale basis.

Patents Pending



**Economy Forms Corporation**

Box D-40, E. 14th Street Station  
Des Moines, Iowa 50316, USA

Ph. 515-266-1141  
800-247-2432 Telex: 478-374

circle 147 on reader service card



Dome construction  
concrete over polystyrene, **76.30**  
inflated forms with foam and shotcrete,  
**78.405, 83.247**  
shotcrete plus insulation, energy saving,  
**83.532**  
spiral generation of polystyrene form, **82.660**

Dome pan forms, GFRP, **71.2**

Double tee girder, load testing, **79.388**

Dowel bar projections, eliminated with insert  
device, **76.165**

Dowel bars  
paving  
automatic setters, **82.253**  
design, **83.401**  
plastic coated, in wall expansion joints, **76.89**

Dowels  
driving into stiff concrete, **75.409**  
epoxied in to anchor precast, **74.522**

Dragon sculpture, T.J. Neil, **83.415**

Drainage  
earth-sheltered construction, **80.659**  
in-plane prefab systems, **84.955**  
slabs and pavements sloped for, **76.363**

Drilling. See also Core drill  
case histories, **82.81**  
job applications, **73.269**  
post holes in concrete, **72.13**  
tools and techniques, **81.49**

Driveways  
design recommendations, **73.451**  
repair of winter damage, **78.240**

residential construction, **75.519**  
scaling prevention, **78.457**

Drum mixers, rubber liner for, **78.341**

Dry-cast concrete  
description, benefits, **70.46**  
properties, **70.46**

Dry concrete mix, helicopter delivery to remote  
site, **82.732**

Dry-pack mortar  
repair method, **77.149**  
surfaces precast to match old masonry,  
**79.309**

Dry-shake color hardeners  
advantages/disadvantages, **76.204, 82.19**

Dry-shake toppings  
construction methods, **84.285**  
hardeners for flatwork, **79.231**  
types and uses, **84.285**

Drying shrinkage, field test proposed, **84.663**

Duct system, underfloor for utilities, **82.639**

Ducts, post-tensioning tendons, prepared for  
grout, **73.210**

Dulles Airport, experimental post-tensioned  
pavement, **73.11**

Durability. See also Deterioration; and specific  
aspects  
chemical action on concrete, detailed listing,  
**75.328**  
chloride ion limit proposed, **78.153, 82.773**  
by ACI Committee 201, **82.777**  
demonstrated by concrete, overview, **80.35**  
effect of excess mix water, **80.339**  
flatwork scaling study, **80.139**  
life span of structures, **74.63**

Dusting  
caused by carbon dioxide, **73.282**  
floor slabs  
causes, **80.56**  
liquid treatments, **77.141**  
prevention, **73.182**  
reasons/remedies, **73.540, 76.390, 79.247,**  
**81.9**  
formed surfaces, causes/cures, **79.546**

Dynamite, demolition of building, **81.132**


# FORTA FIBRE

## Secondary reinforcement that's in the bag.



**CONVENIENT FORTA FIBRE  
vs. WIRE MESH**

Forta Fibre is packed in 1.6-lb. bags, the engineered quantity necessary to provide secondary reinforcement for one cubic yard of concrete. Easy to store, lightweight and economical to ship—unlike bulky wire mesh.



**DURABLE FORTA FIBRE  
vs. WIRE MESH**

Forta Fibre is three-dimensional and chemically inert. It reduces shrinkage and permeability better than wire mesh. In fact, Forta Fibre reduces both plastic and hardened concrete shrinkage. Unlike wire mesh, Forta Fibre improves impact resistance and ductility. All this could add up to increased durability and lower long-term maintenance costs.



**LABOR-SAVING FORTA FIBRE  
vs. WIRE MESH**

Forta Fibre is easy to handle. No special equipment or labor needed—just add the contents of the premeasured bag directly to the mixing system to get Forta Fibre "in place." Avoid the special handling, overlaps, cut-outs and expensive labor you'd need to place wire mesh.

Bag yourself some more information on convenient, labor-saving, durable Forta Fibre:  
Forta Corporation  
100 Forta Drive  
Grove City, PA 16127  
1-800-245-0306  
1-800-222-8907 PA  
Telex: 812535 Forta GRCT



**FORTA®**  
**CORPORATION**  
THE PERFECT MIX IS 1.6

### E

Earley, John J., exposed aggregate work  
Baha'i Temple, **83.119**  
Fountain of Time, **84.797**  
Meridian Hill Park, **84.117**

Earth-sheltered construction  
advantages and examples, **78.90, 80.647**  
arch shotcreted over expanded metal, **82.581**  
Barnard's Ecology House, **78.90**  
building code requirements, **82.515**  
Central Pre-Mix building, **80.678**  
concrete work, an overview, **80.659**  
design tips, **82.493**  
domed roof homes, **80.684**  
elementary school, Florida, **82.534**  
energy conservation with, **83.537**  
farm buildings, **83.229**  
financing difficulties, **80.647**  
foam and shotcrete over inflated form, **82.511**  
footing design, **82.499**  
home with passive solar, **82.364**  
information sources, **78.90**  
insulation and drainage details, **82.521**  
insulation installation, **80.665**  
insulation recommendations, **81.536**  
loads and deflections, **82.493**  
nature center saves energy, **83.529**  
new market for concrete, **82.73**  
post-tensioning benefits, **81.105**  
precast panel home and retaining wall, **80.688**  
precast panels make home, **82.507**  
questions/answers, **78.120**  
shotcrete over expanded metal for home,  
**82.43**  
site selection for, **80.653**  
soil factors detailed, **82.485**  
structural details, **82.521**  
Terraset School, **78.90**



Earth-sheltered construction . . . continued  
 two Iowa houses, **83.737**  
 waterproofing materials, **80.669**  
 waterproofing materials and methods, **80.675**  
 zoning/financing problems, **82.589**

Earth structures, reinforced, faced with precast panels, **84.653**

Earthquake resistance  
 beam-column joint, fiber reinforced, **80.529**  
 code change proposals, **84.918**  
 concrete structures, **80.35**  
 Cortina lift slab buildings, **81.717**  
 flexible frame design for, **73.266**  
 shear wall design for, **73.266**  
 tilt-up structures, **72.502**

Earthquakes  
 California 1971, USGS report, **71.400**  
 how concrete structures resist them, **84.489**  
 Los Angeles 1971, response of concrete, **71.137**  
 Managua 1972, **73.266**  
 damage costs, **73.606**  
 origin and action, **84.498**  
 San Fernando, 1971, **84.489**

Ecology House, Barnard's earth shelter, **78.90**

Econocrete  
 definition and applications, **76.19**  
 history and uses, **75.439**  
 placement as subbase, **76.19**  
 standard for airport subbases, **82.860**  
 test road in Florida, **76.176**

Economics. *See also* Cost comparison  
 cost control, **70.15**

Eddystone Lighthouse, **81.1025**

Edgers, types available, **69.121**

Edison, Thomas A.  
 concrete houses, **81.1035**  
 factory building dynamited, **75.111**

Educational programs. *See also* Training aids  
 ACI trains craftsmen, technicians, **82.855**  
 children and concrete, British schools, **83.615**  
 courses at PCA, **77.555**  
 hands-on courses at PCA, **82.849**  
 needed for craftsmen, **83.837**  
 safety training for workers, **82.333**  
 seminars by WOC Conferences, **82.859**

Efflorescence  
 causes, **70.81**  
 description and causes, **71.83**  
 removal, **70.81, 72.214, 72.352**

Ekoifisk, oil drilling platform construction, **73.419**

Elastomeric form liners, how to use, **79.669**

Electrical conductivity, how to establish in concrete, **80.411**

Electrical heating, tunnel form system, **80.599**

Electrical wiring  
 alternatives to conduit in concrete, **73.238**  
 duct system in slab, **82.639**

Elephant trunks, handling concrete, **72.370**

Embankments, protected with soil cement, **84.31**

Enclosures  
 heated, costs, **70.359**  
 heated and inflated, **70.367**  
 heated for winter curing, **74.491**  
 temporary in cold weather, costs, **70.353**

Energy conservation. *See also* Thermal lag;  
 Insulation  
 aided by concrete thermal mass, **83.525**  
 buildings, concrete's influence, **74.493**  
 catalog of concrete contributions, **83.532**  
 concrete advantages, overview, **80.45**  
 concrete pavement saves oil, **81.657**  
 concrete thermal lag affects heating/cooling, **78.399**  
 earth cover aids concrete, **81.105**  
 earth-sheltered construction, **80.647**  
 earth-sheltered nature center, **83.529**  
 how much wall insulation?, **79.677**  
 insulated tilt-up panels, **80.458**  
 methods at Arcosanti, **81.323**

methods used in Central Pre-Mix building, **80.678**  
 NAHB demonstration house, **81.424**  
 no-fines concrete, **79.123**  
 ocean thermal energy, concrete system for, **82.877**  
 solar heat and earth cover, Ohio library, **81.145**  
 stucco or shotcrete walls, with insulation core, **80.467**  
 thermal lag effect, **75.100**  
 thermal lag of concrete, **76.178**  
 with masonry walls, **79.692**

Energy consumption, manufacture of building materials, **78.388**

English village, miniature cast in concrete, **81.977**

Entrained air. *See* Air entrainment

Epoxies  
 fast-setting repairs, **79.177**  
 for bridge deck overlay, **84.711**  
 in failed concrete repairs, **80.735**  
 physical properties, **80.735**  
 repair material, specifications and properties, **84.873**  
 repair materials, methods, **79.169**  
 repair uses, **81.31**

Epoxy bonding agents  
 how to use, **77.125**  
 recommended coverage, **76.281**

Epoxy coated rebars. *See also* Reinforcing steel  
 fusion bonded, **80.587, 83.826**  
 how to specify, **84.809**

MORE



Sika...since 1910.

Construction...our major business.

And what's convenient for you in your business is that 75 years of Sika construction-products know-how is only a dial tone away.

Sika products are proven:

- Repair Systems** • Sikadur epoxies; SikaTop polymer-modified mortar; SikaPronto modified-methacrylates
- Coatings** • Sikagard epoxies, acrylics, polysiloxane; SikaTop cementitious coating
- Sealants** • Sikaflex 1- and 2-part polyurethane; new low-modulus polyurethane; Combiflex flexible sheeting for x-wide, hi-move joints
- Grouts** • Sikadur pre-pak epoxy kits; SikaGrout non-shrink cement; Intraplast hi-expand fluidifier.
- Quicksets/shotcrete Admixtures** • SikaSet waterstops; fast-patch mortars; accelerators
- Superplasticizers; retarding, accelerating, water-reducing, air-entraining admixes.

Sika experience is world-wide. Feel free to phone...

**Technical Service  
 Construction Products Division  
 1-800-631-7270, Extension 512**



**Sika Corporation**  
 products/systems/services...worldwide

circle 214 on reader service card

CONCRETE CONSTRUCTION / DECEMBER 1985 1049

## Subject Index

Epoxy coatings, properties and uses, **81.406**  
 Epoxy grout, box girder joints, **76.685**  
 Epoxy injection  
   bridge girder repair, **84.170**  
   crack repair, **72.221**  
   repairs leaking walls, **81.419**  
   shear crack repair with post-reinforcement, **84.705**  
   wall crack repair, **81.491**  
 Epoxy joint sealants, industrial floors, **78.331**  
 Epoxy modified concrete, corrosion-resisting overlay, **84.503**  
 Epoxy mortar, failure of repair installation, **80.735**  
 Epoxy powder, protects bridge deck rebar, **76.172**  
 Epoxy repair, parking deck, **79.278**



Epoxy topping, floor repair, **76.285**  
 Estimating  
   basic principles, **71.177, 71.235**  
   column form costs, **74.50**  
   computer systems used, **83.605**  
   computer use for, **84.163**  
   formwork, **73.149, 74.11**  
   ganged formwork, **74.154**  
   reinforcing bars, **81.793**  
   residential construction, **70.151, 70.205, 70.245**  
   wall forms, **74.98**  
 Excavation, basement construction, **78.207**  
 Expanded metal, bulkhead form, **83.552**  
 Expansion joints  
   deterioration in parking structures, **76.444**  
   failure in parking decks, **81.651**  
   pavement, design, **83.401**

plastered walls, **80.484**  
 premolded sealant, **78.670**  
 wall, plastic coated dowels for, **76.89**  
 Expansive cement concrete. See Shrinkage compensating concrete  
 Expansive cements  
   controlling slump loss with, **73.258**  
   description and uses, **73.3, 81.331**  
   effect in concrete, **72.271, 79.110**  
   how to use in shrinkage compensating concrete, **76.63**  
   questions/answers, **72.333**  
 Expansive soils, damage structures, **84.657**  
 Expo '70, concrete structures, **70.401**  
 Exposed aggregate  
   cleaning, Baha'i Temple, **70.3**  
   construction methods, **72.618**  
   Earley's work at Meridian Hill Park, **84.117**  
   embedded in form liner, **73.234**  
   flame treatment method, **76.246, 78.275**  
   for highway appurtenances, **78.46**  
   Fountain of Time sculpture, **84.797**  
   methods compared, **78.595**  
   methods used, **82.575**  
   ornamental flatwork, **79.237**  
   precast panels, Baha'i Temple, **83.119**  
   seeding method explained, sidewalks, **78.335**  
   tilt-up panels, **82.36**  
   Unity Temple surface restored, **74.161**  
   white concrete, **70.319**

## F

Fabric filters, in-plane drains, **84.955**  
 Fabric forms  
   bags or mats, methods of using, **80.401**  
   for slope protection mats, nylon, **75.389**  
   revetments for erosion control, **80.395**  
 Faceted glass  
   method of framing with mortar or concrete, **78.459**  
   panels framed in ferrocement, **82.193**  
 Failures  
   Bailey's Crossroads causes, **73.380, 74.243**  
   business, analyzed, **78.101**  
   condominium at Cocoa Beach, **82.90**  
   design and construction  
     causes analyzed, **81.641**  
     reasons/remedies, **82.345**  
   falsework/shoring, causes, **77.607**  
   highway ramp in Indiana, **83.422**  
   information center set up, **82.814**  
   multistory buildings during construction, **74.243**  
   residential foundations, **81.659**  
   roof structures, causes, **80.133**  
   rules for prevention, **81.641**  
   shoring, **79.572**  
   structural, types and causes, **74.63**  
 Fallacies re. concrete work, common misconceptions, **77.761**  
 Fallingwater, Frank Lloyd Wright design, description, **75.189, 83.109**  
 False set  
   definition, **84.521**  
   reasons and remedies, **76.357**  
 Falsework. See also Shoring  
   failure causes, **77.607**  
 Family business. See Business organization  
 Farm builder. See also Agricultural uses  
   information resources for, **81.485**  
 Fast-setting cements, types and uses, **81.331**  
 Fast-setting concrete  
   magnesium phosphate, **74.93**  
   portland cement based, **74.528**  
 Fast-setting materials, pavement repair, **79.177**  
 Fastening to concrete. See also Anchors  
   powder-actuated studs, **73.402**  
   powder-actuated tool for, **76.113**  
   types appropriate for various kinds of concrete, **83.691**  
 Fatigue stress, ocean structures, **76.163**  
 Fats and oils  
   effect on hardened concrete, **75.328, 81.25**

## NEW...A cold joint water stop that eliminates split forming and splicing



After 12 hours

Can be applied outside of outermost dowels



### Swells on contact with water to give you a reliable, permanent compression seal.

Water Stop RX is a flexible, self-adhesive sealant in strip form that can be easily applied to any cold joint at a footing, wall or slab. When the next section is poured, Water Stop RX forms its own pocket. If water intrudes at the joint, the bentonite constituent in Water Stop RX swells to create a water-tight compression seal. It's ideal for below-grade joints subject to hydrostatic pressure.

#### Other Advantages:

- Eliminates splicing, split forming
- Automatically adjusts for slight shifts in walls, foundations. Self-heals due to bentonite content.

Free Sample Request on your company letterhead



### AMERICAN COLLOID COMPANY

Building Materials Division  
 5100 Suffield Court • Skokie, IL 60077  
 Telephone (312) 966-5720  
 TWX 910-223-0738 • Telex 724-413

circle 117 on reader service card

Featherblasting, surface restoration of old buildings, 76.261

Fences, privacy, precast systems, 83.767

Ferrocement

- boatbuilding
  - activity, 77.205
  - details, 69.381
  - method, 69.344
  - method and material, 71.129
- brief status report, 72.275
- composition and properties, 81.269
- frames stained glass panels, 82.193
- history of development, 81.269
- information center, 77.519
- properties and applications, 77.205
- state of the art, 81.269
- submarine construction, 74.368
- techniques adapted for free-form sculpture, 75.95
- tiles with marble finish, 77.624

Ferrocement boats

- houseboat *Floating Stone*, 83.351
- sailboat *Heretic*, 77.336
- sailboat *New Freedom*, 77.337

Fiber-reinforced concrete. *See also* Glass-fiber-reinforced concrete

- applications to date, 74.107
- better seismic resistance, beam-column joint, 80.529
- impact strength, 77.280
- questions and answers, 72.334
- shotcreted for homes, 77.115
- status report, applications, 76.13, 81.261
- tensile skin for beams, 76.136, 81.846

Fiber-reinforced mortar, repair material, 84.893

Fiber reinforcement

- effect on concrete properties, 74.107
- glass, properties and uses, 82.649
- glass, uses in concrete, 81.261
- materials compared, 74.107, 81.261
- polypropylene, properties and uses, 83.468
- state-of-the-art brief, 72.272

steel

- airfield pavements, 72.119
- bridge deck overlay, 73.321
- collated and crimped, 82.451
- effect on concrete, 77.280, 82.451
- installations listed, 74.174
- pavement overlays, 74.103, 76.13
- pavement test strip, 73.70
- properties and uses, 81.261
- used in shotcrete, 75.345

steel (Wirand), 72.43

- effect on concrete, 71.276, 71.496
- licensees listed, 75.281
- performance, 76.361
- progress report, 76.361

steel in shotcrete, uses and equipment, 80.189

steel in shotcrete for mine support, 75.443

Field bending, reinforcing bars, 83.244

Finishing

- flatwork
  - timing critical, 79.223
  - tools and methods, 79.225
- floor slab topping by vibratory absorption, 75.404
- floor slabs, 73.525
  - tools and methods, 76.373
  - weather constraints, 73.534
- floor slabs and pavements, questions answered, 76.369
- heavy duty floors, 79.231
- lightweight aggregate concrete, 79.231
- ornamental flatwork, 79.237
- residential flatwork, 79.231
- slabs
  - hardness assured, 73.515
  - sticky mixes, 76.374

Finishing tools

- floor slab use, 73.525
- power trowels, 82.717

Fire damage to concrete

- Avianca Building (high-rise), 74.409
- California apartment house, 79.612

evaluation, 72.98, 72.357

methods of evaluation, 72.154, 81.609

repair, 72.225

Avianca Building, 74.409

Fire fighters, concrete training structures for, 75.199

Fire hazards, control at job site, 73.505

Fire insurance, cost comparisons, 74.391

Fire ratings

- explained, 79.591
- how valid?, 79.597

Fire resistance

- cellular concrete walls, 73.38
- code requirements, 79.597
- concrete safeguards for low-rise residences, 79.591
- concrete structures, 80.35

four concrete buildings compared, 74.401

mix design for, 74.403

rating agencies, 74.393

standard tests for, 74.393

structural design for, 74.395

Fire towers, training fire fighters, 75.199

Fireplace, precast concrete, 80.839

Flame blasting, exposes aggregate, 76.246

Flame treatment, cleans, roughens concrete, 78.275

Flash set, defined, 76.357

Flat plate and flat slab roof systems, described, 71.39

Flat plates, pipe column support in residential construction, 72.380

MORE

# Bye, Bye, Bugholes!

There are two sure fire ways to eliminate bugholes in concrete *before you place it*. One, use Crete-Lease 880 Release Agent. And two, use *less* of it. You'll produce high visual impact concrete every time.

By spraying on Crete-Lease 880 Release Agent in a *thin* film and using a spray tip that produces a flat spray pattern, you'll not only get architectural concrete surfaces, you'll get surprisingly high coverage from each gallon – *typically about twice the coverage of most release agents*.

And there's more. With Crete-Lease 880 and this simple application technique, you can often eliminate the need to rub, sandblast, or touch-up as-cast concrete surfaces. Works equally well on nearly every type of form liner, too.

For complete information, including specifications for producing high visual impact concrete surfaces, and the name of your nearest distributor, call us TOLL-FREE.

Then wave bye, bye to bugholes.



*Cresset*

## CRESSET CHEMICAL COMPANY

Release Agents • Concrete Chemicals • Hand Cleaners  
Main Street • Box 367 • Weston, Ohio 43569  
Phone TOLL-FREE (800) 367-2020  
In Ohio – (419) 669-2041 collect

world '86  
of concrete  
Booth 2741




Ask for our free  
literature on producing  
bughole-free concrete.



©1985 Cresset Chemical Company

circle 134 on reader service card

# GREENSTREAK JOINT FORMERS



Greenstreak Joint Formers are the economical, fast and simple method to control movement and cracking in slabs and walls due to settling, shrinkage, temperature extremes, and extraordinary loads.

Greenstreak Joint Formers are provided in concrete slabs on grade and in walls to allow movement and to control cracks at the location of a joint.



**GREENSTREAK**

**CALL 800-325-9504**

For more information  
and installation recommendations  
Missouri Residents 314-225-9400  
Box 7139 • St. Louis, MO 63177

## Subject Index

### Fatwork

color problems, 76.389  
correcting color mismatch, 80.446  
curing recommendations, 79.245  
D-cracking distress causes, 76.691  
discoloration problems, 76.389  
discolorations removed, 72.458  
field study of scaling, 80.139  
finishing recommendations, 79.223  
joints help prevent cracks, 73.62  
ornamental finishes, 79.237  
pattern stamped, 71.47  
problems: data references, 76.409  
residential  
crack control, 71.468, 71.508, 72.72  
recommendations, 75.519  
surface discoloration, causes, 84.767  
surface finish defects, 79.247  
textured surface finishes, 74.206  
troubleshooting questions and answers, 76.353

### Floating

flatwork, recommendations, 79.225  
floor slab finish, 73.525

Floating dock, precast for Valdez, Alaska, 83.131

Floating sidewalks and docks, sources and design, 73.358

Floats, types available, 69.121

### Floor construction

blistering prevention, 74.26  
checkerboard placement, 77.73  
control for superflatness, 84.291  
curing, 73.525, 79.74  
curing problems, 80.308  
dusting causes and remedies, 79.735  
dusting prevention, 73.182  
emergency measures, 73.529  
field questions answered, 73.610  
finishing, 79.36  
finishing problems, 80.304  
hard surface finish, how to achieve, 73.515  
jointing practices, 79.33  
mineral hardeners, application methods, 76.515

nonslip by grinding, 79.727  
nonuniform setting problem, 84.425  
power screeds, 79.369  
precast screed rails, stay in place, 84.483  
pumping problems, 73.530  
questions/answers, 73.558, 79.33  
World of Concrete seminar, 80.232  
rain damage prevention, repair, 73.529  
ribbed slab above basement, 83.747  
roller-skating rink, 77.489  
shrinkage compensating concrete, 79.110  
slab cast over precast joists, 82.841  
specification concerns, 81.692  
tolerance for sloped finish, 74.364  
two-course, 79.40  
vapor barrier effects, 80.232  
warehouse to close tolerances, 77.493  
weather-related problems, 73.534

### Floor finishing

dry shake hardeners, 84.285  
grinding for hard surface, 73.479  
grinding for superflatness, 83.254  
grinding method, 73.146, 79.727  
methods correlated with flatness, 82.865  
on conical slope, 74.364  
roller-skating rink, 77.489  
tools and methods, 73.525, 76.373  
vacuum dewatering, 75.43, 75.290, 76.301, 79.44  
vacuum dewatering plus metallic hardener, 77.73  
vibrating leveling beam, 82.738

### Floor flatness

automatic measuring device, 82.865  
control to strict tolerance, 84.291  
cornflakes test, 81.512  
critical in warehouse, 77.493  
how to measure, 81.673  
specifying, measuring, 81.125  
tolerance change proposed, 83.258  
tolerance specifications, 81.673  
tolerances proposed, 80.743

### Floor joints

construction of, 84.553  
details and location, 81.117  
purpose and types, 84.553  
shrinkage compensating concrete, 79.110

### Floor slabs

above grade, residential systems, 75.517  
abrasion resistance, 76.404  
basics of behavior, needed for design, 81.117  
curing and hardening, 77.25  
curling, causes and cures, 75.391  
defects and their remedies, 73.540  
design considerations, 81.117  
design requirements, 73.601  
on steel decks, crack control, 73.592  
paint for traffic stripes, 81.204  
rain damage problems, 73.529  
repair in food freezer, 74.70, 77.153  
repair of pitted surface, 76.392  
resurfacing and overlays, 77.25  
resurfacing methods, 77.154  
sealing materials, 77.25  
self-polishing, produced by vibratory absorption, 75.404  
shrinkage and curling, 81.117  
steel-deck forming systems, 74.445  
underfloor duct system, 82.639  
vapor barrier installation, 73.550

Floor topping, cellular concrete, 73.582

Floor underlayment, self leveling, 81.514

Floors. See also Floor slabs; Slabs; Slab on grade

dusting remedies, 77.141  
industrial and commercial, specifying guide, 81.125

lightweight insulating concrete, 78.411  
mix design for, 73.521  
reflective, save energy, 83.537  
steel-fiber-reinforced, 76.13  
warehouse, joint sealants for, 78.331  
warehouse thickness needs, 74.26

Flowing concrete. See also Superplasticizers

placing methods, 79.25  
production and uses, 79.25

Fluorosilicate floor hardener, 84.915

### Fly ash

Class C in paving work, 82.422  
classes differentiated, 83.791  
definition, action in mix, 82.417  
effect on concrete mixes, 81.229  
effect on fresh concrete, 82.417  
effect on hardened concrete, 82.417  
federal agency approval, 74.358  
how used in concrete, 82.422  
included in Pennsylvania paving specification, 77.107  
suitability for earth-sheltered concrete, 81.216  
use to conserve cement, 74.283

### Flying forms

aluminum truss supported, 78.525, 82.185  
column mounted tables, 84.949  
estimating wall, slab, beam, 74.154  
folded for tapering building, 84.385  
glass-fiber coated, 78.45  
team with slipform on high-rise, 77.597  
tunnel systems for housing, 77.603  
waffle slab, 71.2

Flying scaffold, work on high walls, 79.29

Foam, used in cellular concrete, 78.411

Foam generation, for cellular concrete, 73.582

Foldcrete, precast building system, 70.118

Footings and foundation wall, precast, 79.397

### Footings

construction, 70.390  
early cracking problem, 79.850  
earth-sheltered construction, design, 82.499  
estimating practices, 74.11  
residential construction, 75.498

Forecourt Fountain, Portland, Oregon, 77.331

Forest City Dillon, modular precast with cast-in-place, high-rise, 84.131

Form camber, proper specifications for, 80.199

Form coatings, types, methods of applying, 75.187

circle 164 on reader service card



Form drawings, safety checklist for, 81.111

Form hardware. *See also* Form ties  
 bracket for bridge deck overhang, 83.276

Form joints  
 architectural concrete, 78.590  
 leakage prevention, 72.542, 73.363  
 questions/answers, 72.558  
 concealing, 72.256  
 details and problems, 79.517  
 leakproof needed for architectural concrete, 79.5  
 recommended treatment, 73.429

Form leakage, causes blemishes, 79.719

Form liners  
 absorbent, 74.178  
 architectural concrete  
 joint details, 72.542  
 materials, 72.540  
 questions/answers, 78.585  
 board and brick patterns for Iowa houses, 83.737  
 custom made, costs, 82.567  
 elastomeric, how to use, 79.669  
 elastomeric PVC, ornamental patterns, 70.110  
 exposed aggregate embedded, 73.234  
 match textile block masonry, Billmore Hotel, 79.309  
 paper, breaks bond, 70.42  
 patterned fiberboard, 72.223  
 plastic types compared, 82.51  
 questions/answers, 79.531  
 rope attached for texture, 70.9  
 rope creates texture, 70.198  
 rubber, 71.156  
 types available for texture, 74.55

Form pressure  
 effect of reactivation, 78.67  
 effect of temperature, 80.501  
 factors affecting, 73.429, 79.538

Form release agents. *See* Release agents

Form sealers, types and methods of applying, 75.187

Form stripping  
 how to specify, 80.199  
 plastic lined forms, 82.51  
 recommendations, 73.429, 79.541  
 time based on strength, 76.497

Form ties  
 architectural treatment, 78.600  
 cone type with seal, 80.780  
 encased in rubber tube, 72.568  
 history of development, 75.266  
 internal disconnecting, heavy duty, 74.461  
 questions/answers, 79.515  
 selection for wall systems, 74.345  
 unframed plywood system, 74.451  
 use with ganged forms, 74.59

Form watcher, duties, 74.516

Formaldehyde, used as accelerator, 76.57

Forming machines  
 cast-in-place pipe, 79.163  
 post-tensioned box girders, 84.405

Forming materials  
 architectural concrete, 72.540  
 high density overlaid plywood, 76.699  
 product review, various kinds, 84.445  
 questions/answers, 79.511

Forms. *See also* Glass-fiber-reinforced plastic (GFRP)  
 beam, GFRP, 71.2  
 bridge deck, permanent galvanized, 72.61  
 bulkhead, expanded metal, 83.552  
 care and maintenance, 79.511  
 cast-in-place pipe, 79.163  
 column  
 cost estimating, 74.50  
 design chart, 84.392  
 steel, 70.252  
 core, self-stripping, 84.446  
 dome, of polystyrene logs, 82.660  
 dome pan, GFRP, 71.2  
 expanded metal with insulation, walls, 73.213  
 fabric  
 bags or mats, 80.401  
 pile jackets, 80.395

revetments, 80.395  
 tubes, how to build with, 80.401  
 flying, waffle slab, 71.2  
 flying, with folded panels, 84.385  
 footing, 70.390  
 foundation construction, 70.422  
 ganged for walls, columns, 73.587  
 ganged long pan, flying, 72.109  
 ganged modular panels, 73.42  
 GFRP (glass-fiber-reinforced plastic), 70.238  
 alteration or repair, 72.256  
 for New Jersey post office, 70.120  
 half tunnel for apartments, 80.535  
 heated electrically, 70.429  
 heated, GFRP, 70.395  
 hog pen divider, 81.479  
 inflated for domes, 78.405, 82.511, 83.247  
 mass concrete, Ohio River locks, 73.471

modular for water/waste treatment plants, 77.615  
 modular prefab panel system, 73.42  
 modular steel for homebuilding, 78.659  
 nylon fabric for mats, pile repairs, 75.389  
 permanent, small metal for insulated walls, 82.370  
 precast concrete, provides ornamental texture, 70.286  
 precast panels stay in place for slabs, 82.355  
 precast panels stay in place for spandrels, 84.949  
 ribbed slab for home, over basement, 83.747  
 rustication strips, 79.519  
 self-lifting, how they work, 82.173  
 skip-joint system competes with steel, 81.877  
 slab  
 design charts, 84.648

MORE



## Tie wire that speaks for itself

When the label says Cavert, the wire says quality. Cavert has invested over \$4 million in advanced drawing equipment, exceptional quality control and computerized inventory to bring you superior rebar tie wire and bring it to you faster than anyone else.

Cavert makes black-annealed and bright orange PVC-coated wire, the industry's widest range of bag and bar ties and over a dozen pistol grip tying tools. And Cavert can ship them all to you within one business day.

So choose the wire that says "Cavert" and say you want the best.

**CAVERT**  
 Cavert Wire Company, Inc.

P.O. Box 1167  
 Uniontown, PA 15401  
 800-TIE WIRE  
 800-222-9027 (In Pennsylvania)

circle 290 on reader service card


## PERFECTLY RIGHT! ALL WEATHER

FOR ALL HEATED  
AND UNHEATED FORMS

**arcal**  
CHEMICALS INC.

“ **K** ”

## CONCRETE RELEASE NO FORM BUILD-UP



### SPECIAL BENEFITS

- Withstands Highest Temp.
- Inhibits Corrosion
- 3,000 Sq. Ft. Per Gal.
- Non-Staining
- Paintable Concrete
- Void Free Concrete
- Self Drying
- Unequaled Smoothness
- Non-Flammable

### USES

**PRECAST, PRESTRESS, PAVING  
INTRICATE FORMS, ETC.**

**Packaged: 5, 55 Gal. Drums  
MANUFACTURERS OF**

- Concrete Admixtures
- Bonding Agents
- Rust Removers
- Exposed-Aggregate Surface Retarders
- Concrete "Build-Up" Removers
- Coatings, Etc.

**ARCAL CHEMICALS, INC.**

223 Westhampton Ave.  
Seat Pleasant, MD 20743  
(301) 336-9300 (800) 638-2672

**SALES REPS/DISTRIBUTOR  
INQUIRIES INVITED**

### Subject Index

Forms . . . continued  
slab

I/D system, **71.42**  
supported on aluminum trusses, **78.525**  
supported on bearing walls, **73.415**  
stainless steel, cleaning, treating, **73.280**  
steel deck for slabs, **74.445**  
telescoping for poles, pumped from bottom, **76.307**  
tilt-up panel edges, **82.29**  
tunnel. See Tunnel construction; Tunnel form system  
tunnel construction, adjustable, **70.281**  
tunnel system  
construction details, **80.599**  
use cycles, **80.599**  
tunnel system for housing, **75.216, 77.603**  
void  
materials/methods, **79.525**  
tied down, **75.155**  
void over expansive soils, **78.294, 84.657**  
wall  
cost comparisons, **74.345**  
curved, **82.816**  
design chart, **84.392**  
erection practices, **67.5**  
layout drawings, **73.103**  
low-lift aluminum, **71.329**  
permanent insulating, **74.15, 77.599, 80.488**  
wall panel system, unframed plywood, **74.451**  
wall panels back shotcrete, **73.475**  
wall systems, cost comparisons, **75.241**  
wood wall, associated with poor compaction, **76.899**

Formwork. See also Slipforming

arch, shotcreted over expanded metal, **82.581**  
architectural  
economies possible, **73.224**  
questions/answers, **72.558, 78.583**  
St. Joseph Health Care Center, **74.190**  
architectural quality, **73.363**  
basement construction, **78.199**  
board marked concrete, National Gallery of Art, **84.105**  
chamfer, drip, rustication  
made of vinyl, **84.449**  
made of wood, **84.447**  
column mounted for slabs, **83.455**  
design charts  
horizontal forms, **84.648**  
vertical forms, **84.392**  
design standards, **84.648**  
earth mound for arch, **81.978**  
effect on surface quality of concrete, **73.429**  
effect on weathering of concrete, **72.113**  
estimating practices, **73.149, 74.11**  
false floor built to support shoring, **81.690**  
fire dangers, **73.505**  
floor edge forms, aluminum and plywood, **84.291**  
floor, supported on precast joists, **82.841**  
general considerations for economy, **74.505**  
house walls and roof, mobile unit, **73.97**  
innovations for tapering high-rise, **84.385**  
inspection before placing concrete, **76.559**  
lacing/bracing needs, **84.548**  
layout drawings  
modular panel system, **73.103**  
walls, **73.103**  
molds made against natural rock, **74.217**  
Panama Canal locks, **73.315**  
planning for high-rise, **74.159**  
precast box girders, machine for, **84.405**  
prison cells, custom modules, **82.349**  
release agents for various form materials, **84.417**  
reshoring recommendations, **74.243**  
risers for stadium, **83.679**  
safety checklist, **81.111**  
specifications for, **80.199**  
storage tips, **73.416**  
stripping based on strength of concrete, **76.497**  
stripping time, **76.17**  
recommendations, **72.317**  
textured aluminum for homes, **77.272**

tilt-up panels, to simulate masonry, **84.477**  
tolerance considerations, **80.199**  
tooled concrete, **84.397**  
tunnel construction, **72.9**  
Metro, Washington, DC, **77.263**  
tunnel system, externally vibrated, **82.734**  
vocabulary definitions, **74.505**  
wall systems compared, **74.345**  
wood lattice girder as strongback, **84.450**  
Formwork data, detailed index, **79.508**  
Fort St. Vrain reactor, prestressed pressure vessel, **74.549**

Foundations

construction methods, **70.422**  
diagonal distance tables, for layout, **80.816**  
expansive soil problems, **84.657**  
heaving causes/cures, **81.659**  
in-plane drainage systems, **84.955**  
light construction, **70.390**  
precast, wall/footing, **79.397**  
repair methods, **71.283**  
repair, soil considerations, **71.327**  
residential work, **75.498**  
settlement causes/cures, **81.659**  
slab-footing joint, **71.114**  
slurry wall construction, **73.90, 77.17**  
soil compaction for, **68.145**  
steel, experimental, **74.136**  
vibration control, spring-matress, **72.21**  
waterproofing practices, **73.473**

Fountain of Time, exposed aggregate sculpture, Lorado Taft, **84.797**

Franchises

cast-in-place pipe, **79.163**  
modular precast building system, **80.804**  
pattern stamped concrete, **79.451**  
Freeze-thaw protection, linseed oil, tests, **71.331**  
Freezing, experimental to prevent hydration, **72.165**  
Freezing damage  
effect at early age, **84.821**  
prevention and restoration, **76.357**  
Front-discharge ready mix trucks, **84.15**  
Frost removal from rebars, **75.254**  
Fuller's earth, improves concrete strength, **70.270**  
Fungicidal concrete, admixtures for, **76.183, 76.357**  
Fusion bonded rebars. See Epoxy coated rebars

### G

Galvanized reinforcement, **71.318**  
tested in bridge deck, **73.132**  
Ganged forms  
estimating problems, **74.154**  
walls, tying practices, **74.59**  
walls and columns, **73.587**  
Gap grading  
advantages, **71.63**  
effect on concrete, **71.356**  
exposed aggregate concrete, Meridian Hill Park, **84.117**  
for post-tensioned pavement, **73.261**  
Garbage, effect on hardened concrete, **75.328**  
Garbage frit aggregate, **71.372**  
Gas-forming grouts, **74.501**  
Gasoline, effect on hardened concrete, **75.328**  
Georgetown University, medical building, mix design, **72.598**  
GFRP. See Glass-fiber-reinforced concrete  
GFRP. See Glass-fiber-reinforced plastic  
Girders. See particular types  
Glare screen, tops median barrier, **81.667**  
Glass  
broken as aggregate, **71.372**  
faceted, framed in mortar or concrete, **78.459**  
Glass fiber  
alkali resistance developed, **75.137, 78.644**  
aramid composite with, **82.649**

circle 121 on reader service card

Glass-fiber-reinforced concrete  
 how to mix and place, 75.137  
 polymer modified, 82.649  
 precast for farm use, 83.250  
 production and uses, 78.644  
 properties, 75.137, 78.644  
 properties and uses, 82.649  
 renovates hotel face, 82.664  
 wall panels, 79.68

Glass-fiber-reinforced plastic  
 beam forms, 71.2  
 form repairs, 72.256  
 forms ganged, 70.238, 73.367  
 formwork, 70.120  
 pan forms ganged, 72.109

Glass fiber reinforcement, reactivity with  
 cement, 72.356

Godfrey, Angela, sculpts baptismal fonts, 75.21

Goldberg, Bertrand, Marina City architect, 83.89

Graffiti  
 coating to resist, 76.236  
 protection with urethane coating, 77.485

Grass, grows in formed voids of pavements,  
 77.216

Graving dock construction, winter work, 72.15

Greeley, Horace, builds concrete barn, 1856,  
 76.451

Grinding  
 definition, 83.47  
 floor finishing method, 73.146, 73.479, 79.727,  
 83.254  
 repair applications for, 77.136  
 smooths pavement surfaces, 76.167, 81.210,  
 83.13  
 tools and techniques, 81.49

Groovers, types available, 69.121

Grooving  
 adjustable brooms finish pavement, 74.204  
 dairy barn floors for skid resistance, 83.277  
 definition, 83.47  
 improves pavement skid resistance, 69.377,  
 76.453, 77.136, 80.840, 83.619  
 mechanical, defined, 76.454  
 nails in burlap drag finish pavement, 74.26  
 percussive for runways, 82.309, 82.611  
 plastic, defined, 76.453  
 renews skid resistance, 73.345  
 tool for finishing dairy barn floors, 80.842  
 tools and techniques, 81.49

Grooving and grinding contractors, U.S. list,  
 76.556

Grout  
 bonds resurfacing courses, bridge deck,  
 78.323  
 cleanout, architectural concrete, 79.319  
 nonmetallic, shrinkage-compensating, 75.210  
 post-tensioning tendons  
 admixtures for, 84.47  
 materials and mixing, 73.210  
 mixing and testing, 73.277  
 properties needed, 83.337  
 repair uses, 81.31  
 shrink resistant, 84.893  
 shrinkage-compensating, special types, 74.501

Grout bags, provide bearing for strengthened  
 bridge, 79.675

Grout leakage, architectural concrete, 79.6

Grouting  
 placing techniques, 74.501  
 post-tensioning tendons, 73.421, 74.374,  
 83.337  
 equipment for, 73.277  
 nuclear reactor vessel, 74.549  
 repair applications for, 77.139  
 rock anchors, 72.277

Guggenheim Museum  
 building movement monitored, 76.119  
 design and construction, 83.137  
 maintenance practices, 76.119

Guideways, post-tensioned box girder,  
 construction, 84.405

Gunitite. See Shotcrete

## H

Handling concrete. See also specific methods  
 chutes and hoppers, 72.370

Hardeners  
 floor surface application, 73.521  
 mineral, application method, 76.515

Hardness  
 achieving on floor surface, 73.515  
 floor surface requirements, 73.601

Hartsfield Atlanta Airport, architectural concrete,  
 82.8

Havill, Jeff B., sculptor uses thin mortar shell,  
 77.313

Hawaii capitol building, architectural concrete,  
 69.260

Hazardous waste containment, soil cement  
 layer, 84.662

Heat, effect on concrete strength, 72.98, 74.395

Heat loss, measuring in buildings, 74.78

Heat resistance, hardened concrete, 71.477

Heating, cold weather enclosures, costs, 70.359

Heating concrete  
 costs, 70.350  
 winter techniques, 70.9, 84.789

Heavyweight concrete. See High density  
 concrete

Helicopter  
 delivers dry concrete mix, 82.732  
 delivers reinforcement, 81.432

MORE

## From START to FINISH or "REFINISH" CONCRETE SLAB



• GRINDING • RE-SURFACING •  
 • CUTTING • FINISHING EQUIPMENT •

**More than 50 Models of Concrete Grinders — Planers  
 — Surfacers — Slab and Masonry Saws — Power Trowels!**


*One source to serve your needs.*

Grind away high spots or irregularities — Create architectural effects  
 — Prepare slabs for overlays or elastomeric coatings — Remove  
 coatings - paint - rubber, etc.

Portable & professional masonry saws  
 (the only gasoline powered  
 masonry saw manufactured in  
 the USA).

Cut slabs deep & fast!

Power trowels all sizes  
 — gasoline & electric.



**BUILT TO TOUGH  
 EQUIPMENT RENTAL  
 INDUSTRY STANDARDS.**

**CALL US FOR  
 CONCRETE ANSWERS TO CONCRETE PROBLEMS**

**EQUIPMENT DEVELOPMENT COMPANY, INC.**

100 THOMAS JOHNSON DRIVE, FREDERICK, MARYLAND 21701-3099 USA

**1-800-638-EDCO** (301-663-1600 MD)

TELEX 11 710-854-8433 CABLE "EDCOINC"

circle 151 on reader service card

CONCRETE CONSTRUCTION / DECEMBER 1985 1055

# DESLAURIERS

## ECON-O-VOID™ BOX VOID CONCRETE FORMS



Deslauriers **ECON-O-VOID™** Box Voids can be used to create a void area under load bearing beams or slabs allowing space for soil expansion. They are available in the following sizes: width of 6", 8", 10" and 12" — depths of 4", 6" and 8" x 4'-0" lengths.

Patent Pending

- One-piece Unit. No Stapling, Taping or Banding
- Closed Ends
- High Vertical Strength
- Increased Load Capacity
- Ease of Assembly and Handling
- Lower Cost
- Lateral Stability

## TEST CYLINDER



Test specimens are very essential for maintaining consistency and quality control; for reference in the case of concrete failure. Insure that the only variable is the concrete itself. Use correct curing and sampling procedures and **ECON-O-MOLD™** concrete test cylinder molds for consistent, dependable performance.

### FEATURES

- 6" I.D. x 12" long, meets A.S.T.M. specification C470.
- Virtually non-absorptive.
- Molded single unit, consistent dimensional uniformity.
- Forms molded of polyethylene
- allow quick, easy stripping.
- Strong, durable, weather resistant—eliminates job-site storage problems.
- Private brand name labeling available.
- Large inventory for immediate shipment

## HEAVY DUTY STEEL FORMS



All standard column diameters from 12" to 72" available for sale or rental. Call or write for the name of the nearest dealer.

## DESLAURIERS, INC.

1111 West St. Charles Road  
P.O. Box 189  
Maywood, Illinois 60153  
(312) 287-1516

circle 145 on reader service card

## Subject Index

- Helicopter landing pad, precast panel construction, **77.282**
- High alumina cement. See Calcium aluminate cement
- High density concrete  
aggregate sources for, **81.229**  
cost vs. density, **71.66**  
crane counterweights, **74.80**
- High iron oxide cement, saves manufacturing energy, **78.112**
- High-rise apartments, construction problems, **72.55**
- High-rise buildings  
architectural shear walls, **82.571**  
formwork planning for, **74.159**  
frame shortening, design for, **83.31**  
modular precast system, **72.435**  
movement, wind and temperature, **72.55**  
post-tensioned lightweight concrete, **76.159**  
slipform plus flying forms, **77.597**
- High-rise construction  
concrete vs. steel, **77.425**  
flying forms, **78.45**
- High-rise office buildings  
concrete vs. steel, factors to consider, **81.896**  
marketing permanent panel form system, **81.877**  
redesigned with skip-joint forming, **81.877**
- High strength concrete  
entraining air in, **77.77**  
how to produce it, **80.222**  
how to test for strength, **80.222**  
materials and control, Water Tower Place, **76.102**  
materials needed for, **80.222**  
mix design using fly ash, **81.241**  
polymer and polymer-impregnated, **79.13**  
properties in Chicago, **81.241**  
quality control, **81.241**  
record claimed, **73.388**  
selecting materials for, **77.77**  
small test cylinders?, **83.500**  
testing procedures, **77.77**  
use at Water Tower Place, **83.93**
- Highway median barriers, design for safety, **75.5**
- Hirshhorn Museum, beam forms, **72.554**
- History. See also Record setters  
admixture development, **76.159**  
Alvord Lake Bridge designated a landmark, **70.138**  
Baha'i Temple (Illinois), **83.119**  
Bellefontaine pavement, designated landmark, **77.20**  
Black Hawk sculpture, 1910, **84.299**  
Bureau of Reclamation Concrete Manual, **75.449**  
cement industry museum, **76.523**  
cement production, **81.204**  
cement, in *Book of Mormon*, **82.457**  
Christian Brothers Winery, **80.246**  
CONCRETE CONSTRUCTION magazine, **81.753**  
concrete pipe sewer, **83.340**  
Concrete Reinforcing Steel Institute fiftieth anniversary, **74.497**  
early roadbuilding, **83.275**  
Edison factory dynamited, **75.111**  
Expo '70 concrete structures, **70.401**  
Fallingwater residence, **75.189**  
ferrocement development, **81.269**  
firsts in materials and construction, **76.71**  
fly ash at Hungry Horse Dam, **82.390**  
Fountain of Time, exposed aggregate, **84.797**  
Gates develops form tie, **75.266**  
Greeley's concrete barn, **76.451**  
houses built in 1918, **82.218**  
Interstate Highway System, **81.753**  
landmark achievements list, **76.821**  
landmarks from 5600 B.C. to 1963, **81.1024**  
mansion in Wales, 1924, **83.643**  
mass concrete placement, **82.389**  
Mercer Mile buildings, 1910, **82.561**  
Meridian Hill Park, exposed aggregate, **84.117**  
mixing practices, 1898, **72.377**  
Mount Vernon Memorial Parkway construction, **84.137**
- National Building Museum, **81.910**  
Nervi and ferrocement, **79.175**  
no-fines concrete, **79.123**  
Panama Canal construction, **73.315**, **78.56**  
pavement c. 1880, Bellefontaine, Ohio, **75.133**  
paving in New Jersey, 1915, **75.89**  
Ponce de Leon Hotel, 1887, coquina aggregate, **73.400**  
prestressed concrete, **80.125**  
record setting projects, **73.49**  
reinforcing steel and its trade associations, **81.830**  
river god statue, England, **82.600**  
Saylor Park Cement Museum, **77.456**  
sidewalk construction, 1895, **82.218**  
Statue of Liberty base, **81.698**  
Taft Bridge, 1907, **82.304**  
tilt-up factory, 1912, **68.330**  
truck and transit mixer delivery of concrete, **82.98**  
Unity Temple restoration, **74.161**  
vibration of concrete, **82.306**  
Ward's Castle built 1875, **76.23**  
Washington Monument foundation, **82.600**  
water towers in England, 1900, **76.181**  
World of Concrete growth, **82.845**
- Hog houses  
earth-sheltered, **83.229**  
earth-sheltered/solar heat, **83.241**
- Hog pen dividers, forms for casting in place, **81.479**
- Hoists, bucket elevator, **72.418**
- Holes through beam webs, accommodate mechanicals, **75.47**
- Home building. See Residential; Houses
- Home owner's warranty, standards for concrete, **76.219**
- Home warranty program, Australia, **76.215**
- Honeycomb  
architectural concrete, prevention, **79.323**  
description and causes, **71.81**  
patching method, **80.219**  
reasons and remedies, **77.450**
- Hood Canal Bridge, anchors for pontoons, **82.800**
- Hoover Dam, history, **81.1037**
- Hoppers, receiving and collecting, **72.370**
- Hose. See Pump hose
- Hot cement, problems associated with, **76.358**
- Hot climates, special concreting problems, **74.169**
- Hot weather  
effect on fresh concrete, **71.181**  
effect on worker efficiency, **73.9**
- Hot weather concreting  
basic rules, **71.181**  
checklist of good practices, **83.381**  
cooling and mixing practice, **84.508**  
cooling methods, **76.258**, **79.359**  
floor construction, **73.534**  
insulating mass concrete, **70.155**  
liquid nitrogen for cooling, **77.257**, **80.606**, **83.391**  
mix designs for, **79.359**  
practices in hot climates, **74.169**  
recommended practices, **73.219**  
solving slump loss problems, **82.429**  
temperature control, **77.267**
- Houses. See also Residential  
Greeley's 1856 barn converted, **76.451**  
inflated form shapes foam and shotcrete dome, **83.737**  
Japanese has round windows, **83.135**  
precast insulated panel, **83.737**  
shotcrete over expanded metal, earth covered, **82.43**  
steel-fiber-reinforced concrete, Australia, **78.659**  
tilt-up construction, **72.351**  
walls and roof in one pour, mobile form, **73.97**  
walls cast in place with insulation core, **83.737**
- Houston Ship Channel Bridge, segmental box girder record, **83.115**



Hubert Humphrey Metrodome, riser formwork, **83.679**  
 Hungry Horse Dam, fly ash use, **82.390**  
 Hydrogen sulfide, effect on hardened concrete, **75.328**  
 Hydrophobic cement description and uses, **73.3** sources, **73.344**  
 Hydroxides effect on hardened concrete, **81.25** used as accelerators, **76.57**  
 Hydroxylated carboxylic acid, water reducer, **79.383**  
 Hyperbolic paraboloids, roof structures, **71.89**

## I

I/D slab system, residential floors, roofs, **71.42**, **75.517**  
 Ice, cooling concrete, calculations, **79.359**  
 Ice removal, methods safest for concrete, **71.165**  
 Impact strength, **73.496**  
 In-place evaluation, classified service listing, **84.1102**  
 In-place testing, methods summarized, **84.1097**  
 Indexed data sources. See CONCRETE CONSTRUCTION magazine  
 Industrialized building. See Building systems  
 Industry organizations. See Associations  
 Inflated forms, dome of foam plus shotcrete, **78.405**, **82.511**, **83.247**  
 Ingalls Building, first concrete skyscraper, **81.1034**  
 Ink stain removal, **79.635**  
 Inspection after concrete placement, items covered, **76.559** before concreting, items to be covered, **76.559** during concrete placement, items to be covered, **76.559** flatwork finishing, **76.559** guidelines for post-tensioned concrete, **83.317** how applied to concrete construction, **76.542** materials for concrete, **76.555** placement operations, **76.559** responsibility for, **72.46**  
 Inspector duties and responsibilities, **76.545** function and identity, **76.542** laws regulating, **76.545** reference books for, **76.575**  
 Insulated sandwich panels, prestressed tee section, **81.509**  
 Insulating concretes, thermal conductivity, **70.28**  
 Insulating foam blankets, mass concrete, **82.787**  
 Insulation. See also Thermal lag aids curing in cold weather, **74.491** core for shotcreted walls, **78.279** curved panel centered in wall, **80.482** earth-sheltered construction, **82.521** installation, **80.665** types compared, **81.536** types, properties, **80.665** economies with concrete, **83.525** forms in winter, **70.363** integrated into house walls, **83.737** ionomer foam, mass concrete, **70.155** lightweight concrete as, **83.543** optimum amount for walls, **79.677** part of integral wall form, **73.213** perimeter of slab on grade, **75.24**, **76.388**, **78.21** permanent form panels with voids for concrete, **77.599** placed outside, maximizes concrete thermal lag, **78.393** polystyrene types compared, **81.62** poured between concrete wall planks, **83.249** serves as permanent wall form, **80.488** tilt-up walls, **78.407**

types for concrete walls, **83.550**  
 urethane in permanent forms, **74.15**  
 urethane sprayed on walls of precast building, **78.807**  
 urethane/wire panels back shotcrete, **80.148**  
 wall, concrete cast against, **72.223**  
 ways to build into concrete walls, **83.554**  
 Insurance costs, fire damage, **74.391**

## J

Jacketing, repair method, **69.409**, **81.31**  
 Jackhammering, architectural surfaces, **72.549**  
 Joint details architectural concrete, **72.542** swimming pools, **72.329**

Joint sealants compressible backer rod, **74.317** depth needed in pavements, **84.250** factory floors, **72.211**, **76.371** industrial floor needs, **78.331** leak repair of precast roof, **80.80** pavement how to install, **84.579** last 5 years or more, **83.33** pavement needs specified, **77.433**, **84.579** precast panels, **74.171** premolded foam, **78.670** shape factor, **83.357** shape factor significance, **77.433** silicone stops bleeding asphalt, **84.748**  
 Joints. See also Control joints; Expansion joints contraction, plastic former, **71.185**

MORE

## PRODUCE CONCRETE

### Quickly and Economically

#### With a Can-Do Concrete Production System by Pausch Industries.

#### MAKE CONCRETE WHEN AND WHERE YOU USE IT.

Both **MobileMaster** and **PortaMaster** systems for concrete production at the job site. **BaseMaster** system for fixed-base use. Can-Do systems are durable and built for professionals, requiring only a one-man operation.



**MobileMaster**



**PortaMaster**

### Get Precisely The Concrete You Need.

Control slump, consistency and proportions whether your need is for building slabs, paving, prestressed shapes, high strength or pumpable concrete. Can-Do equipment lets you control dry ingredients by weight and allows you to measure the water you need for specification concrete.

For The Complete Can-Do Product Line, See Our Ad In Concrete Sources Book

Contact a Can-Do Design Engineer. We've built our success on providing concrete solutions for batching and mixing applications, so call today.



**Pausch Industries, Inc.**

TURTLE CREEK INDUSTRIAL PARK  
 P.O. Box 2038 • Jonesboro, AR 72402-2038 • (501) 935-8100

## Our concrete anchors cost a bit more - because we give you more!

Re-usable outer portion .....	49¢
Install with machine in place .....	51¢
360° Spin-Lock anchor assembly ..	38¢
Easy removal & patching .....	26¢
Smooth shell design for maximum contact .....	32¢
"It won't pull out. Period."	43¢
	\$2.39

Obviously, "we don't price out every feature of the Spin-Lock concrete anchors. But we probably should — just to show you why they're worth the money. Our full line of Spin-Lock anchors . . . from 1/2" to 2" diameter . . . offers maximum holding strength. After all, Spin-Lock rock anchors have been proven in major international construction for more than 30 years.

Spin-Locks give you more for small jobs, too . . . if you need a 1/2" anchor, drill a 1/2" hole — right through the plate or machine base you're mounting! If you need to move that assembly, the detachable outer portion is easily removed for patching.

We think the Spin-Lock is the best anchor you can buy. If you'd like to see more, fill in this coupon, and we'll send you a sample . . . along with some impressive strength data. You'll agree it's worth every penny of the price.

\* ... when properly installed

Send for our free brochure



**WILLIAMS**  
FORM ENGINEERING CORP.

P.O. Box 7343  
Grand Rapids, Michigan 49510

circle 226 on reader service card

## Subject Index

### Joints . . . continued

- control and expansion, maximum spacings, 80.167
- control and isolation
  - flatwork, 71.508
  - slabs, 84.553
- control in bikeways, 78.103
- depth and spacing in slabs, 76.370
- floor slab, 79.33
  - how to build, 84.553
  - questions/answers, 80.234
  - with permanent screed rail, 84.483
- leakage repair, urethane foam, 84.594
- maintenance needs, 81.9
- pavement
  - cleaning, resealing, 83.13
  - design guide, 83.401
  - former plus sealant, 74.238
  - restoring load transfer, 83.13
- saw cut, details, 76.370
- sawed in floors: how, where, when, 76.153
- slab on grade, design and construction, 73.517
- spacing, layout in slabs, 84.553
- waterstop installation in, 84.569

## K

- Kelly-Vail test
  - cement and water content, fresh concrete, 77.427
  - warning on use, 77.513
- Kentucky Horse Park, architectural concrete uses, 80.470
- Kevlar fibers, reinforcement properties, 81.261
- Keyways, standardization of half rounds proposed, 82.820

## L

- Lactic acid, effect on hardened concrete, 75.328
- Lamellar tearing, definition, 74.178
- Landscaping vegetation, earth-sheltered construction, 80.653
- Laser construction tools, types and uses, 75.516
- Latex admixture, reduces slump loss, 76.39
- Latex emulsion paints, properties and uses, 81.406
- Latex modified concrete
  - batching and mixing, 84.889
  - benefits and uses, 78.107
  - bridge deck overlay, 80.258
  - corrosion resisting overlay, 84.503
  - mixing/placing methods, 82.641
  - properties, 81.229
  - renovation at Soldier Field, 82.641
  - repair uses, 81.31, 84.889
- Latex modified mortars
  - brief status report, 72.274
  - questions and answers, 72.338
- Launching ramps, boat, construction, 70.201
- Layout
  - construction site, laser instruments for, 75.516
  - parking area stalls, aisles, 82.269
- Le Corbusier, architectural concrete work, 68.197
- Lead
  - in aggregate retards set, 77.237
  - joint filler, 76.371
- Leakage, waterstops, repair, 84.594
- Legal cases
  - children's summer jobs, 79.398
  - complimentary bidding, 79.338
  - defective specifications, 79.624
  - liability insurance limits, 80.840
  - mid-east Islamic-based law, 80.320
  - oral supply contracts, 79.754
  - weather log documents delay, 79.188
  - whose contract interpretation prevails?, 80.436
  - work stoppage, 80.572
- Lettering
  - inscribed in hard concrete, 77.365
  - stamped in fresh concrete, 80.503

### Liability

- for construction failures, 82.345
- performance, subcontractor, 72.38
- Liability suits, record-keeping aids defense, 78.39
- Lift lines, prevented by vibration, 74.496
- Lift slab
  - bond breaker, choosing and using, 77.547
  - multilevel lift method, 71.377
  - used in Middle East, 78.310
  - walls unfold as stack rises, 77.90, 81.717
- Lightning damage
  - concrete and masonry, 71.218
  - mechanism explained, 84.413
  - pavement surface, 77.117
  - potholes, 84.413
  - research program simulates, 84.413
- Lightning protection devices installed, 71.218
- Lightweight aggregate concrete
  - finishing, 79.231
  - materials, mix design, 81.247
  - physical properties, 81.247
  - pumping problems, 71.385, 72.385, 73.155, 75.234
  - reduces cost of Canadian high-rise, 76.157
  - roof deck, roofing installation, 76.244
- Lightweight concrete
  - crash cushion, 70.427
  - fire resistance, 74.403
  - insulation and fill uses, 81.253
  - physical properties, 81.253
  - slabs with depressions over steel, 73.66
- Lightweight insulating concrete
  - floors and roofs, properties and production, 78.411
  - roof deck, 78.230
  - types, properties, 83.543
- Lignin, water reducing admixture, 79.383
- Lignite, causes popouts, 76.585
- Lime
  - dries out muddy site, 73.258, 74.258
  - in grout for slabjacking, 74.467
  - stabilizing soil with, 68.371
- Limestone aggregate, fire resistance, 75.206
- Limestone dust, effect on concrete strength, 72.211
- Linseed oil
  - curing aid, 72.198
  - emulsion for curing, 71.533
  - bridge decks, 70.324
  - emulsion protects parking deck, 73.556
  - scaling prevention, 74.42, 76.397
  - bridge decks, 78.290
  - spalling protection, test results, 71.331
  - use discontinued, 72.74
- Liquid membrane curing compounds, types available, 72.219
- Livestock feeding floors, slotted, cast in place, 83.235
- Load cells, measure reshore loads, 75.277, 77.83
- Low density concrete. See Lightweight concrete
- Low strength cylinders, causes, 73.27

## M

- Machine tool structures made of concrete, 80.221
- Magazines in concrete field, international list, 72.279
- Magnesite cement, description and uses, 73.3
- Magnesium chloride, attacks hardened concrete, 82.876
- Magnesium float, preferred for air-entrained mixes, 76.372
- Magnesium phosphate cement, properties and uses, 81.331
- Magnesium phosphate concrete
  - fast setting, 74.93
  - fast setting repair, 74.568, 79.177

Magnesium sulfate, effect on hardened concrete, **75.328**

Magnetite aggregate, heavy shielding concrete, **78.380**

Maintenance. *See also* Cleaning  
Guggenheim Museum, **76.119**  
joints and surfaces, **81.9**  
necessary to life of concrete, **81.7**

Management. *See* Business organization; or specific topics

Marina City  
construction practices, **83.89**  
design considerations, **80.135**

Marine borers, **71.62**

Marine concrete. *See also* Ocean structures  
inspection guide for vessels, **82.679**

Marketing  
earth-sheltered construction, **82.73**  
how to organize department, **84.39**  
how to sell more concrete buildings, **74.53**  
lack of concrete promotion, **79.439**  
making concrete competitive, **84.803**  
methods to promote high-rise building package, **81.877**  
needed in concrete industry, **77.213**  
Ontario reaches for farm builders, **81.499**  
parking lot promotion, **81.901**, **83.255**  
pattern stamped concrete, **79.451**  
planning for construction company, **81.889**  
programs developed for parking lots, **82.279**  
promotion to farm users, **81.465**  
retail concrete store, **82.206**  
role of field staff, **84.974**  
use of contractor's office brochure, **83.623**  
use of signs, graphics, **84.974**

Masonry cement  
description and uses, **73.3**  
specification data, **73.200**

Mass concrete  
construction joints, waterblast cleaning, **74.553**  
forming operations, Ohio River locks, **73.471**  
graving dock construction, cold weather, **72.15**  
insulating blankets, **82.787**  
insulation in summer, **70.155**  
roller compaction method, **82.709**  
temperature control, **77.267**, **79.497**

Master Builders, new headquarters built, **78.362**

Material handling. *See* Transporting; Pumping; Conveying

Mechanical tooling  
architectural concrete, alternatives, **72.549**  
architectural surfaces, **72.526**, **78.599**  
equipment for, **69.121**  
formwork design for, **84.397**  
workmanship standards, **82.39**

Median barriers  
glare screen added, **81.667**  
heavy design, slipformed, **81.1041**  
rental service, **80.244**  
safety shape designs, **75.5**  
save lives, property, **79.72**

Mellon Art Center, board-marked concrete for, **73.320**

Membrane waterproofing, earth-sheltered construction, **80.669**

Mercer, Henry Chapman, design/construction c. 1910, museum and home, **82.561**

Meridian Hill Park, exposed aggregate concrete, **84.117**

Metal lath, serves as reinforcement, **74.516**

Metallic aggregate grouts, **74.501**

Methyl methacrylate. *See* Acrylics; Acrylic concrete

Metric system. *See* Metrication

Metrication  
adoption in U.S., **71.223**  
adoption urged, **76.309**, **77.429**  
Australian experience, **77.429**  
conversion factors, **71.381**, **77.724**

Systeme International (SI)  
explained, **76.313**  
use urged, **75.476**  
use in United States, **71.54**

Metropolitan Atlanta Rapid Transit Authority, concrete usage, **82.8**

Microsilica. *See* Silica fume

Mine tailings, aggregate, **71.372**

Mix design  
ACI standard revised, **82.666**  
affected by temperature, **77.267**  
air-entrained concrete, **70.241**  
architectural concrete, **72.535**, **79.6**  
cause of blemishes in formed surfaces, **79.719**  
cement-conserving practices, **74.283**  
changes when using fly ash, **82.422**  
colored concrete for National Gallery of Art, **84.105**  
computer programs for, **76.191**  
econcrete, **76.19**  
effect of water reducers, **79.383**  
electrically conductive concrete, **80.411**  
evaluation and consulting service, **81.208**  
factor in bughole reduction, **72.266**  
field adjustments to, **68.7**  
floor slab concrete, **73.521**  
for fire or heat resistance, **74.403**  
gap grading for architectural work, **78.579**  
general principles, **68.7**  
high strength concrete with entrained air, **77.77**  
how materials affect air content, **84.717**  
influenced by superplasticizers, **82.409**  
patching concretes, **72.552**  
pumpable concrete, **71.227**, **72.57**  
pumpable lightweight mixes, **73.155**  
pumpers need to understand, **82.721**  
residential basements, **78.199**  
shotcrete, **70.12**

steel-fiber-reinforced shotcrete, **75.345**  
sulfur concrete, **74.295**  
tunnel caisson sections, Amsterdam Metro, **74.453**  
watertight concrete, factors affecting, **71.5**  
workability vs. water content, **80.339**

Mix water, quality required, **75.107**

Mixers  
drum and pan type, rubber liners for, **78.341**  
mobile batcher type, **73.371**, **84.5**

Mixing practices  
effect on air content, **84.717**  
hand labor in Indonesia, **81.597**

Mixing silos, supply concrete to pumps, **78.97**

MLC Center (Australia), construction to 808 feet, **83.95**

Mobile batcher mixers  
case histories of use, **84.5**  
operation and advantages, **73.371**  
where and how to use, **84.5**

Mobile River Tunnel, construction, **72.9**

Mockup, architectural concrete, preconstruction, **72.524**, **72.598**

Model tests, Three Sisters Bridge, **71.480**

Modular building systems, precast concrete, **72.435**

Modular precast components, post-tensioned together for high-rise building, **73.225**

Moisture measurement, hardened concrete, **77.234**


Moisture movement, resisted by quality concrete, **81.305**

Moisture problems, slab on grade, **78.21**

Mold (mildew)  
prevention on concrete, **72.113**  
removal from old buildings, **84.58**

MORE

## coast<sup>+</sup> to coast BIG FIX IN CONCRETE



### Experienced hands, top skills combine to restore deterioration

The Comax Group is a network of long established specialists in concrete and masonry rehabilitation and waterproofing. We provide state-of-the-art expertise, technique and materials to repair, rehabilitate and rebeautify buildings and bridges, plants and parking garages. You name it. Write or call for full details without obligation.

**COMAX**  
THE COMAX GROUP INC.

401 Parkway Drive,  
Broomall PA 19008  
(215) 543-5855

circle 132 on reader service card

## Subject Index

### Mortar

dry pack or plastic, repair uses, **81.21**  
 fiber reinforced, shrink resistant, **84.893**  
 mixing practices, 1898, **72.377**  
 repair uses, **81.31**  
 shrink resistant, **84.893**

Mortar and cement stains, removal from automobiles, **78.79**

Mortar stains, removal from glass, masonry, **77.129**

Mosaic, bonding to concrete, **75.108**

Moscone Convention Center design and construction, **83.103**  
 foundation mat, **80.64**

Mount St. Helens, volcanic ash properties, **80.813**

Mount Vernon Memorial Parkway, historic pavement, **84.137**

Movies, tool for studying construction, **73.478**

Mud, dried out with lime, **73.258, 74.258**

Mudjacking. See Slabjacking

Mudsills, inadequate cause shoring failures, **77.607, 81.641**

Murals, cast in concrete by British artists, **76.265**

## N

Nailable concrete, **83.574**

Nails, masonry, **73.402**

National Building Museum opened, **81.910**

National Gallery of Art, design and construction, **84.105**

National Institute of Building Sciences, formation and plans, **75.11**

Natural cement, description and uses, **73.3**

Naturbetong, **82.575**

Nervi, Pier Luigi, development of ferrocement, **79.175, 81.269**

Netherlands surge barrier, built of precast concrete, **83.661**

New River Gorge Bridge, concrete deck for, **78.220**

Newton, New Jersey, paving in 1915, **75.89**

Nitrates, used as accelerators, **76.57**

Nitrogen (liquid) cools concrete, **77.257, 79.359, 80.606, 83.391**

No-fines concrete

insulates, saves energy, **83.539**  
 mixing and placing, **79.123, 83.685**  
 paving slab, **70.116**  
 porous floor for drainage, **80.620**  
 properties and uses, **83.685**  
 residential walls, **79.123**

Noise control

compressors and breakers, **79.50**  
 precast barrier wall/fence, **83.767**  
 standards set by GSA, **75.60**

Noise resistance, wall types compared, **79.375**

Nondestructive testing

acoustic method finds voids in fresh concrete, **83.839**  
 criterion for form removal, **80.199**  
 penetration probe, **70.398**  
 rebound hammer, **69.227, 80.421**

Nonexplosive demolition, **82.366**

Nonmagnetic reinforcement cost considerations, **78.544**  
 materials available, **78.311**

Nonshrink. See Shrinkage compensating

Notable structures

Amsterdam Metro, **74.453**  
 Baha'i Temple, **83.119, 73.369**  
 Bellafontaine, Ohio pavement, **75.133, 77.20**  
 Black Hawk sculpture, **84.299**  
 CN Tower, **75.128, 75.393, 83.125**  
 concrete houses in Donora, Pennsylvania, **82.218**

Copley Place, **84.949**

Eddystone Lighthouse, **81.1025**

Ekofisk oil drilling island, **73.419**

Fallingwater, **75.189, 83.109, 83.137**

floating dock at Valdez, **83.131**

Fountain of Time, **84.797**

Guggenheim Museum, **76.119, 83.137**

Hawaii capitol, **69.260**

Hirshorn Museum, **72.554**

Hoover Dam, **81.1037**

Kentucky Horse Park, **80.470**

landmarks from 5600 B.C. to 1963, **81.1024**

Marina City, **80.135, 83.89**

Mellon Art Center, **73.320**

Mercer Buildings, **82.561**

Moscone Convention Center, **83.103**

National Building Museum, **81.910**

National Gallery of Art, **84.105**

Netherlands surge barrier, **83.661**

Newton, New Jersey paving, 1915, **75.89**

Panama Canal, **73.315, 78.56**

Parrott's Ferry Bridge, **80.157**

Ponce de Leon Hotel, **73.400**

River Gorge Bridge, **78.220**

Statue of Liberty base, **81.698**

Sydney Opera House, **74.113**

Taft Bridge built in 1907, **82.304**

tilt-up factory in 1912, **68.330**

Unity Temple, **74.161**

Ward's Castle, 1875, **76.23**

Watertown Place, **76.102**

Nozzleman, shotcrete, skills needed, **84.641**

Nuclear reactor, pressure vessel construction, prestressed, **74.549**

Nylon fibers, reinforcement properties, **81.261**

## O

Occupational Safety and Health Act (OSHA)

enforcement problems, **72.601**

handling inspections, **82.333**

how to comply, **72.601**

terms/procedures, **73.325**

Ocean structures

deep test spheres, **77.453**

Ekofisk oil drilling island, towed to position, **73.419**

fatigue stress problems, **76.163**

floating dock at Valdez, precast construction, **83.131**

floating ocean thermal energy station, **82.877**

inclined column supports, **76.67**

polystyrene shell forms, float or sink, **76.686**

research program by U.S. Naval Laboratory, **83.409**

surge barrier, Netherlands, **83.661**

Ocean thermal energy, concrete structures used to recover, **82.877, 83.537**

Office tower, floors built from top down, **72.463**

Offshore structures. See Ocean structures

Oil, types for form release, **75.135**

Oil drilling platform, island built in North Sea, **73.419**

Oil stains, removal method, **76.390, 82.386, 84.844**

Oil well cements, description and uses, **73.3**

Olympics Velodrome (Montreal), precast erection on shores, **76.123**

OSHA. See Occupational Safety and Health Act

Overlays

bonded or unbonded, repair methods, **81.31**

bridge deck, thin bonded, **84.711**

pavement, bonded, reinforced, **82.291**

post-tensioned for runway, O'Hare, **82.261**

specialty concretes for corrosion protection, **84.503**

## P

Paddleboat, ferrocement construction, **82.987**

Paint

application recommendations, **77.145**

pavement traffic marking, **73.436**

preparing concrete for, **77.481, 81.401**

types used on concrete, **71.122, 81.406**

Pan mixers, rubber liner for, **78.341**

IN USE  
FOR 10 YEARS

## MARSHALL VEGA FIBERGLASS REINFORCED PLASTIC REBAR



- Non-corrosive
- Non-conductive
- Stronger than steel
- 1/4 the weight of steel
- University tested
- Standard sizes in stock
- Special shapes available

### PHYSICAL DATA:

- Tensile strength—150,000 psi (3x steel)
- Tensile modulus— $7.86 \times 10^6$  psi average
- Thermal co-efficient of expansion— $5.5 \times 10^{-6}$  in/in/°F

**DENSITY:** 0.067 lbs/in<sup>3</sup> (1/4 that of steel)



### MARSHALL VEGA CORPORATION

P.O. Drawer 900 Marshall, AR 72650 Phone: 501-448-3111

### MEGA-TECH INDUSTRIES

Export Marketing & Sales Division

P.O. Box 366 Bryant, AR 72022 Phone: 501-847-2923


Telex: 53 6433 AIDC LRK Attention: MEGA-TECH

circle 180 on reader service card



- Panama Canal  
concrete construction, 73.315  
construction overview, 78.56
- Panel building system, site precast connections, 72.324  
floors and walls, 72.324
- Paper, form liner, bond breaker, 70.42
- Parking decks  
design deficiencies, 76.444  
designed for durability, 77.387  
deterioration problems, 76.444  
dished floor design, 74.308  
epoxy repair, 79.278  
expansion joint failures, 81.651  
linseed oil emulsion sealer, 73.556  
post-tensioned construction, 70.78  
post-tensioned for Southwestern Bell, 83.344  
precast with cast-in-place, 72.639  
prestressed concrete framing, 77.387  
roof of low-rise building, 71.100
- Parking lots  
concrete, save lighting energy, 83.535  
design considerations, 82.243  
design practices, 77.221  
getting quality with less effort, 82.243  
layout and design, 82.269  
marketing programs, 82.279  
marking and signing, 82.269  
porous, no-fines concrete, 83.685  
promotion campaign, 81.901, 83.255
- Parrott's Ferry Bridge, 80.157
- Passive solar. See Solar energy
- Patching. See also Repair questions/answers, 77.149
- Patios, construction methods, 75.519
- Pattern stamped concrete, 79.237  
colored flatwork, construction methods, 71.47  
franchisers and toolmakers, 79.459  
how to do it, 78.441  
market development, 79.451  
methods for residential work, 83.765  
tools and systems available, 79.441  
wheel-shaped tool, 80.197
- Pavements  
asphalt vs. concrete, 75.352, 82.293, 82.647  
AASHTO design guide, 83.179  
Bellefontaine, Ohio, c. 1880, 75.133  
beltd finish, 72.354  
bump cutters smooth surface, 76.167  
bumps prevented by continuous slipforming, 76.90  
concrete saves petroleum, 81.657  
concrete shoulders extend life, 78.509  
continuously reinforced overlays, 78.655  
crack control, post-tensioning, 72.475  
D-cracking prevention, 75.287  
dowel bars, automatic setters, 82.253  
fast-setting repair methods, 79.177  
grass grows in formed voids, 77.216  
grinding-grooving smooths surfaces, 83.13  
grooved for skid resistance, 76.453, 83.619  
grooving/grinding for smoothness, 76.167  
historic Mount Vernon Parkway, 84.137  
joint cleaning, resealing, 83.13  
joint design guide, 83.401  
joint former and sealant, 74.238  
joint sawing practices, 76.153  
joint sealant installation, 84.579  
joint sealant materials, specifications for, 77.433  
joint sealants for, 77.369  
joint sealants last 5 years, 83.33  
overlay for restoration, 78.538  
post-tensioned experimental, 73.11  
rain damage repair, 74.467  
recycled as aggregate, 80.725, 83.539  
recycled into new subbase, 75.441  
recycling methods, 82.62  
reinforced, bonded overlay, 82.291  
resilient base, shredded rubber, 70.433  
restoration with CPR system, 83.13  
skid resistance, 68.109, 69.377, 75.67  
slabjacking restores support, 69.53  
smoothness control, 75.150  
steel-fiber-reinforced  
airfield, 72.119  
installations listed, 74.174, 77.143  
lowa test overlay, 74.103  
test installation, 70  
subbase with polystyrene beads, resists frost, 75.62  
thickness design for parking areas, 82.269
- Paving  
airport runways, quality control, 71.513  
continuously reinforced overlay, test section, 76.274  
cost and marketing data, 75.383  
demonstration by ACPA, 71.354, 77.545  
get quality with less effort, parking lots, 82.243  
history, Newton, New Jersey, 1915, 75.89  
industry problems cited, 82.241  
Manhattan uses black concrete, 83.486  
methods applied to tilt-up, 77.37  
methods on Manhattan 3-mile project, 83.461  
no-fines concrete, 70.116  
shoulders built of concrete, 76.211  
smoothness control, 76.364  
stiff resurfacing mixes, 78.323  
subbase with econcrete, 76.19  
vibrating screeds used, 82.284
- Paving blocks  
colored concrete, 82.374  
set without mortar, 82.818  
types available, 83.761  
installation methods, 83.761
- Paving cost  
asphalt vs. concrete, 71.222  
typical sections compared, 77.545
- Paving problems, references to earlier data, 76.409
- Paving technology, progress, future growth, 82.255
- Peachtree Center Hotel, design features, 83.97
- Pei, I. M., National Gallery of Art, East Building, 84.105
- Penetration probe testing, powder actuated, 70.398
- Penetration resistance test, methods, 81.571
- Periodicals. See Magazines
- Perlite aggregate for roof decks, 76.243
- Perlite concrete  
insulating value, 83.543  
properties and production, 78.411  
properties and uses, 81.253  
roof insulation, 83.559
- Perlite plaster, 77.153
- Permafrost subgrade, slab construction on, 82.780
- Permeability  
affected at -200C, 84.376  
mix design to reduce, 71.5  
moisture through concrete, 81.305  
simplified test for, 84.167
- Petrographic analysis  
deterioration causes, 72.431  
hardened concrete, methods/applications, 81.585
- Phenolic paints, properties and uses, 81.406
- Photography  
movies to evaluate jobsite activities, 73.477  
record-keeping at jobsite, 78.39  
time-lapse cameras, 78.39
- Picasso, Pablo  
Bather, The, construction of, 75.285  
Bust of Sylvette, 69.385  
protected from acid rain, 83.50
- Pier caps, efflorescence removal and repair, 80.561
- Pigments, added to mix, advantages and disadvantages, 76.204
- Pile repair, jacketed with fabric forms, 75.391, 80.395

MORE



**DEL ZOTTO CORPORATION**  
CONCRETE PRODUCTS & FORMS SINCE 1948

## CONCRETE FORMS & ACCESSORIES

- SEPTIC TANK FORMS
- STEP FORMS
- WALL PANEL FORMS
- HYDRA-BRUTE TRUCK RIG
- MISCELLANEOUS FORMS
- VIBRATORS
- PICNIC TABLE FORMS
- CONCRETE BUCKETS
- CLAMPS, PLIERS, LIFTING DEVICES

THE PROOF IS IN THE PROFIT. The Finest Concrete Form Systems Offered to You—Cast in One Pour, Poured and Stripped Upright. We furnish everything except the concrete to get you directly into the precast business. No franchise obligations.

There is a reason why more Del Zotto forms are sold than any other. SEND FOR FREE CATALOGUE.

**DEL ZOTTO MFG. CO., INC.**  
2300 Commonwealth Avenue  
Duluth, Minnesota 55808-1699  
218-626-2781

circle 144 on reader service card

- Piles**  
fracture during casing withdrawal, 75.196  
mechanical splice for, 82.96  
repair in seawater, 82.124
- Pinking, causes and cures, 72.622**
- Pipe**  
cast-in-place  
construction, 79.163  
performance, 79.163  
historic concrete sewer, 83.340  
machine casts in place, 78.674
- Pipe columns, support for flat plates, 72.380**
- Placeability, test device for, 75.185**
- Placing booms**  
for pumping, 79.379  
installation for high-rise, 82.635  
maintenance recommendations, 80.392  
truck mounted or separate, European practice, 78.97
- Placing methods**  
architectural concrete, 72.536  
basement walls, 75.509  
colored concrete, 69.217  
continuous for high walls, 79.29  
contribute to blemishes in formed surfaces, 79.719  
crane and bucket, high-rise, 82.723  
effect on air content, 84.717  
effect on formwork, 79.537  
hoppers built into forms, 82.349  
hot weather precautions, 83.381  
mountain slope problems, 74.61  
slab on grade, 75.512  
underwater concreting, 74.472
- Plastered walls, expansion joints, 80.484**
- Plastering**  
repair techniques with, 77.153  
techniques for block walls, 70.75
- Plastic cements, description and uses, 73.3**
- Plastic film**  
repairs pool leaks, 84.901  
use for concrete curing, 76.488
- Plastic form liners**  
types compared, 82.51  
types in use, 74.55
- Plastic shrinkage cracking**  
causes and cures, 71.63, 79.247  
causes and prevention, 73.517, 76.359  
description and causes, 71.83  
prevention in hot climates, 74.169
- Plastics, scrap as aggregate, 71.372**
- Play equipment, made of concrete, 77.331**
- Playgrounds, shock absorbing tiles for, 72.412**
- Plywood**  
high density overlay, 75.187  
high density overlay for maximum reuse, 76.698  
product standards, 84.445
- Poles, telescoped segments pumped full of concrete, 76.307**
- Police Memorial Building, architectural concrete, 82.587**
- Polyester coatings, properties and uses, 81.406**
- Polyester resins, fast-setting repairs, 79.177**
- Polyethylene. See Plastic film**
- Polyethylene oxide, admixture for pumping, 75.114**
- Polymer concretes**  
bridge deck impregnation, 75.217  
bridge deck overlays, construction, 84.711  
brief overview, 72.274  
corrosion-resisting overlay, 84.503  
definitions, data sources, 82.742  
high strength overlays, 79.13  
monomer component tested, 71.173  
properties and uses, 71.173  
questions and answers, 72.337, 75.388  
types used for bridge deck overlays, 84.711
- Polymer impregnation**  
bridge deck protection, 79.272  
repairs porous concrete, 79.13  
vacuum aids repair, 79.315
- Polymer modified concrete. See Latex modified concrete**
- Polymeric floor overlay, usable at low temperature, 76.479**
- Polypropylene fibers**  
reinforcement, effect on concrete, 83.468  
reinforcement properties, 81.261
- Polystyrene bead concrete**  
insulating value, 83.543  
properties and production, 78.411  
properties and uses, 81.253
- Polystyrene form liners, 74.55**
- Polystyrene insulation, types compared, 81.62**
- Polyurethane. See Urethane; Insulation**
- Ponding on roof**  
prevention, 74.46, 74.149  
reasons and remedies, 73.488
- Popouts**  
caused by dead-burned dolomite, 73.384  
caused by lightning, 77.117  
caused by lignite, 76.585  
caused by pyrites, 77.151  
causes and cures, 70.275, 76.391, 77.454  
prevention and repair, 83.58  
repair, 79.139
- Porous concrete. See also No-fines**  
no-fines mix, 80.620  
repaired by polymer impregnation, 79.13
- Portland Cement Association**  
educational programs, 82.849  
offers contract research, 73.470  
reorganization plans, 71.238, 72.6  
training programs offered, 77.555
- Portland cement paints, properties, uses, 81.406**
- Portland-pozzolan cement, properties and quality, 74.283**
- Portman, John**  
Peachtree Center Hotel, 83.97  
Renaissance Center Hotel, 83.99
- Post holes, drilled in concrete, 72.13**
- Post-tensioned box girders, precast in forming machines, 84.405**
- Post-tensioned bridge beams, demolition practices, 76.256**
- Post-tensioned buildings, details and shop drawings, 83.327**
- Post-tensioned floors**  
reduce high-rise costs, 76.157  
superflat construction, crack-free, 83.396
- Post-tensioned pavements, experimental, 72.475, 73.11**
- Post-tensioned roof, waterproof, 83.342**
- Post-tensioned slab, fire damage evaluated, 79.612**
- Post-tensioning**  
aided by shrinkage compensating concrete, 83.331  
definition, common systems, 83.323  
design-related problems, 71.324  
earth-sheltered construction, 81.105  
Eisenhower Station, Washington Metro, 84.125  
grouting tendon ducts, 74.374  
grouts, grouting equipment, 73.277  
growth and development, 80.125  
hardware systems described, 83.323  
industry status report, 83.313  
inspection guidelines, 83.317  
joins modular components in high-rise building, 73.226, 73.354  
parking deck construction, 70.78, 83.344  
Picasso sculpture, 69.385  
reactor pressure vessel, Fort St. Vrain, 74.549  
runway overlay at O'Hare, 82.261  
segmental box girder bridges, 81.135  
segmental I-girder, 72.240  
shrinkage compensated slab, 79.117  
slab on grade design, 83.313  
slipformed cement silo, 82.45  
till-up multistory panels, 80.527
- Post-tensioning tendons**  
grouting practices, 73.210, 73.421, 84.47
- stressing sequence, 71.324**  
unbonded, protection methods, 73.421
- Postage stamps**  
commemorate concrete, 74.114  
history, 74.114
- Powder actuated tool, fastening to concrete, 76.113**
- Power screeds, floor construction, 79.369**
- Power trowels**  
features explained, 82.717  
operation, 70.315
- Pozzolans. See also Fly ash; Silica fume; and others**  
history of use in U.S., 76.159
- Precast concrete. See also Tilt-up**  
barrier wall systems, 83.767  
building components joined by post-tensioning, 73.226  
combined with slipforming, 80.331  
connections, 71.515  
contractor makes his own, 80.791  
contractor organizes to produce, 80.331  
expanding market noted, 84.1122  
failures caused by end restraint, 81.641  
fireplace, 80.839  
Forest City Dillon modules, build high-rise, 84.131  
manufacturing methods, 80.791  
modular building system, 72.435  
modules for Yugoslav system, 73.271  
modules used as forms, 70.286  
on-site economies, 75.339  
on-site panels create power substation enclosure, 75.397  
on-site system, residential, 72.322  
on-site work advantages, high-rise buildings, 80.331  
panels make helicopter pad, 77.282  
permanent forms for slabs, 82.355  
railroad underpass, jacked into place, 84.306  
Saudi Arabian developments, 80.797  
spandrels stay in place as forms, 84.949  
stairs for high-rise, 84.970  
surge barrier in Netherlands, 83.661  
Yamasaki's use of, 69.337
- Precast concrete masonry, retaining/noise-abatement walls, 81.905**
- Precast panels. See also Tilt-up**  
facing for reinforced earth structure, 84.653  
floating dock at Valdez, 83.131  
hollow-core wall system, 70.276  
joint sealants for, 74.171  
make earth-sheltered home, 82.507  
match Biltmore Hotel masonry, 79.307, 79.309  
repair bridge deck, 84.147  
structural lightweight with steel frame, 80.804  
wall screens radio-frequency interference, 84.741
- Precast prestressed concrete. See also specific product**  
Olympics velodrome (Montreal), 76.123  
railroad ties, 83.822  
roof systems, types described, 71.13
- Precast stone veneer, anchored by epoxied dowels, 74.522**
- Preplaced aggregate concrete, use for repairs, 81.31**
- Presoaking, lightweight aggregate, pumped concrete, 73.155**
- Pressure. See also Form pressure**  
concrete on forms, 73.429
- Prestressed concrete. See also Post-tensioning**  
advantages and applications, 81.235  
behavior explained, 81.235  
certified producers listed, 83.962  
fire damage, Avianca Building, 74.409  
fire damage repair, 72.225  
fire resistance, 74.395  
history of development, 80.125  
sculpture, design/construction, 84.313
- Prison cells, custom forms for, 82.349**
- Profilegraph, floor flatness measurement, 84.291**
- Proportioning. See Mix design**

## Subject Index

- Pullout testing  
advantages/disadvantages, 81.577  
correlation with cylinders, 82.376  
equipment and procedures, 81.577  
maturity meter aids timing, 83.627
- Pulse velocity testing, methods and significance, 81.571
- Pump booms. See Placing booms
- Pump hose  
couplings for, 71.34  
handling and storage, 71.34  
types and sizes, 71.34
- Pump lines  
air release valve, 73.273  
aluminum, effect on concrete, 70.12, 70.186, 70.289  
capacity and layout, 73.273, 75.237  
emptying and cleanout, 73.273  
European state-of-the-art, 78.97  
safety precautions, 84.1001  
system for wall placement, 79.379  
types and sizes, 72.594
- Pumpable concrete  
materials selection for, 73.51  
mix design and test for, 74.333
- Pumping  
accessories for, 72.594  
admixtures to facilitate, 72.57  
aggregate considerations, 72.385  
boom maintenance practices, 80.392  
columns from bottom, 82.182  
distance record, 81.612  
equipment selection, 82.629  
European developments, 78.97  
faster schedules with, 71.267  
floor slab concrete, 73.530  
Frankfurt Tower record, 78.170  
growth anticipated, 74.333  
hand signals for pump/boom, 78.768  
lightweight concrete, 73.155, 75.234  
line pressure, 82.629  
lines and pumps available, 72.594  
lines/booms deliver concrete, 79.379  
mix design for, 71.227  
planning and scheduling, 73.273  
record setting jobs, 73.49, 80.533  
residential walls, 79.19  
separate placing booms for high-rise work, 82.635  
slump loss during, 72.132  
Texas Commerce Tower record, 82.59  
troubleshooting questions, 75.233  
varied questions answered, 71.385  
walls 50 feet high, 79.29  
weather problems, 73.273  
winter practices, 70.369
- Pumping admixtures, polyethylene oxide, 75.114
- Pumping contractors  
association organized, 74.41  
business organization, 74.111  
need to know mix design, 82.721  
rules for business success, 72.385
- Pumping service by ready mix supplier, 73.17
- Pumps  
European state of the art, 78.97  
maintenance practices, 74.111  
types and ratings, 72.594
- Punch lists, guidelines for use, 76.140
- Pyrite  
causes popouts, 77.151  
limiting amount in aggregate, 73.490
- Q**
- Quality assurance  
accelerated tests, CN Tower, 75.128  
British warranty program, 77.383  
CQM system for fresh concrete, 84.317  
European systems for, 77.383  
floor slab problems, 73.540  
responsibility, benefits, 83.813  
shotcrete, 84.633  
who provides?, 76.549
- Quality control  
achieving with economy, 77.99

## MFG One-Piece Round Column Forms are as easy as 1, 2, 3



1. INSTALL



2. POUR



3. STRIP

They're **Easier to use** — lightweight construction makes installing, pouring and stripping a simple task.

**Easier to maintain** — manufactured of fiber glass reinforced plastic, these forms will not dent, sag, rust or weather.

**Easier to ship and store** — MFG RCF units nest and, therefore, use less shipping and job site storage space than other types of forms.

- Produces clean, smooth concrete
- Complete with bracing collar and "fast" bolts
- Available on a sale or rental basis
- Designed for multi re-use

For more information on our complete line of MFG Concrete Forms, call us at 800-458-0863 (in PA, 814-438-3841).




MOLDED FIBER GLASS CONCRETE FORMS COMPANY

55 Fourth Avenue • Union City, PA 16438  
Toll Free: 800-458-0863 • (in PA: 814-438-3841)  
West Coast: 1130 Watson Center Road • Carlsbad, CA • 213-549-5053



circle 190 on reader service card



## Your Problem Is Rebar Corrosion!

And Harco's exclusive PNT™ Cathodic Protection System solves those concrete corrosion problems everyday!

Most maintenance programs have always patched, sealed or used some sort of coating system, trying to control concrete spalling. But all the while, de-icing, air-borne and environmental salts permeated the concrete, corroded and selectively expanded the rebar, producing tremendous pressure. This is how your delamination and cracking starts!

Harco's PNT Cathodic Protection can permanently stop rebar corrosion at its source! As a matter of fact, recent FHWA studies have shown that cathodic protection is "the only proven method" for salt contaminated structures. And just as important, it's incredibly cost-effective.

For more information, send for our FREE brochure. Let Harco's 35 year commitment to Cathodic Protection solve your corrosion problems today!



Harco Corporation

**world '86  
of concrete®**  
Booth 2626


WORLD HEADQUARTERS / 1055 WEST SMITH RD. / MEDINA, OHIO 44256 / (216) 725-6681  
With 22 Convenient Offices Available Worldwide

circle 165 on reader service card

MORE

# PENTAX

**PRECISION  
OPTICS  
MADE  
DURABLE  
DEPENDABLE,  
...AND  
AFFORDABLE.**




**GT-4B  
Vernier  
Theodolite**

This one's built to last, with a patented dust sealing system to keep internal mechanisms dirt-free.

**TH-60E  
Theodolite**

The internal circle illumination makes it ideal for inside projects and other low-light conditions.



**AL-6  
Automatic  
Level**

Its rugged design keeps it accurate; its price keeps it affordable.

For more information, call or write

Pentax Corporation  
35 Inverness Drive East  
Englewood, CO 80112  
303-799-8000

**PENTAX®**

© 1985 Pentax Corporation

## Subject Index

### Quality control . . . continued

choosing the right test lab, **81.591**  
construction tolerances, **80.743**  
design strength, by field engineer, **71.103**  
high strength concrete, **81.241**  
home builder's checklist, **84.342**  
how to get superflat floor, **84.291**  
how to handle low cylinder breaks, **81.563**  
how to meet tolerances, **79.659**  
overall guidelines, **71.139**  
ready mixed concrete  
benefits producer, **83.818**  
case histories, **83.818**  
factors to consider, **75.181**  
residential concrete, Australia, **76.215**  
responsibility, benefits, **83.813**  
small test cylinders, **79.751**  
statistical evaluation of strength, **74.339**  
statistical methods for concrete strength, **75.459**  
strength evaluation method, **79.471**  
tests of fresh concrete, **81.557**  
tool for marketing concrete, **74.53**

Quality standards, residential concrete, **76.219**

## R

Radar, detects voids in soil and underground structures, **74.478**  
Radiant heating systems. *See also* Snow melting  
in air-entrained slab, **83.629**  
in slab or pavement, **76.362**  
Radiation shielding. *See* High density concrete  
Rail tunnel construction, Amsterdam Metro, **74.453**  
Railroad ties (concrete)  
Canadian uses reported, **78.292**  
design and installation, **83.822**  
fastening rails, **72.102**  
production of, **83.822**  
Railroad track  
base slab of concrete, **74.71, 84.309**  
continuously reinforced slab base, **81.212**  
Rain  
damage to fresh slabs, **73.529**  
damage to new pavement, **74.467, 76.373**  
protecting fresh concrete from, **83.355**  
Rammers, soil compaction with, **68.145**  
Rankin, Lou  
animal sculptor, **78.31**  
concrete slump sculpture, **73.375**  
sculpture techniques, **84.1093**  
Rapid analysis machine (RAM), how it works on fresh concrete, **79.121**

Rapid set. *See* Fast set

Ready mix supplier  
also a pumper, **73.17**  
helps prevent scaling, **78.457**  
laboratory accreditation for, **81.601**  
uses mobile batcher mixers, **84.5**

Ready mix trucks  
front discharge, **84.15**  
splitter breaks hardened mix, **82.208**  
standards for, **72.370**  
with conveyor for discharge, **84.19**

Ready mixed concrete  
affected by drum color, **75.224**  
certified plants listed, **83.952**  
how to order, **69.89**  
performance specifications, **79.471**  
planning for delivery, **69.89**  
quality control, benefits producer, **83.818**  
quality control, factors to consider, **75.181**  
salvaging in disabled truck, **82.604**  
white, production tips, **71.9**  
yield calculation, variation, **68.361**

Rebound hammer  
early strength tests, **80.421**  
procedures, calibration, **69.227**  
test procedures, **81.571**

Record setters  
bridges, **80.44, 80.47, 80.129, 80.157, 80.248, 83.115**

buildings, **73.49, 74.497, 80.9, 80.16, 80.33, 80.131, 83.89, 83.91**  
coal silo, **77.193**  
concrete pours, **80.29, 80.175, 80.367, 81.606, 83.170, 83.703**  
dams, spillways, **80.31, 80.39**  
domes, roofs, **80.16, 80.18**  
high strength concrete, **73.49, 73.263, 73.388, 80.31**  
home building speed, **82.203**  
materials and construction "firsts," **76.71**  
pumping, **80.29, 80.533**  
pumping at Texas Commerce Tower, **82.59**  
pumping distance, **81.612**  
structures/paving/pumping projects, **75.582**  
towers, CN, **83.125**  
Water Tower Place, **76.102, 81.247**  
Recreational courts, finishing and painting, **71.231**

Recreational uses. *See also* specific topics  
cliffs built for climbers, **74.217**  
play and sports equipment, **77.331**

Recycled concrete  
cost data, **80.725**  
crushing operation, **80.418**  
funding by FHWA, **80.730**  
plant operation, **80.733**  
used as aggregate, **73.47, 80.725**

Recycling. *See also* Renovation  
pavements as subbase aggregate, **75.441**  
pavements, crushed and in-place, **82.62**

Refractory brick, contaminates aggregate, **81.259**

Refractory concrete, calcium aluminate cement, **82.437**

Refractory shotcrete, **80.189**

Regulated-set cements  
questions and answers, **72.335**  
state-of-the-art brief, **72.273**

Rehabilitation, bridge programs under way, **83.598**

Rehoboth, concrete barn, 1856, **76.451**

Reinforcement. *See also* Fiber reinforcement  
congestion relieved by creative detailing, **83.669**

cover to resist weathering, **72.51**  
locating in hardened concrete, **77.158**  
metal lath in thin slabs, **74.516**  
nonmagnetic materials, **78.311**  
costs, **78.544**  
restoration after fire, **72.225**  
tie wires and tying, **84.499**

Reinforcing steel. *See also* Detailing  
action in beams, columns, **70.72**  
architectural concrete, problems, **78.590**  
bar detailing, training kit, **72.599**  
bar shortages explored, **74.3**  
bars

conservation through design practices, **74.277**

epoxy coated, **80.587, 83.826, 84.809**  
epoxy protection, **76.172**  
estimating, **81.793**  
field bending, **83.244**  
mechanical splices, **83.389**  
placement planning, **83.675**  
placing standards, **68.193, 84.155**  
properties, **70.162**  
specifications for, **81.819**  
splicing practices, **68.241**  
tying, **68.291**

welded splices, **81.807**  
cathodic protection, **84.561**  
contractors listed, **76.656**  
corrosion affected by calcium chloride, **76.57**  
cover maintained by side form spacers, **81.825**

detailing practices, **81.815**  
dowel bars replaced by threaded stud and insert, **76.165**  
function in concrete, **70.39, 73.350**  
galvanized, **71.318**  
bridge deck test, **73.132**  
performance, **77.496**  
glossary of terms, **70.39**



helicopter delivery, **81.432**  
 high temperature effects, **74.395**  
 injuries associated with handling, **84.732**  
 inspection before placing concrete, **76.559**  
 mechanical splice at bulkhead, **84.452**  
 placing in slipform, **78.262**  
 placing in structure, **70.162**  
 setting for architectural concrete, **72.539**  
 shrinkage-compensated floor, **79.110**  
 specifying epoxy coated, **84.809**  
 tolerances for setting, **74.210**, **84.155**  
 welded wire fabric  
   bending of sheets, **81.803**  
   bent for stirrups, **84.591**  
   conservation through design, **74.277**  
   detailing manual, **84.43**  
   high strength, **80.535**  
   in slab topping, **72.76**  
   numbering system, **75.454**  
   placed by crane, **74.147**  
   properties, **70.162**  
   ties and stirrups made from, **83.669**  
   types and sizes, **81.803**  
   use in slabs, **76.361**

**Release agents**  
   application methods, **75.84**  
   chemical makeup, **75.135**  
   effect on later painting, coating application, **77.481**  
   how to choose proper one, **84.417**  
   questions/answers, **79.527**  
   types available, **84.417**  
   types recommended, **75.84**

**Renaissance Center Hotel, design, 83.99**

**Rendering. See Plastering**

**Renovation. See also Repair; Restoration**  
   bridge deck with precast panels, **84.147**  
   bridge girders, post-reinforcement, **84.705**  
   glass-fiber-reinforced concrete on hotel facade, **82.664**  
   new life for old buildings, overall planning, **81.373**  
   references listed, **81.427**  
   St. Katharine Docks become multi-use facility, **81.395**  
   silos converted to condominiums, **83.5**  
   silos converted to hotel, **81.385**

**Repair. See also specific topics**  
   acrylic concrete uses, **84.881**  
   architectural concrete, **72.161**, **72.552**  
   block basements with reinforced concrete, **83.141**  
   bridge deck overlay, fiber-reinforced, **73.321**  
   bridge decks, Iowa method, **78.323**  
   classified reference list, **77.166**  
   corrosion damage on vertical concrete surfaces, **81.97**  
   cracks, epoxy injection, **72.221**  
   defects in formed surfaces, **80.215**  
   detailed index of data in special issue, **77.175**  
   methods, **79.169**  
   properties/specifications, **84.873**  
   failure in thicker epoxies, **80.735**  
   fast-setting materials, for pavements, **79.177**  
   fast-setting with magnesium phosphate concrete, **74.568**  
   fire-damaged concrete, **72.225**  
   foundations, **71.283**  
   soil considerations, **71.327**  
   general principles, **83.21**  
   how to make it last, **81.13**  
   leaking joints, urethane foam, **84.594**  
   materials/methods  
     overview, **69.409**, **80.41**, **81.21**  
     selection guide, **81.31**, **84.865**  
   minimized by good construction and maintenance, **81.7**  
   pavements  
     partial depth, **83.13**  
     slabjacking, **69.53**  
     techniques summarized, **76.407**  
   polymer impregnation under vacuum, **79.315**  
   polymer/polymer-impregnated concrete, **79.13**  
   properties of material used, **84.865**  
   questions and answers, special issue, **77.123**  
   references listed, **81.427**  
   selecting correct materials, **83.21**

settled slabs, with slabjacking, **81.147**  
 sewer leaks, elastomeric grout, **73.16**  
 shear cracks in girders, post-reinforcement, **84.705**  
 shoring for bridge during, **84.744**  
 shotcrete for buildings, **81.379**  
 shotcrete, bonding, **72.354**  
 shower floor, **73.24**  
 shrink-resistant grouts for, **84.893**  
 shrink-resistant mortar for, **84.893**  
 slab on grade, techniques summarized, **76.407**  
 surface preparation for, **81.21**, **81.391**, **83.21**  
 swimming pool leaks, **72.169**  
 using latex modified concrete, **84.889**  
 using ready mix concrete on oil tanker bow, **80.260**

**Repair contractor, case studies of jobs, 83.36**

#### Research

British Cement and Concrete Association, **79.463**  
 program advocated, **70.158**

**Reshoring. See also Shoring**  
 factors influencing loads, **75.277**  
 how to specify, **80.199**  
 multistory buildings, design concepts, **74.243**  
 test cell measures loads, **75.277**, **77.83**

**Residential construction. See also Houses;**

Driveways; Flatwork; and other specific topics

ACI 332 Guide, **83.757**  
 basements and foundations, special issue, **78.193**  
 British warranty program, **77.383**  
 Cortina lift slab system, **81.717**  
 cost comparisons, low-rise types, **72.380**  
 dry-packed low-lift walls, **71.329**  
 duplex homes, all concrete, **77.272**  
 earth-sheltered, **82.73**  
 Ecology House, **78.90**

questions/answers, **78.120**  
 earth-sheltered dome roofs, **80.684**  
 estimating, **70.151**  
 estimating guidelines, **70.205**, **70.245**  
 fiber-reinforced shotcrete, **77.115**  
 fire safety improved with concrete, **79.591**  
 flat plates on pipe columns, **72.380**  
 flatwork, crack control, **71.468**  
 floor and roof slabs, I/D construction, **71.42**  
 floor as thermal mass, **82.841**  
 foundation settlement and heaving, **81.659**  
 free form houses, Castellaras-le-Neuf, **71.473**  
 historic Ward's Castle, **76.23**  
 history, 1918 houses, **82.218**  
 Home Owners Warranty requirements for concrete, **76.219**  
 home warranty program in Australia, **76.215**  
 Japanese home has round windows, **83.135**  
 lift slab-plus-walls, **77.90**  
 low cost  
   stack-sack method, **71.75**  
   tilt-up method, **70.156**  
 no-fines concrete walls, **79.123**  
 post-tensioning earth-sheltered houses, **81.105**  
 precast panels, earth-sheltered, **82.507**  
 precast retaining wall is part of house, **80.688**  
 precast wall panels, **70.278**  
 precast with cast in place, Forest City Dillon, **84.131**  
 pumped walls, **79.19**  
 rib floor system over basement, **83.747**  
 shotcrete on wire/urethane panels, **80.148**  
 single-family houses in Iowa, **83.737**  
 site precast panel system for high-rise, **72.324**  
 soil properties explained, **82.485**  
 special issue topics listed, **75.489**  
 vacuum dewatered tilt-up, **82.201**  
 volume trends, **75.102**  
 walls and roof cast in single mobile form, **73.97**  
 waterfront home in British Columbia, **81.682**

MORE



**bauma 86<sup>®</sup>**  
**Munich**  
 21st International Trade Fair  
 The World Forum for Construction Equipment and Building Material Machines  
 7 - 13 April 1986

Münchener Messe- und Ausstellungsgesellschaft mbH, Messagelände, Postfach 12 10 09,  
 D-8000 München 12, Tel. (089) 51 07-0,  
 Telex 5 212 086 ameg d.

# UNLEVEL CONCRETE?

solve your  
problems with  
**ARDEX V-800**  
*Levelcrete*  
the concrete floor  
underlayment that  
trowels itself...  
**PERFECTLY!**

- Unlevel concrete
- Rough concrete
- Rained-on concrete
- Frozen concrete
- Pre-cast concrete

**Just spread it...  
No troweling required**

- Very low in-place cost
- Installs five times faster than latex
- Eliminates troweling
- No grinding or sanding
- No cracking or shrinking
- Mixes with water only
- No special latex milk
- Pumpable
- Can be featheredged
- Water-resistant
- Not a gypsum product
- Properties similar to regular concrete
- Walkable after 2 to 4 hours
- Compatible with most adhesives
- Distributors throughout the U.S. and Canada
- Consistent quality performance

Call or write for information:



**ARDEX, INC.**

630 Stoops Ferry Road  
Coraopolis, Pennsylvania 15108

Phone: (412) 264-4240

## Subject Index

### Restoration

pavements, with CPR system, **83.13**  
shotcrete at Unity Temple, **74.161**  
surface finish of old buildings, **76.261**

Retail store for concrete, **82.206**

Retainage, contracting procedures, **75.198**

### Retaining walls

construction details, **84.977**  
earth-sheltered construction, **80.659**  
gravity design, **84.977**  
jointing and backfilling, **68.151**  
precast panels tied back in earth, **77.270**,  
**80.688**, **84.653**  
precast units stacked, planted, **83.767**  
types compared, **68.151**

### Retarders. See also Admixtures

action and benefits, **70.310**  
architectural surfaces, **72.526**  
lead and zinc in aggregate, **77.237**

Retempering, effects in hot weather, **73.219**

Reunion Tower, Dallas, slipform construction,  
**77.620**

Revetment, concreted with fabric forms, **80.395**

### Revibration

effect on form pressures, **78.67**  
good or bad?, **72.506**  
improves concrete quality, **77.537**  
recommended for architectural concrete, **79.6**

Rice hull cement, makes concrete resist acid,  
**77.54**

Ring beam, slipformed for silo, **82.64**

Riser formwork, Hubert Humphrey Metrodome,  
**83.679**

Road of Friendship, concrete sculpture in  
Mexico, **78.149**

Rock anchors, bonded post-tensioned  
construction, **72.277**

Rock faced panels, tilt-up construction, **78.145**

Rock formations, simulated in concrete, **82.656**

Rollcrete. See Roller compacted concrete

Roller compacted concrete, definition and  
properties, **82.709**

Roller-skating rink, subfloor construction, **77.489**

Roman cement, **74.133**

Roman cement and concrete, **81.1024**

Rondavels, stack-sack construction, lodge in  
Kenya, **76.457**

Roof decks, lightweight insulating concrete,  
**78.230**

### Roof systems

cast-in-place, types described, **71.39**  
designed as parking deck, **71.100**  
precast prestressed, types available, **71.13**  
residential, I/D construction, **71.42**  
shell, types described, **71.89**

Roof tile, colored concrete, **82.374**

installation, **83.750**  
life-cycle costs, **83.750**

### Roofs

failure causes, **80.133**  
insulated with perlite concrete, **83.559**  
lightweight insulating concrete, **78.411**  
post-tensioned for water resistance, **83.342**  
shotcrete over insulation, **78.279**

Rope form liner adds texture, **70.198**, **75.9**,  
**75.412**

### Rubber

form liners, **74.55**  
shredded, pavement base, **70.433**

Runways, paving requirements, **71.513**

Rust stains, removal around tie holes, **72.622**

Rustication strips, formwork, **79.519**

## S

Sack rubbing, concrete finish, **71.215**  
when and how, **78.608**

Safety. See also Occupational Safety and Health  
Act  
cement burn prevention, **82.361**

composite construction, stability problems,

**84.815**

compressed air cleaning devices, **74.319**  
contractor's formwork checklist, **81.111**  
demolition of post-tensioned bridge beams,  
**76.256**

during shotcreting, **78.27**  
enhanced by field supervision, **82.739**  
fire code requirements, **79.597**  
jobsite organization for, **74.289**  
lightweight concrete crash cushion, **70.427**  
median barrier rental, **80.244**  
median barriers effective, **79.72**  
movies available, **82.353**  
OSHA approvals, **73.380**  
OSHA requirements, **72.601**  
preventing injury while handling  
reinforcement, **84.732**  
program trains workers, **82.333**  
pumping systems, **84.1001**  
reasons for design/construction failures,  
**82.345**

record keeping helps prevent accidents, **78.39**  
shoring, slide set, **82.369**

Saint Joseph Health Care Center, forming and  
casting, **74.190**

Salt, soil stabilization with, **68.371**

Salt in concrete  
beach sand and seawater, effect on durability,  
**74.527**

effect on paintability, **73.114**

Salt scaling. See Scaling

Salts, effect on hardened concrete, **81.25**

San Francisco Social Service Building,  
architectural concrete, **79.404**

Sand casting, ornamented tilt-up panels, **78.96**

### Sand streaking

architectural concrete, prevention, **79.323**  
causes and cures, **73.343**

### Sandblasting

architectural concrete, **72.526**, **72.549**  
architectural surfaces, questions/answers,  
**78.597**  
avoiding color loss, **84.667**  
concretes suitable for, **68.449**  
depth and costs, **73.118**  
methods and equipment, **68.449**

### Sandwich panels

cracking causes, **73.166**  
insulated walls, **72.261**

### Saudi Arabia

modernizes concreting work, **80.797**  
uses precasting, ready mix, **80.797**

Sawdust concrete, properties and production,  
**71.372**

### Sawing

case histories, **82.81**  
expansion joints 20 inches deep, **81.696**  
floor and wall openings, historic winery,  
**80.246**  
how aggregate affects cost, **75.362**  
job applications, **73.269**  
joints in paving slab, **82.243**  
keeping cut aligned, **84.676**  
openings in silo walls, **81.385**  
recommended blade speeds, **80.702**  
tools and techniques, **81.49**  
window, door openings in renovated silos,  
**83.5**

Sawing and drilling contractors, classified listing,  
**76.654**

### Sawing joints

floor slabs, **73.525**  
pavements and floors: when, where, how,  
**76.153**

Scaffolding and Shoring Institute, expands,  
**80.427**

Scaler, tooling architectural concrete, **72.549**

### Scaling

caused by deicer salt, prevention, **71.42**,  
**73.201**, **81.9**  
causes and prevention, **78.529**  
causes and remedies, **80.139**

- driveways, prevention, **78.457**  
field study of flatwork, **80.139**  
floor slabs, causes, **76.392**  
reasons and remedies, **79.247**
- Scheduling of construction, computerized systems, **83.605**
- Schmidt hammer. *See* Rebound testing
- Scouring, description and causes, **71.81**
- Screed rails, precast, stay in place, **84.483**
- Screed supports, used over vapor barrier, **78.551**
- Screeding, flatwork, recommendations, **79.225**
- Screeds. *See also* Power screeds  
leveling beam vibrates, **82.738**  
types available, **69.121**
- Sculpture  
advantages of concrete for, **80.11**  
animal figures by Rankin, **78.31**  
architectural panels with Indian design, **83.411**  
auto encased in concrete, **70.193**  
baptismal fonts by Angela Godfrey, **75.21**  
*Black Hawk* construction, **84.299**  
British historical murals cast in concrete, **76.265**  
dinosaurs in Calgary, **75.447**  
elastomeric mold for, **79.537**  
exposed aggregate emblem, **71.296**  
ferrocement techniques for free-form, **75.95**  
*Fountain of Time*, exposed aggregate, **84.797**  
gargoyles carved in concrete, **83.643**  
home fitted to rocky site, **81.682**  
Neil, T. J., makes dragon, **83.415**  
Picasso's *Bather, The*, construction method, **75.285**  
Picasso's *Bust of Sylvette*, **69.385**  
precast prestressed, *Adventure in Concrete*, **84.313**  
Rankin's method for animals, **84.1093**  
reliefs by Ralph Prata, **83.349**  
river god statue, England, **82.600**  
Road of Friendship, Mexico, **78.149**  
slumped concrete figures by Rankin, **73.375**  
surface treatments, **77.313**  
thin shell mortar laid up with glass fabric, **77.313**  
whimsical British examples, **82.989, 83.484**
- Sea shells. *See* Coquina
- Sealers. *See also* Coatings  
architectural surfaces, **72.526**  
epoxy, **79.169**  
floor slab application, **77.25**  
types to resist rebar corrosion, **84.503**
- Seattle Aquarium, construction, **77.656**
- Seattle-Tacoma airport, construction, formwork, **71.2**
- Seawater  
affects concrete durability, **73.114, 81.532**  
cement types to resist damage from, **76.586**  
concrete resistance to, **78.548**  
in mix, corrodes steel, **74.527**  
in mix, effect on steel, **76.186**
- Security. *See* Theft prevention
- Segmental precast girders, moved on air skid, **79.406**
- Segregation  
high-lift walls, **72.259**  
in transport and handling, **72.370**
- Self-lifting forms, how they work, **82.173**
- Self-raising forms. *See* Self-lifting forms
- Selmer tripod, ocean structure support, **76.67**
- Services directory, classified, **77.695, 78.727**
- Setting time  
causes for delay, **73.205**  
previously frozen concrete, **72.165**
- Sewage  
attack on concrete, prevention, **74.255**  
effect on hardened concrete, **75.328**
- Sewage treatment plants  
concrete favored over steel, **74.271**  
formwork for, **77.615**
- Sewers, repair, elastomeric grout, **73.16**
- Shafts, lining with concrete, **84.668**
- Shear cracks, repair in girders, post-reinforcement, **84.705**
- Shear failures  
caused by design/construction errors, **81.641**  
condominium at Cocoa Beach, **82.90**
- Shear wall, exterior, architectural, **82.571**
- Shearhead in slab, residential flat plate, **72.380**
- Shell construction. *See also* Dome construction  
roof types described, **71.89**
- Shell structures, specification provisions, **80.199**
- Shock absorbing tiles, **72.412**
- Shoring  
adequate specifications for, **80.199**  
column mounted, **84.949**  
column mounted systems, **83.455**  
composite construction, **84.815**  
failure causes, **77.607, 79.572**  
horizontal, aluminum, **82.185**  
multistory requirements, **74.243**  
safety checklist, **81.111**  
safety slide set, **82.369**  
supported on false floor for hospital extension, **81.690**  
supports bridge for repair, **84.744**
- Shotcrete  
air content loss, **84.633**  
dam spillway construction, **84.633**  
dome construction with insulating foam, **78.405**  
dry and wet mix processes compared, **84.629**  
dry mix shooting techniques, **84.641**  
encasement of reinforcement, **84.641**  
equipment for wet or dry, **80.189**  
insulated panel backing, **78.279**  
mix design, **70.112**  
simulates rocks for zoo, **82.656**  
steel-fiber-reinforced, **75.345**  
mine support, **75.443**  
uses, equipment, **80.189**  
swimming pool construction, **77.323**  
wire/urethane panel backing, **80.148**
- Shotcrete repair  
bonding to old concrete, **72.354**  
method for buildings, **81.379**  
related work with, **77.159**  
renovation of Navy Pier, Chicago, **76.694**  
restoration of Unity Temple, **74.161**  
restores battleship deck, **74.477**  
where used, **81.31**
- Shotcreting  
architectural concrete, **72.586**  
crew duties, organization, **78.27**  
rebound amount, **72.508**  
safety precautions, **78.27**  
wall panel form is backing, **73.475**  
water tank construction, **78.471**  
wet or dry?, **72.508**
- Shotcreting personnel, training programs for, **82.851**
- Shoulders (highway)  
concrete, extend pavement life, **78.509**  
how to build with concrete, **76.211**
- Shower floors, repair methods, **73.24**
- Shrinkage  
drying, field test proposed, **84.663**  
research needed to prevent cracking, **75.435**
- Shrinkage-compensating concrete  
admixture for making, **83.331**  
curing requirements, **76.282**  
how it aids post-tensioning, **83.331**  
industrial floors, **79.110**  
placing and finishing, **76.63**  
post-tensioned slab on grade, **79.117**  
water tanks, **78.126**
- Shuffleboard court  
layout and dimensions, **71.231**  
leveling to specifications, **77.141**
- Side form spacers, **84.448**  
purpose, types available, **81.825**  
specifying, **80.199**
- Sidewalk joints, expansion and contraction, **76.370**

MORE

# Pecco/Putzmeister CONCRETE PUMPS and PLACING BOOMS

## Increase Your Profits on Concrete Placement

Pecco/Putzmeister  
Concrete Pumps and Placing  
Booms:

- Reduce size of placing crew.
- Eliminate finishing crew overtime.
- Permit larger pours due to speed of placement.
- Free crane hook time for other tasks.

For Concrete Pumps . . .  
For Placing Booms . . . For  
Cranes . . . For Hoists . . .  
For Sale or Rent . . . Check  
Pecco First.

## American Pecco Corporation



Millwood, New York 10546  
(914) 762-0550



circle 118 on reader service card

## Subject Index

- Sidewalk repair, slotted drain, **80.101**
- Sidewalks. *See also* Bikeways construction, **70.302, 76.379**  
exposed aggregate surface, construction method, **78.335**  
floating concrete, **73.358**  
historic, built 1895, **82.218**  
joint spacing, **71.71**  
protected from street salt, **75.466**  
recommended construction, **75.519**  
slabjacking repair, **80.368**  
slip resistance, **77.755**
- Silage, effect on hardened concrete, **75.328**
- Silane weatherproofing, repels moisture, **84.967**
- Silica fume (microsilica)  
description, sources, **82.443**  
problems in using, **82.443**  
ways to use in concrete, **82.443**
- Silica gel discoloration, removal from exposed concrete, **74.133**
- Silicates, used as accelerators, **76.57**
- Silicone joint sealant, stops bleeding asphalt, **84.748**
- Silicones, vaporproofing walls, **81.31**
- Silos  
cement storage, slipformed, post-tensioned, **82.45**  
horizontal farm, built by tilt-up, **81.471**  
renovated to condominiums, **83.5**  
renovated to luxury hotel, **81.385**  
slipforming ring beam for, **82.64**
- Silt casting, Arcosanti method adds color/texture, **81.323**
- Sisal fibers, reinforcement properties, **81.261**
- Sistema Cortina  
lift slab-plus-walls, **77.90**  
system improvements, **81.717**
- Site selection, earth-sheltered construction, **80.653**
- Skateboard parks, **77.500**
- Skateboard track, constructed in concrete, **77.328**
- Skid resistance  
airport paving, **71.513**  
factors influencing, **75.67**  
floor finish methods for, **76.398**  
grooving renews pavements, **76.399**  
pavement finishing for, **69.377, 76.399**  
adjustable brooms, **74.204**  
nails in burlap drag, **74.26**  
pavements, improved by grooving, **76.453, 83.619**  
percussive grooving for, **82.309, 82.611**  
provided by flame treatment, **78.275**  
textures for airport runways, **68.109**
- Skin injury, cement burns, **74.134, 75.588, 79.704**
- Skip-joint forming, competes with steel frame, **81.683**
- Slab curling  
causes, **73.166**  
prevention or correction, **72.319**
- Slab forms  
fly with folded panels, **84.385**  
supported on bearing walls, **73.415**
- Slab glass. *See* Faceted glass
- Slab on grade. *See also* Flatwork; Floors  
basic construction practice, **78.21**  
checkerboard vs. strip placement, **81.745**  
construction do's and don'ts, **71.170**  
crack control methods, **73.517**  
curling, has it stopped?, **77.506**  
dampness problems, **76.366**  
design requirements, **73.601**  
how base affects cracking, **81.739**  
how to minimize cracking, **81.739**  
insulation needed over permafrost, **82.780**  
joint recommendations, **75.512**  
perimeter insulation, **75.24, 76.388**  
placing methods, **75.512**  
plastic joint former, **71.185**  
positioning reinforcement, **77.765**
- post-tensioned design, **83.313**  
post-tensioned for flatness, **83.396**  
railroad track support, **84.309**  
reinforced for tennis court, **77.317**  
reinforcement placement, **73.523**  
reinforcement requirements, **75.512**  
settlement corrected by slabjacking, **81.147**  
shrinkage-compensating concrete, **79.110**  
snow melting system, **73.188**  
strength vs. thickness, **84.902**  
strip vs. checkerboard placement, **74.151**  
subgrade preparation, **73.523**  
subgrade support critical, **76.403**  
thickness requirements, **76.404**  
troubleshooting questions answered, **76.353**  
warping and curling causes, **73.166**
- Slab topping, two-course floors, **72.351**
- Slabjacking  
equipment and applications, **78.428**  
grout made with lime, **74.467**  
grout mix design, **69.53**  
method detailed, **69.53**  
methods referenced, **76.403**  
repair procedures with, **77.161**  
techniques and applications, **81.147**  
where to use, **69.53**
- Slabs. *See also* Floors  
flat plate, pipe column support, **72.380**  
flat plate, built with precast panel forms, **82.355**  
repair with fiber-reinforced overlay, **74.304**  
repair with overlays, **77.143**  
roof system types, **71.39**  
surface finish tolerances, **76.363**  
vibration techniques, **73.95**
- Slag, ground, how to use in concrete, **82.448**
- Slag admixture, effect on concrete properties, **82.448**
- Slag cement, saves production energy, **81.347**
- Slaughterhouse waste, effect on hardened concrete, **75.328**
- Slip resistance, grooving for hoof traffic, **81.770**
- Slipforming  
blockout details, **78.262**  
chimney, International Nickel, **72.19**  
combined with site precasting for high-rise, **80.331**  
construction practices, **78.492**  
curb and gutter machines, **73.240**  
details, questions answered, **72.257**  
form design, construction, **78.262**  
high-rise building, **77.597**  
inclined cylinder, method tested, **76.67**  
office tower construction, **78.533**  
post-tensioned silo, **82.45**  
questions/answers, **79.545**  
rate of slide, **78.262**  
ring beam for silo, **82.64**  
state-of-the-art report, **78.262**  
tolerances, **78.262**  
tower (Reunion) in Dallas, **77.620**  
vertical applications, **78.262**  
winter work on CN Tower, **75.393**
- Slipforming, horizontal  
cast-in-place pipe, **79.163**  
curb and gutter, **79.402**  
dam faces, **82.713**  
tunnel invert, **76.101**
- Slope protection, mortar pumped into fabric mats, **75.389**
- Slump  
affected by superplasticizers, **78.142**  
control for pumped concrete, **75.473**  
influence on strength, **75.181**  
method of measuring, **81.836**  
relationship to strength, **72.316**
- Slump loss  
during pumping, **72.132**  
during transporting, **72.370**  
hot weather concreting, **73.219**  
reasons/remedies, **82.429**  
reduced by latex admixture, **76.39**
- Slump test  
measure of workability, **71.289**
- purpose and methods, **81.557**
- Slumped concrete sculpture, techniques, **73.375**
- Slurry walls, construction methods, **73.90, 77.17, 81.907**
- Snow melting system, installed in slab, **73.188, 79.705**
- Snowbird ski resort, construction problems, **74.61**
- Sodium chloride, safe deicer for concrete, **76.495**
- Sodium salts, effect on hardened concrete, **75.350**
- Soil cement  
central plant mixing, **84.725**  
compaction and curing, **84.725**  
layer retains hazardous waste, **84.662**  
mixed-in-place method, **84.725**  
properties, **84.31**  
uses described, **84.31**
- Soil compaction, equipment and techniques, **68.145**
- Soil conditions  
residential work, **75.493**  
vital to earth-sheltered construction, **80.653**
- Soil properties  
effect on foundations, **71.327**  
reviewed for earth-sheltered construction, **82.485**
- Soil stabilization, methods and materials, **68.371**
- Solar energy  
concrete collectors, **83.554**  
directory, design engineers, **78.475**  
passive systems use concrete, **83.532**  
stored in concrete building mass, **78.393**
- Solar heating  
earth-sheltered home, **82.364**  
provided for insulated shotcreted building, **78.279**  
system for industrial building, **78.391**
- Soldier Field, renovation with latex modified concrete, **82.641**
- Soleri, Paolo, Arcosanti progress reported, **81.323**
- Sonoscope, tests concrete strength, **75.298**
- Sound absorption, lightweight concrete floors, **82.754**
- Sound transmission, wall types compared, **79.375**
- Spalling  
causes in bridge decks, **78.323**  
prevention, linseed oil, **71.331**  
repair in cold storage area, **76.397**  
repair method, **71.268**
- Specifications  
architectural concrete, **79.6**  
epoxy coated rebars, **84.809**  
epoxy repair materials, **84.873**  
floor flatness requirements, **82.865**  
floor flatness tolerances, **81.673**  
how to cover formwork, **80.199**  
industrial/commercial floor, **81.125**  
limits on use of performance type, **79.757**  
performance type preferred, for ready mix, **79.471**  
provision for extras, **78.337**  
ready mixed concrete, **69.89**  
reference standard ACI 301 described, **83.451**  
recommended, **83.449**  
reference standards for, **83.930, 84.1126**  
reinforcing bars, **81.819**  
residential concrete, Australia, **76.217**  
tolerance provisions, **79.659**  
tolerance recommendations, **74.210**  
waterproofing checklist, **81.321**  
waterproofing of parking decks, **76.444**
- Spillway, shotcrete construction, **84.633**
- Splices  
mechanical for piles, **82.96**  
mechanical for rebar, **83.389**  
mechanical for rebar at bulkhead, **84.452**  
mechanical/welded for rebar, **68.241**




- welded for reinforcement, **81.807**
- Splitter, removes hardened concrete from mixer drum, **82.208**
- Stack-sack construction  
low cost housing, **71.75**  
rondavels in Kenya, **76.457**
- Stacks. See Chimneys
- Stain removal  
architectural concrete, **72.622**  
clay, **72.316**  
oil, **70.180, 84.844**  
oil and clay, **76.390, 77.128**  
pink discoloration, **77.128**  
rust, **77.128**  
white silica gel, **74.133**
- Stained glass. See Faceted glass
- Stains. See also Color; Discoloration  
architectural concrete, questions/answers, **78.608**  
caused by weathering, **72.2**  
chemical, color concrete, **82.19**  
greenish blue discoloration, **77.128**
- Stair steps, precast, **68.203**
- Stair treads, nonslip, **76.399**
- Stairs  
cast in place, design/construction, **68.203**  
precast, design, installation, **84.970**  
precast for post-tensioned modular building, **73.226**  
spiral, combine precast and cast in place, **68.203**
- Stamped concrete. See Pattern stamped
- Stamps, postage, commemorate concrete, **74.114**
- Standard Building Code, changes related to concrete, **84.23**
- Standard deviation  
used in tolerance control, **75.335**  
used to evaluate strength, **74.339**
- Statistics, used in strength evaluation, **74.339**
- Steel basements, compete with concrete, **78.215**
- Steel deck forms, provide in-floor ducts, **74.445**
- Steel fibers. See also Fiber reinforcement  
effect as reinforcement, **71.276**
- Sticky mixes, finishing procedures, **76.374**
- Stirrups, bent from wire mesh, **84.591**
- Stitching, crack repair method, **81.31**
- Strength. See also Compressive strength  
field engineer's control, **71.183**
- Stripping time for formwork  
determined by concrete strength monitoring, **76.497**  
to prevent concrete damage, **76.17**
- Strontium cement, description and uses, **73.3**
- Structural design  
charts for horizontal forms, **84.648**  
charts for vertical forms, **84.392**  
composite steel-concrete, **84.815**  
concrete innovations, **74.225**  
concrete vs. steel, **76.493**  
cost of steel vs. concrete, **77.213**  
earth-sheltered construction, **82.493**  
earthquake forces, code requirements, **84.516**  
earthquake resistance, **73.266, 84.489**  
errors lead to failures, **81.641**  
fire resistance factors, **74.395**  
flat plate with pipe column, **72.380**  
floor slab requirements, **73.601**  
footings for earth-sheltered construction, **82.499**  
frame shortening in high-rise concrete, **83.31**  
gravity retaining walls, **84.977**  
how to save reinforcement, **74.277**  
parking deck expansion joint considerations, **81.551**  
parking garage floors, **74.308**  
pavements for parking areas, **82.269**  
reinforcement details, **81.815**  
square abutments for skewed bridges, **78.465**
- Structural movement, monitoring device, **80.187**
- Subbase  
aggregate from recycled pavement, **75.441**  
paved with econcrete, **76.19**  
polystyrene bead aggregate, resists frost, **75.62**
- Subcontract form, issued by AIA, **76.798**
- Subcontractors  
association formed, **73.28**  
liability for performance, **72.38**  
services, classified directory, **76.646**
- Subgrade preparation  
floor slab construction, **73.523**  
soils and backfilling, **75.493**
- Subgrade support, critical to slab performance, **76.403**
- Submarine, built of ferrocement, **74.368**
- Substantial completion, contract interpretation, **73.162**
- Substitutions, guidelines for proposal of, **76.26**
- Subways, Washington, DC Metro, **77.263**
- Sugar  
effect on hardened concrete, **75.350, 81.25**  
retarding action, **76.356, 76.695**
- Sulfate resistance  
fly ash concrete, **84.346**  
Type V cement with pozzolan, **84.243**
- Sulfate salts, as deicers, harm concrete, **76.495**
- Sulfur compounds, effect on hardened concrete, **75.350**
- Sulfur concrete, properties and uses, **74.295**
- Sulfur-infiltrated concrete  
development/applications, **75.91**  
properties, **75.91**
- Sulfur mortars, performance history, **77.226**
- Summer concreting. See Hot weather
- Superplasticizers, **79.383**  
action explained, **82.409**  
affect concrete properties, **78.142**  
affect freeze-thaw behavior, **77.642**  
effect on properties of concrete, **82.409**  
European use in flowing concrete, **79.25**  
how to use, **82.409**  
use at Trump Tower, **82.723**  
use on Baltimore Metro, **81.907**  
used for summer slump control, **82.429**  
used in basement walls, **79.633**
- Surface finish  
affected by form stripping, **76.17**  
affected by release agents, **75.84**  
architectural concrete  
custom form liners, **82.567**  
examples from Europe, **82.575**  
form liner details, **74.337**  
grout cleandown, **79.319**  
options, **75.526**  
preventing defects, **79.323**  
questions/answers, **78.585**  
tilt-up panels, **71.435**  
blistering, causes and cures, **70.317**  
board marks like barn wood, **80.470**  
bugholes  
causes and cures, **70.43, 72.266**  
control methods, **73.597**  
cleaning and restoration, old buildings, **76.261**  
coatings hide defects, **77.481**  
decorative form liners for, **70.110**  
defect causes pictured, **71.81, 79.719**  
discoloration causes, **68.287**  
evaluation methods, **72.266**  
flatwork defects, remedies, **79.247**  
formwork effects on, **73.429**  
formwork needs for tooling, **84.397**  
glossy concrete, **79.533**  
portland cement plaster, **70.75**  
precast panels disperse radio frequency signals, **84.741**  
quality levels, USBR, **71.264**  
removing defects, **80.215**  
rope texture, **75.412, 75.9**  
sample panel display, **73.423**  
sandblasting, methods/equipment, **68.449**  
smooth vs. textured, forming practices, **74.55**  
textured flatwork, **74.206**

## THE NEW FAST AND EASY WAY IN RE-BAR INSTALLATION



### INJECTION MOLDED, PLASTIC RE-BAR "CLIPS"

- Simple to Use
- Effortless, Fast Installation
- Multiple Use
- Economical
- Strong, Lightweight, Non-Corrosive
- No Skill Required for Installation
- Easily Identifiable



#### CLIPS CURRENTLY AVAILABLE ARE:

- No. 3 Re-Bar "Cross" Clip
- No. 3 Re-Bar "Extension" Clip
- No. 3 & 5 Re-Bar Combination "Cross" Clip
- No. 4 Re-Bar "Extension" Clip
- No. 4 Re-Bar "Cross" Clip

For more Information,  
call or write to:

**Clip-Con**  
Re-Bar Fasteners & Supplies  
2123-C BERING DRIVE,  
SAN JOSE, CA 95131  
TELEPHONE (408) 993-9939



circle 131 on reader service card

## Subject Index

Surface finish . . . continued  
textured with elastomeric form liners, **79.669**  
types available, **80.19**  
weathering effects, **72.113**

Surface weathering. See Weathering.

Surge barrier, construction in Netherlands, **83.661**

Surveying, laser instruments for, **78.516**

Swimming pools  
construction methods, **77.323**  
crack sealing, **74.296**  
design considerations, **77.323**  
leakage reduction, **74.302**  
leakproof joints, **72.329**  
repair of leaks, **72.169, 77.133, 77.165**  
ways to build compared, **72.410**

Sydney Opera House  
construction, **74.113**  
construction progress, **73.133**

Synopal, used as aggregate, **72.335**

Systems building. See Building systems

## T

Taft Bridge, 1907  
construction history, **82.304**  
history, **81.1034**

Taft, Lorado  
Black Hawk concrete statue, **84.299**  
Fountain of Time sculpture, **84.797**

Tampers  
soil compaction with, **68.145**  
types available, **69.121**

Tanks. See also Water tanks  
steel diaphragm, shotcreted, **78.471**  
storage of ultra-cold LNG, **83.465**

Technicians, concrete, accreditation, **76.579**

Telltale, monitors crack/joint change, **80.187**

Temperature effects  
fresh concrete mix, **77.267**  
hardened concrete, **71.477**  
heat on hardened concrete, **83.853**  
subarctic, on hardened concrete, **83.465**

Tennis courts  
building reinforced slab, **77.317**  
construction data sources, **77.52**  
continuously reinforced, **79.430**  
design and layout, **77.317**  
layout and dimensions, **71.231**

Terrazzo, deterioration causes, **71.26**

Terrazzo substitute, made with resin grout, **71.98**

Test cylinders  
curing requirements, **76.463**  
field cured, reliability, **71.306**  
field vs. standard cure, **81.669**  
handle for carrying, **83.427**  
how to make and cure, **81.669**  
nontypical breaks, **74.78**  
precautions in hot weather, **84.508**  
proper handling, **73.27**  
small for high strength concrete?, **83.500**  
too-high strength a problem, **73.66**

Test methods  
accelerated, at CN Tower, **75.128**  
cement and water content, fresh concrete, **77.427, 84.317**  
control of fresh concrete, **81.557**  
drying shrinkage, field, **84.663**  
grout for post-tensioning tendons, **84.47**  
in-place, summary list, **84.1097**  
permeability, simplified, **84.167**  
placeability/slump, **75.185**  
shotcrete, **84.633**

Testing  
accelerated strength, **73.346, 81.665**  
accreditation of producer's lab, **81.601**  
acoustic method detects voids in fresh concrete, **83.839**  
cement, by manufacturer, **77.87**

cold weather precautions, **84.789**  
compressive strength, accelerated, 5 hours, **79.607**  
concrete materials, lab vs. field, **76.555**  
contractor-made cylinders, **81.669**  
fire-damaged concrete, **81.609**  
fire resistance measured, **79.597**  
full scale double tee, **79.388**  
grout properties, **83.337**  
hardened concrete, petrographic methods, **81.585**  
hot weather precautions, **83.381**  
how to choose a laboratory, **81.591**  
in-place methods compared, **81.571**  
low cylinder breaks, how to handle, **81.563**  
penetration probe, **70.398**  
pullout method, equipment, **81.577**  
pumped concrete, **75.237**  
rapid analysis machine (RAM), fresh concrete, **79.121**  
rebound hammer, **69.227**  
small cylinders, results evaluated, **79.751**  
soil properties, **68.145**

Testing laboratories  
classified listing, U.S., **76.647**  
role in quality control/quality assurance, **76.549**

Testing services, specialized evaluation, classified list, **84.1102**

Texas Commerce Tower  
pumping practices, **82.59**  
self-raising forms for, **82.173**

Textile block  
Wright's masonry matched in precast panels, **79.309**  
Wright's pattern copied on tiles, **81.495**

Theft prevention  
construction equipment, **73.144**  
construction site security, **84.176**  
equipment checklist, **82.339**

Thermal calculations, U-values, **78.407**

Thermal coefficient, affected by aggregate, **75.471**

Thermal diffusivity, meaning in heat calculations, **74.174**

Thermal inertia. See Thermal lag

Thermal lag of concrete  
affects indoor temperature, **78.393**  
benefits concrete homes, **77.272**  
cuts heating-cooling costs, **74.493, 76.178, 80.45**  
effect on energy saving, **75.100**  
effect on heating/cooling energy needs, **78.399**  
helps wall panels save energy, **80.458**

Thermal mass, how it works in concrete, **83.525**

Thiosulfates, used as accelerators, **76.57**

Three Sisters Bridge, model tests, **71.480**

Tie holes  
architectural treatments, **72.626**  
patching methods, **80.215**  
plugging methods, **73.110**

Tie wires and tying, reinforcing steel, **68.291, 84.499**

Ties. See Railroad ties; Form ties

Ties and stirrups, made of welded wire fabric, **83.669**

Tile. See also Roof tile  
bonding to concrete, **77.127**  
marble on ferrocement, **77.624**

Tilt-up  
architectural panel finish, **77.37**  
architectural panel surfaces, **71.435**  
architectural panels, **70.249**  
bond breaker, choosing and using, **77.547**  
bracing calculations, **76.85**  
bracing panels during erection, **71.428**  
cost questions, **72.462**  
curing and bond breaking for panels, **71.441**  
early history, **81.1035**  
earthquake resistance, **72.502**  
erection and jointing, insulated panels, **80.455**  
erection cost factors, **74.7**  
field questions answered, **71.454**

# Long Life on the Job

## 8-Hour Working Life Epoxy Bonding Agent



Since the early sixties, **Permagile Epoxies** Division of Permagile-Salmon Ltd. has been working on a **complete line of epoxy bonding agents** for bonding new concrete to old concrete. The line of **Federal and State Compliance** epoxy bonding agents now includes the **unusual**. With the development of **Bond 8**, there is now available an epoxy bonding agent with a **long working life even in hot temperatures** that can be applied by **brush, roller or spray**.

For literature on our complete line of Epoxy Bonding Agents, contact:



**PERMAGILE-SALMON LTD.**

101 Commercial Street, Plainview, New York 11803  
Call toll free: (800) 645-7546  
In New York State, call collect: (516) 349-1100

circle 205 on reader service card

forming and casting panels, **71.428**  
 forming panels, **82.29**  
 historic factory, **1912, 68.330**  
 horizontal farm silos, **81.471**  
 house construction, **72.351**  
 industrial buildings with solar heat, **78.391**  
 industrial facilities, examples, **81.53**  
 insulated wall panels are energy efficient, **80.458**

joint sealants for panels, **74.171**  
 joints between panels, **70.249**  
 panel design, **71.423**  
 panel detailing, **82.29**  
 paving methods applied, **77.37**  
 post-tensioned, multistory, **80.527**  
 printing plant extension, **80.478**  
 questions/answers, from WOC seminars, **82.29**

residential construction, low cost, **70.156**  
 rigging and erection, **82.29**  
 rigging panels for lift, **71.428**  
 rigging procedures, **74.7**  
 rock-faced panels, **71.421, 71.437, 78.145**  
 sand cast design on panels, **78.96**  
 sandwich panels for home, vacuum dewatered, **82.201**  
 simulates stone masonry, **84.477**  
 theater construction, **70.435**  
 wall insulation methods, **78.407**  
 wind loads, **83.55**

Toboggans (concrete), building and racing, **77.331**

#### Tolerances

ACI proposes standard, **80.743**  
 bridges, **80.743**  
 buildings, cast-in-place, **79.659, 80.743**  
 canal linings, **80.743**  
 cast-in-place concrete  
   field measurement, **75.335**  
   origin and principle, **74.210**  
   standard magnitudes, **74.210**  
 concrete mix, ingredients, **80.743**  
 connections for precast, **71.515**  
 flatness of floors, slabs, **79.659**  
 floor flatness, **81.125, 81.673, 82.865**  
 formwork considerations, **80.199**  
 mass concrete, **80.743**  
 measuring for compliance, **79.659**  
 pavements, **80.743**  
 reinforcing steel, **80.743**  
 reinforcing steel placement, **68.193, 84.155**  
 related to design, **79.659**  
 setting standards for, **75.335**  
 shoring/falsework erection, **77.607**  
 slipformed structures, **78.262**  
 sloped floor construction, **74.364**  
 special for acid brick, **80.851**  
 specification provisions, **79.659**  
 standard deviation used as control, **75.335**

Tomstones, student concrete project, **83.256**

Tooled concrete. See also Mechanical tooling  
 architectural surfaces, **72.526**  
 techniques for architectural surfaces, **82.39**

Tools, placing and finishing, **69.121**

Top-down construction, office building, **72.463**

Toppings, two-course floors, **72.351, 76.377**

Tornadoes, Xenia, Ohio, 1974, destruction pattern, **75.343**

#### Tower construction

CN statistics, **83.125**  
 CN, accelerated testing, **75.128**  
 Frankfurt, communications, **78.170**  
 Reunion in Dallas, **77.620**

#### Training aids

reinforcement detailing, **72.599**  
 videotape systems, **82.857**

Training programs, shotcreting personnel, **82.851**

Transmission line poles, telescoping steel forms pumped full of concrete, **76.307**

Transporting concrete. See also Pumping;  
 Conveying

belt conveyor use, **72.479**  
 cranes with buckets, **72.426**

methods compared, **82.697, 83.52**  
 mobile batcher-mixers, **73.371**  
 rail cars, **73.371**  
 truck types, **72.370**

Trap rock, specified for hard floor, **73.479**

Travertine finish, ornamental flatwork, **79.237**

#### Tremie placen art

equipment and methods, **68.247**  
 information sources, **74.304**  
 maintaining seal, **76.137**

Triethanolamine, accelerator or retarder, **76.57**

Tripod, support for ocean structure, **76.67**

#### Troubleshooting

forming and shoring, questions/answers, **78.505**  
 pump problems, **75.233**

Troubleshooting index, CONCRETE  
 CONSTRUCTION magazine, illustrated, **81.980**

Troubleshooting questions and answers  
 architectural concrete, **78.575**  
 flatwork and pavements, **76.353**

#### Troweling

flatwork recommendations, **79.225**  
 floor slab finish, **73.525**

#### Trowels

hand, types available, **69.121**  
 power, operation, **70.315**

Trucks, types for transporting concrete, **72.370**

Trump Tower, construction practices, **82.723**

#### Tunnel construction

BART system, **70.281**

MORE


# KODIAK

## FRP REBAR

Strength  
 drawn from  
 experience.

Kodiak pultruded fiberglass rebar combines the tremendous tensile strength of glass with the corrosion resistance of premium resin systems. It's today's best rebar investment for applications where corrosion or conductance threaten.

And our unique integral texture gives Kodiak rebar a 30% bond strength advantage.



*Our integral spiral banding forms a uniform gripping texture that can't peel or chip off. It forms a rebar-to-concrete bond that's up to 30% stronger than standard FRP rebar.*

Copyright 1985, Kodiak Plastics, Inc.

## KODIAK

Call or write for details.

Kodiak Plastics, Inc.  
 17049 El Camino Real • Suite 100  
 Houston, TX 77058  
 (713) 488-5705 • TELEX 792-647

circle 289 on reader service card

Tunnel construction . . . continued

- Mobile River twin tubes, **72.9**
- Washington, DC Metro, **77.263**
- construction joint details, **74.172**
- full round forms, **79.427**
- invert slipformed, **76.101**
- pneumatic caisson method, **74.453**
- Tunnel form system
  - construction details, cycle, **80.599**
  - half section for apartments, **80.535**
  - high-rise residences, **77.603**
  - residential construction, **75.216**
  - vibrated externally, **82.734**
- Tunnel lining, fiber-reinforced shotcrete, **75.443**

**U**

- Ultrasonic testing. See Pulse velocity
- Underfloor ducts, placed in floor slab, **82.639**
- Underpass (railroad), precast and jacked into place, **84.306**
- Undersealing, pavement restoration, **83.13**
- Underwater concreting, **84.914**
  - overall recommendations, **74.472**
  - repair-related work, **77.162**
  - tremie method, **68.247**
- Uniform Building Code, changes related to concrete, **84.23**
- Unit weight tests, purpose and methods, **81.557**
- Unity Temple (Illinois), restoration with shotcrete, **74.161**
- University of California, library construction, **70.313**
- Upper Stillwater Dam, slipformed face, roller compacted concrete, **82.713**
- Urea
  - contamination of cement, **81.58**
  - safe deicer for concrete, **76.495**
- Urethane, permanent wall forms, **74.15**
- Urethane coatings
  - properties and uses, **81.406**
  - protect concrete walls, **77.485**
- Urethane foam, repairs leaking waterstops, **84.594**
- Urethane insulation, sprayed on inflated form, **73.405**
- Urethane sealer, floor slab application, **77.25**

**V**

- Vacuum dewatering
  - bridge deck applications, **81.507**
  - construction methods demonstrated, **81.503**
  - construction procedures, **75.290, 76.365**
  - effect on concrete properties, **75.40, 81.503**
  - equipment capacities, **76.532**
  - floor slab construction, **75.43, 79.44**
  - how it works, **75.40**
  - mixes and equipment for, **76.301**
  - questions and answers, **76.301**
  - residential tilt-up panels, **82.201**
  - used with metallic hardener, **77.73**
- Vandenberg Air Force Base, placing concrete for space launch site, **81.606**
- Vapor barrier
  - basement construction, **78.199**
  - floor slabs, **80.232**
  - influences slab cracking, **81.739**
  - installation under floor, **73.550**
  - materials and installation, residential work, **75.499**
  - protected during slab work, **78.244**
  - screed support precautions, **78.551**
  - slab on grade, **73.523, 78.21**
  - types to use below slabs, **73.550**
  - when and how to use, **81.920**
  - when to use under slabs, **76.366**
- Vermiculite, aggregate for roof decks, **76.243**
- Vermiculite concrete
  - insulating value, **83.543**
  - mixing and curing, **75.206**

- properties and production, **78.411**
- properties and uses, **81.253**

Vibrating screeds

- how to use, **72.437**
- slab and pavement work, **82.729**
- used in paving/repaving, **82.284**

Vibration

- affects surface appearance, **79.719**
- architectural concrete, **72.536, 79.6**
- concrete on slope, **74.469**
- early history, **82.306**
- effect in reducing bugholes, **72.266**
- external, reduces bugholes, **73.597**
- external, tunnel form system, **82.734**
- improvements with reactivation, **77.537**
- method to prevent lift lines, **74.496**
- mix designed for, **81.438**
- necessary duration, **72.437**
- piles, during casing withdrawal, **75.196**
- plastic lined forms, **82.51**
- techniques for slabs and beams, **73.95**

Vibration (transitory)

- effect on fresh concrete, **83.406**
- measuring effects of, **84.680**

Vibration of structure

- control by spring-mattress method, foundations, **72.21**

Vibration techniques

- basement walls, **75.509**
- columns and walls, **73.159**
- worker's guide, **72.437**

Vibrators

- action in concrete, **73.502**
- external, how to use, **82.437**
- internal

- how to choose, **82.701**
- how to use, **72.437**
- performance measurement, **82.701**
- types available, **82.701**

Video systems, aid employee training, **82.857**

Vinegar, effect on hardened concrete, **75.350**

Vinsol resin

- air-entraining action, **75.417**
- production continues, **76.46**

Vinyl paints, properties and uses, **81.406**

Void forms

- prevent damage from expansive soils, **84.657**
- tie-down methods, **75.155**

under grade beams in expansive soils, **78.294**

Volcanic ash, Mount St. Helens effect on cement clinker, **80.813**

Volleyball court, layout and dimensions, **71.231**

**W**

Waferboard, forming properties, uses, **84.447**

Waffle slab, roof system, described, **71.39**

Wah Luck House, precast and cast in place combined, **84.131**

Walkways (elevated), concrete replaces wood, **80.343**

Wall contractors, PCWCA member list, **76.657**

Wall forms. See also Forms; Formwork  
curved, supported by straight aluminum  
wales, **82.816**

erection details, **73.467**

estimating ganged units, **74.154**

estimating practices, **74.98**

expanded metal, stay-in-place, **73.213**

ganging methods, **74.59**

labor productivity in using, **75.241**

modular aluminum, **82.185**

modular panel systems, layout drawings, **73.103**

permanent insulating panels, concrete in  
voids, **77.599**

permanent insulating, with urethane, **74.15**

permanent, small metal panels, **82.370**

plywood/lumber job-built, **75.504**

precast concrete panels, **84.451**

quantities based on layout drawings, **73.103**

small insulated panels, permanent, **80.488**

- systems compared, **74.345**
- systems for basements, **75.504**
- unframed plywood panels, **74.451**

Wall panels. See also Tilt-up: Precast  
insulated sandwich, **72.261**  
prefab forms shotcreted, **73.475**

Walls

- battered, f.l.m layout, **73.103**
- bearing, higher for masonry support, **82.302**
- cast around curved panel of insulation, **80.482**
- cast with insulation in place, **72.223**
- cellular concrete, fire retarding, **73.38**
- continuous placement up to 50 feet high, **79.29**
- curing in hot weather, **74.253**
- excessive bleeding, causes and cures, **76.135**
- gang forming techniques, **73.587**
- insulated tilt-up panel system, **80.458**
- insulation for, **83.550**
- insulation methods, **78.407, 83.554**
- insulation poured between concrete planks, **83.249**
- plastered, expansion joints, **80.484**
- privacy, noise abatement, precast concrete, **83.767**
- repair and recoating, **77.148**
- residential, pumped concrete for, **79.19**
- shotcrete over insulation, **78.279**
- sound transmission ratings, **79.375**
- vibration techniques, **73.159**
- wire/insulation core with stucco or shotcrete, **80.467**

Ward's Castle, historical house, 1875, **76.23**

Washington, DC Metro

- post-tensioned concrete station, **84.125**
- tunnel and station building, **77.263**

Waste products, recycled as aggregate, **71.372**

Water

- excess in mix is costly, **80.339**
- ponding and spraying to cure concrete, **76.488**
- quality for mixing concrete, **75.107**

Water-cement ratio

- effect on strength, **75.490, 76.477, 82.286**
- watertight concrete, recommendations, **71.5**

Water content, measuring in fresh concrete, **77.427**

Water flow on buildings, design of surfaces for, **72.51**

Water reducers

- effect on mixing, placing, **79.383**
- high range. See Superplasticizers

Water repellency, improved with silane, **84.967**

Water tanks

- base slab construction, **77.298**
- design and construction, **77.444**
- shotcreted, prestressed, **78.471**
- use shrinkage-compensating concrete, **78.126**

Water Tower Place

- design and construction, **83.93**
- high strength concrete used, **76.102**

Water towers, England, c. 1900, **76.181**

Water treatment plants, formwork for, **77.615**

Waterblasting, cleans construction joints, **74.553**

Watering tank, freeze-proof, **81.535**

Waterproof paper, used for curing concrete, **76.488**

Waterproofing. See also Dampproofing

- barrier installation, **81.313**
- basements for homes, **75.499, 78.211**
- below-grade coating, **71.186**
- checklist for specifiers and builders, **81.321**
- earth-sheltered construction, **80.659**
- foundations below water table, **73.473**
- Guggenheim Museum, **76.119**
- materials for barriers, **81.313**
- mix proportions for, **71.5**
- parking deck structures, **76.444**
- repair-related work, **77.163**
- selecting the system, **81.313**
- when is it needed?, **81.305**



Waterproofing materials, earth-sheltered construction, **80.669, 80.675**

Waterproofing methods, earth-sheltered construction, **80.675**

#### Waterstops

basement joints, **73.185**  
basement walls, **80.474**  
repair of leaks at, **84.594**  
selection and installation, **68.105, 84.569**  
types available, **68.105, 84.569**

Wax beads, seal bridge deck internally, **75.402**

#### Weather

builders' information needs, **72.103**  
documented in work log, **79.188**  
effect on construction cost, **72.103**  
forecasting for contractors, **70.5**

#### Weathering

affected by construction details, **72.113**  
architectural design for, **72.51**  
effects described, **72.2**  
influenced by properties of concrete, **72.2**  
preventive measures, **71.127**

Welded wire fabric. See Reinforcing steel

Welding heat, damage to concrete, **72.508**

Welding requirements, reinforcing steel, **81.807**

Westinghouse Bridge, rehabilitation, **83.598**

Wheat aggregate, puffed and carbonized, **71.475**

Wheelbarrows, how to select and use, **84.737**

#### White cement

description and uses, **73.3, 81.331**  
use in colored concrete, **82.19**

#### White concrete

aggregates for, **70.319**  
construction techniques, **72.620**  
curing discoloration, **84.769**  
floor slab, trowel burns, **76.389**  
mixing and handling, **71.9**

ready mixed, production tips, **71.9**  
synopal aggregate for, **72.335**

Willow Creek Dam, shotcreted spillway, **84.633**

Winter concreting. See also Cold weather  
panelized enclosure, **80.250**  
strength development, CN Tower, **75.393**

Wirand. See Fiber reinforcement

Wiring. See Electrical wiring

Wood, swelling when embedded in concrete, **76.463**

#### Wood basements

compete with concrete, **78.215**  
Wisconsin, **82.654**  
deficiencies reported, **76.518, 78.234**  
failure reported, **82.884**  
Iowa controversy, **77.380**  
toxicity, **73.604**

#### Wood foundations

deficiencies, **73.178, 76.269**  
fail in thunderstorm, **82.884**

Wood wool forms, poor compaction of concrete against, **76.699**

#### Workability

factors influencing, **73.404**  
how to measure, **71.289**  
mix design for, **68.7**  
testing history, **75.533**

Workability test, alternate to slump, **75.185**

Worker efficiency, temperature influence on, **73.9**

#### World of Concrete

1975 show details, **75.194**  
1976 show details, **76.6**  
1977 record attendance, **77.200**  
1977 show in New Orleans, **77.7**  
1978 show in Phoenix, **78.7**  
British pavilion featured, **78.17**

changes to come in 1981, **80.936**  
cosponsors for 1977, **77.14**  
exhibits expand for 1985, **84.746**  
expansion for 1978, **77.402**  
getting best from '84 show, **84.149**  
growth in 1980, **80.417**  
history of growth, **82.845**  
new cosponsors, **79.554**  
new products in 1984, **83.974**  
new seminars for 1985, **84.823**  
offers overseas marketing, **81.911**  
record attendance, 1979, **79.186**  
seminar program progress, **83.48**  
seminars for 1984, **83.841**

#### Wright, Frank Lloyd

Biltmore Hotel addition, **79.307**  
Biltmore Hotel expansion, **81.495**  
Fallingwater design, **83.109**  
Fallingwater history, **75.189**  
Guggenheim Museum, **76.119, 83.137**  
Unity Temple design, **74.161**

## Y

Yamasaki, Minoru, concrete structures designed by, **69.337**

Yield determination, calculation methods, **68.361**

Yield loss, high-lift walls, **72.259**

Yield variations, ready mixed concrete, **68.361, 72.450**

## Z

#### Zeej building system

casting modules for, **73.271**  
precast post-tensioned, **73.226**


Zinc, in aggregate retards set, **77.237**

Zoning problems, earth-sheltered construction, **82.589**

# dee

## Forms for all types of Flatwork

FAST ACCURATE FORMING... STRAIGHT AS A DIE—every time



For manual  
or vibratory  
screeding

Cut costs  
75% or more

Straight Forms—10' Long  
Heights 4" through 24"  
Stack Forms up to 24"


Manufactured by:

# dee

CONCRETE ACCESSORIES CO.


P.O. BOX 10086, CHICAGO, IL 60610 • Phone: 312-664-3664

AVAILABLE AT LEADING DISTRIBUTORS OF CONTRACTORS EQUIPMENT AND SUPPLIES



Keyway Forms

removable-reusable



Fast Form Closures

Just  
drop  
on the  
filler